

I.C. INDUSTRIAL SUNSCREEN- zinc oxide, octinoxate, oxybenzone, and octisalate lotion
R & R Lotion, Inc

I.C.® Industrial Sunscreen

Drug Facts

Active Ingredients		Purpose
Zinc Oxide	6.73%	Sunscreen
Octinoxate	5.75%	Sunscreen
Benzophenone-3	4.50%	Sunscreen
Octisalate	3.83%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer & early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.

Rinse with water to remove

Stop use and ask a doctor if a rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - every 2 hours

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10am-2pm
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

DI Water, Ethylhexyl Stearate/Ethylhexyl Palmitate/Diethylhexy Adipate, Propylene Glycol, Glyceryl Stearate (and) PEG-100 Stearate, Cetearyl Alcohol (and) Cetearth-20 Xanthan Gum, Imidazolidinyl Urea, Methyl Paraben, Propyl Paraben, Oleth 3 Phosphate, Vitamin E

Other Information

- protect this product from excessive heat and direct sun

Questions or Samples?

1-888-860-7424

PRINCIPAL DISPLAY PANEL - 236 ml Bottle Label

SPF 36

I.C.®

Industrial
Sunscreen

R&R LOTION
USA

Full Broad
Spectrum
8oz. (236ml) e

A Physical Sunscreen

I.C. Industrial Sunscreen is a full-broad spectrum, hybrid formula that reflects and neutralizes UVA & UVB radiation. A blend of non-nano zinc oxide and organic UV filters combine and form an effective barrier against the Sun's cancerous rays.

Advanced sheering technology distributes zinc oxide and refines the sunscreen. Allowing it to be a lightweight and invisible application, while maintaining enough durability to hold through sweat and water for up to 80 minutes.

- Fragrance Free
- 80 Minute Water Resistance
- ASTM F2621 (FR Clothing) Compliant
- ASTM D120 (Lineman's Glove) Compliant

Gov't Contractor GSA/VAD/DOD

R&R Lotion
Scottsdale, AZ • USA
Samples & Comments?
Call (480) 443-9255
visit RRlotion.com



PN# ISSC-8



FDA
Registered
Manufacturer

SPF 36

I.C.[®]
**Industrial
Sunscreen**

Protector Solar
Tecnología Física de Zinc

R&R LOTION
USA

**Full Broad
Spectrum**
8oz. (236ml) e

Drug Facts

Active Ingredients	Purpose
Zinc Oxide..... 6.73%	Sunscreen
Octinoxate..... 5.75%	Sunscreen
Benzophenone-3..... 4.50%	Sunscreen
Octisalate..... 3.83%	Sunscreen
Uses <ul style="list-style-type: none">• Helps prevent sunburn• If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer & early skin aging caused by the sun	
Warnings For external use only Do not use on damaged or broken skin When using this product keep out of eyes. Rinse with water to remove Stop use and ask a doctor if a rash occurs Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
Directions <ul style="list-style-type: none">• apply liberally 15 minutes before sun exposure reapply: <ul style="list-style-type: none">• after 80 minutes of swimming or sweating• immediately after towel drying• every 2 hours Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: <ul style="list-style-type: none">• limit time in the sun, especially from 10am-2pm• wear long-sleeve shirts, pants, hats, and sunglasses• children under 6 months: Ask a doctor	
Inactive Ingredients DI Water, Ethylhexyl Stearate/Ethylhexyl Palmitate/Diethylhexyl Adipate, Propylene Glycol, Glyceryl Stearate (and) PEG-100 Stearate, Cetearyl Alcohol (and) Cetearyl-20, Xanthan Gum, Imidazolidinyl Urea, Methyl Paraben, Propyl Paraben, Oleth 3 Phosphate, Vitamin E	
Other Information <ul style="list-style-type: none">• protect this product from excessive heat and direct sun	
Questions or Samples? 1-888-860-7424	

I.C. INDUSTRIAL SUNSCREEN

zinc oxide, octinoxate, oxybenzone, and octisalate lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59555-117
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	67.3 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	57.5 mg in 1 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZ ONE - UNII:95OOS7VE0Y)	OXYBENZ ONE	45 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	38.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ETHYLHEXYL STEARATE (UNII: EG3PA2K3K5)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	

DIETHYLHEXYL ADIPATE (UNII: MBY1SL921L)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 MONOSTEARATE (UNII: YD01N1999R)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
XANTHAN GUM (UNII: TTV12P4NEE)	
IMIDUREA (UNII: M629807ATL)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
OLETH-3 PHOSPHATE (UNII: 8Q0Z18J1VL)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59555-117-01	5 mL in 1 PACKET; Type 0: Not a Combination Product	05/26/2022	
2	NDC:59555-117-04	59 mL in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product	05/26/2022	
3	NDC:59555-117-07	118 mL in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product	05/26/2022	
4	NDC:59555-117-08	236 mL in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product	05/26/2022	
5	NDC:59555-117-10	946 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	05/26/2022	
6	NDC:59555-117-11	3785 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	05/26/2022	
7	NDC:59555-117-13	50 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	05/26/2022	
8	NDC:59555-117-16	4 mL in 1 PACKET; Type 0: Not a Combination Product	05/26/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	05/26/2022	

Labeler - R & R Lotion, Inc (062979000)