

PURMINERALS 4-IN-1 14-HOUR WEAR FOUNDATION BROAD SPECTRUM SPF 15 (LIGHT)- octinoxate liquid
PURMINERALS 4-IN-1 14-HOUR WEAR FOUNDATION BROAD SPECTRUM SPF 15 (BLUSH MEDIUM)- octinoxate liquid
PURMINERALS 4-IN-1 14-HOUR WEAR FOUNDATION BROAD SPECTRUM SPF 15 (GOLDEN MEDIUM)- octinoxate liquid
PURMINERALS 4-IN-1 14-HOUR WEAR FOUNDATION BROAD SPECTRUM SPF 15 (LIGHT TAN)- octinoxate liquid
PURMINERALS 4-IN-1 14-HOUR WEAR FOUNDATION BROAD SPECTRUM SPF 15 (TAN)- octinoxate liquid
PURMINERALS 4-IN-1 14-HOUR WEAR FOUNDATION BROAD SPECTRUM SPF 15 (MEDIUM DARK)- octinoxate liquid
PURMINERALS 4-IN-1 14-HOUR WEAR FOUNDATION BROAD SPECTRUM SPF 15 (GOLDEN DARK)- octinoxate liquid
PURMINERALS 4-IN-1 14-HOUR WEAR FOUNDATION BROAD SPECTRUM SPF 15 (DEEP)- octinoxate liquid
PURMINERALS 4-IN-1 14-HOUR WEAR FOUNDATION BROAD SPECTRUM SPF 15 (DEEPER)- octinoxate liquid
Purminerals

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Pürminerals 4-in-1 Liquid 14-Hour Wear Foundation Broad Spectrum SPF 15

Drug Facts

Medicinal Ingredient/Active Ingredient

Octinoxate 5.0 % w/w

Purpose

Sunscreen

Uses

Helps prevent sunburn.

Warnings

For external use only

- Do not use on damaged or broken skin
- Stop use and ask a doctor if rash occurs
- When using this product, keep out of eyes. Rinse with water to remove

- Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away

Directions

Apply liberally 15 minutes before sun exposure

- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours
- Children under 6 months: ask a doctor

Sun Protection Measures

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m.-2 p.m.

- Wear long-sleeved shirts, pants, hats, and sunglasses.

Non-Medicinal Ingredients/ Inactive Ingredients

Acrylates/C12-22 Alkyl Methacrylate Copolymer, Amodimethicone, Aqua, Bambusa Vulgaris Leaf/Stem Extract, Bis-PEG/PPG-14/14 Dimethicone, Boron Nitride, Butyrospermum Parkii (Shea Butter) Extract, C12-C15 Alkyl Ethylhexanoate, Ceramide AP, Cetyl PEG/PPG-10/1 Dimethicone, Citric Acid, Cyclopentasiloxane, Dextrin, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Distearidimonium Hectorite, EDTA, Ethylhexylglycerin, Ferulic Acid, Glucosamine HCL, Hydroxyethylcellulose, Lactic Acid, Laureth-7, Lecithin, Magnesium Sulfate, Mannitol, Pentylene Glycol, Phenoxyethanol, Pisum Sativum (Pea) Extract, Propanediol, Propylene Carbonate, Retinol, Silica Silylate, Sodium Citrate, Sodium Gluconate, Sodium PCA, Sodium Starch Octenylsuccinate, Tocopheryl Acetate, Tribehenin, Triethoxycaprylylsilane, Trihydroxystearin, Trimethylsiloxysilicate, Waltheria Indica Leaf Extract, Xanthan Gum, Zinc Stearate. **May Contain:** Iron Oxides (CI 77491, CI 77492, CI 77499), Mica, Titanium Dioxide (CI 77891)

Other

Protect this product from excessive heat and direct sun

- In the unlikely event of an adverse reaction, please contact 1.866.PUR.0022.

Distributed by **pürminerals**®
Atlanta, GA 30327

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Light

pür™

4-in-1 Liquid

**14-Hour Wear Foundation
Broad Spectrum SPF 15**

1FL OZ/30ML

Let's Mingle:
facebook.com/purminerals

Light
Clair

pür

**4-in-1 Liquid
14-Hour Wear Foundation**

Fond de teint liquide
longue tenue-14 heures

pür™

**4-in-1 Liquid
14-Hour Wear Foundation
Broad Spectrum SPF 15**



Fond de teint liquide
tenue prolongée-14 heures
Large spectre FPS 15

Achieve up to 14 hours of
complexion perfection with an
oil-free foundation proven to
improve your skin's appearance.

Application: Smooth over clean,
moisturized skin using the Liquid
Chisel Brush or fingertips. For best
results, apply over the Correcting
Primer of your choice.

**LIGHTWEIGHT
OIL-FREE**

HYDRATING

1 FL OZ/30ML

Distributed by/Distribué par **pūminerals®**
Atlanta, GA 30327 Made In USA/Fabriqué aux Etats-Unis
1.866.PUR.0022 purminerals.com

Drug Facts/Les Faits de drogue

Medicinal Ingredient/Active Ingredient:

Ingrédient Médicinal/Ingrédient actif :

Octinoxate 5.0 % w/w

Purpose/Usages: Sunscreen/Protection solaire

Uses: Helps prevent sunburn. **Usages :** Aide à prévenir les coups de soleil.

Warnings: For external use only • Do not use on damaged or broken skin • Stop use and ask a doctor if rash occurs • When using this product, keep out of eyes. Rinse with water to remove • Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away. **Avertissement :** Usage externe seulement • Ne pas appliquer sur une peau abîmée • Arrêtez l'utilisation et demandez conseil à votre

HYDRATING

GLUE AREA / NO INK OR COLOUR

• Evitez l'eau chaude et le maquillage jusqu'à votre médecin en cas de rougeurs • Éloignez le produit des yeux lors de l'utilisation. Pour nettoyer, rincez avec de l'eau • Gardez hors de portée des enfants. En cas d'ingestion, demandez conseil à votre médecin ou appelez un centre anti-poison immédiatement.

Directions: Apply liberally 15 minutes before sun exposure
• Use a water resistant sunscreen if swimming or sweating
• Reapply at least every 2 hours • Children under 6 months: ask a doctor
Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m.–2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. **Conseils d'utilisation :** Appliquez librement 15 minutes avant de vous exposer au soleil • Utilisez un écran solaire résistant à l'eau en cas de natation ou de transpiration • Appliquez une fois toutes les deux heures au minimum • Enfants en dessous de 6 mois : Demandez un avis médical
Mesures de protection solaire : l'exposition au soleil augmente les risques de cancer et de vieillissement prématuré de la peau. Pour diminuer ce risque, utilisez régulièrement un écran solaire avec un indice de protection (IP) égal ou supérieur à 15 et • limitez le temps d'exposition au soleil, particulièrement entre 10 h et 14 h • Portez des chemises à manches longues, un pantalon, un chapeau et des lunettes de soleil

Non-Medicinal Ingredients/Inactive Ingredients:
Ingrédients Non-médicinaux/Ingrédients Inactifs :
Acrylates/C12-22 Alkyl Methacrylate Copolymer, Amodimethicone, Aqua, Bambusa Vulgaris Leaf/Stem Extract, Bis-PEG/PPG-14/14 Dimethicone, Boron Nitride, Butyrospermum Parkii (Shea Butter) Extract, C12-C15 Alkyl Ethylhexanoate, Ceramide AP, Cetyl PEG/PPG-10/1 Dimethicone, Citric Acid, Cyclopentasiloxane, Dextrin, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Disteardimonium Hectorite, EDTA, Ethylhexylglycerin, Ferulic Acid, Glucosamine HCL, Hydroxyethylcellulose, Lactic Acid, Laureth-7, Lecithin, Magnesium Sulfate, Mannitol, Pentylene Glycol, Phenoxyethanol, Pisum Sativum (Pea) Extract, Propanediol, Propylene Carbonate, Retinol, Silica Silylate, Sodium Citrate, Sodium Gluconate, Sodium PCA, Sodium Starch Octenylsuccinate, Tocopheryl Acetate, Tribehenin, Triethoxycaprylylsilane, Trihydroxystearin, Trimethylsiloxy silicate, Waltheria Indica Leaf Extract, Xanthan Gum, Zinc Stearate. **May Contain:** Iron Oxides (CI 77491, CI 77492, CI 77499), Mica, Titanium Dioxide (CI 77891)

Other: Protect this product from excessive heat and direct sun
• In the unlikely event of an adverse reaction, please contact 1.866.PUR.0022. **Autres :** Protégez ce produit de la chaleur et du rayonnement direct du soleil. Dans l'événement peu probable d'une réaction défavorable... veuillez contactez le 1.866.PUR.0022.

Obtenez un maquillage parfait pendant 14 heures grâce à une formule sans huiles, éprouvée et conçue pour améliorer l'apparence de la peau.


Application : Appliquer sur une peau propre en utilisant le pinceau applicateur biseauté pour fond de teint liquide ou le bout des doigts. Pour de meilleurs résultats, appliquer sur le fond de teint correcteur de votre choix.

TEXTURE LÉGÈRE
SANS HUILE
HYDRATANT

Imported by/Importé par: A loette Cosmetics, Canada Inc.,
Mississauga, ON L4W 2Z2
BIORIUS sprl, 2 rue René Descartes, B-7000 Mons, Belgium



pur



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Blush Medium

pür™

4-in-1 Liquid

**14-Hour Wear Foundation
Broad Spectrum SPF 15**

1FL OZ/30ML

Let's Mingle:
facebook.com/purminerals

Blush
Medium
Éclat moyen

pür

**4-in-1 Liquid
14-Hour Wear Foundation**

Fond de teint liquide
longue tenue-14 heures

pür™

**4-in-1 Liquid
14-Hour Wear Foundation
Broad Spectrum SPF 15**



Fond de teint liquide
tenue prolongée-14 heures
Large spectre FPS 15

Achieve up to 14 hours of
complexion perfection with an
oil-free foundation proven to
improve your skin's appearance.

Application: Smooth over clean,
moisturized skin using the Liquid
Chisel Brush or fingertips. For best
results, apply over the Correcting
Primer of your choice.

**LIGHTWEIGHT
OIL-FREE**

HYDRATING

1 FL OZ/30ML

Distributed by/Distribué par **pūminerals®**
Atlanta, GA 30327 Made In USA/Fabriqué aux Etats-Unis
1.866.PUR.0022 purminerals.com

Drug Facts/Les Faits de drogue

Medicinal Ingredient/Active Ingredient:

Ingrédient Médicinal/Ingrédient actif :

Octinoxate 5.0 % w/w

Purpose/Usages: Sunscreen/Protection solaire

Uses: Helps prevent sunburn. **Usages :** Aide à prévenir les coups de soleil.

Warnings: For external use only • Do not use on damaged or broken skin • Stop use and ask a doctor if rash occurs • When using this product, keep out of eyes. Rinse with water to remove • Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away. **Avertissement :** Usage externe seulement • Ne pas appliquer sur une peau abîmée • Arrêtez l'utilisation et demandez conseil à votre

ATING

GLUE AREA / NO INK OR COLOUR

• Evitez l'eau chaude et le maquillage jusqu'à votre médecin en cas de rougeurs • Éloignez le produit des yeux lors de l'utilisation. Pour nettoyer, rincez avec de l'eau • Gardez hors de portée des enfants. En cas d'ingestion, demandez conseil à votre médecin ou appelez un centre anti-poison immédiatement.

Directions: Apply liberally 15 minutes before sun exposure
• Use a water resistant sunscreen if swimming or sweating
• Reapply at least every 2 hours • Children under 6 months: ask a doctor
Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m.–2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. **Conseils d'utilisation :** Appliquez librement 15 minutes avant de vous exposer au soleil • Utilisez un écran solaire résistant à l'eau en cas de natation ou de transpiration • Appliquez une fois toutes les deux heures au minimum • Enfants en dessous de 6 mois : Demandez un avis médical
Mesures de protection solaire : l'exposition au soleil augmente les risques de cancer et de vieillissement prématuré de la peau. Pour diminuer ce risque, utilisez régulièrement un écran solaire avec un indice de protection (IP) égal ou supérieur à 15 et • limitez le temps d'exposition au soleil, particulièrement entre 10 h et 14 h • Portez des chemises à manches longues, un pantalon, un chapeau et des lunettes de soleil

Non-Medicinal Ingredients/Inactive Ingredients:
Ingrédients Non-médicinaux/Ingrédients Inactifs :
Acrylates/C12-22 Alkyl Methacrylate Copolymer, Amodimethicone, Aqua, Bambusa Vulgaris Leaf/Stem Extract, Bis-PEG/PPG-14/14 Dimethicone, Boron Nitride, Butyrospermum Parkii (Shea Butter) Extract, C12-C15 Alkyl Ethylhexanoate, Ceramide AP, Cetyl PEG/PPG-10/1 Dimethicone, Citric Acid, Cyclopentasiloxane, Dextrin, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Disteardimonium Hectorite, EDTA, Ethylhexylglycerin, Ferulic Acid, Glucosamine HCL, Hydroxyethylcellulose, Lactic Acid, Laureth-7, Lecithin, Magnesium Sulfate, Mannitol, Pentylene Glycol, Phenoxyethanol, Pisum Sativum (Pea) Extract, Propanediol, Propylene Carbonate, Retinol, Silica Silylate, Sodium Citrate, Sodium Gluconate, Sodium PCA, Sodium Starch Octenylsuccinate, Tocopheryl Acetate, Tribehenin, Triethoxycaprylylsilane, Trihydroxystearin, Trimethylsiloxy silicate, Waltheria Indica Leaf Extract, Xanthan Gum, Zinc Stearate. **May Contain:** Iron Oxides (CI 77491, CI 77492, CI 77499), Mica, Titanium Dioxide (CI 77891)

Other: Protect this product from excessive heat and direct sun
• In the unlikely event of an adverse reaction, please contact 1.866.PUR.0022. **Autres :** Protégez ce produit de la chaleur et du rayonnement direct du soleil. Dans l'événement peu probable d'une réaction défavorable... veuillez contactez le 1.866.PUR.0022.

Obtenez un maquillage parfait pendant 14 heures grâce à une formule sans huiles, éprouvée et conçue pour améliorer l'apparence de la peau.


Application : Appliquer sur une peau propre en utilisant le pinceau applicateur biseauté pour fond de teint liquide ou le bout des doigts. Pour de meilleurs résultats, appliquer sur le fond de teint correcteur de votre choix.

TEXTURE LÉGÈRE
SANS HUILE
HYDRATANT

Imported by/Importé par: A loette Cosmetics, Canada Inc.,
Mississauga, ON L4W 2Z2
BIORIUS sprl, 2 rue René Descartes, B-7000 Mons, Belgium



pur



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Golden Medium

pür™

4-in-1 Liquid

**14-Hour Wear Foundation
Broad Spectrum SPF 15**

1FL OZ/30ML

Let's Mingle:
facebook.com/purminerals

Golden
Medium
Or moyen

pür

**4-in-1 Liquid
14-Hour Wear Foundation**

Fond de teint liquide
longue tenue-14 heures

pür™

**4-in-1 Liquid
14-Hour Wear Foundation
Broad Spectrum SPF 15**



Fond de teint liquide
tenue prolongée-14 heures
Large spectre FPS 15

Achieve up to 14 hours of
complexion perfection with an
oil-free foundation proven to
improve your skin's appearance.

Application: Smooth over clean,
moisturized skin using the Liquid
Chisel Brush or fingertips. For best
results, apply over the Correcting
Primer of your choice.

**LIGHTWEIGHT
OIL-FREE**

HYDRATING

1 FL OZ/30ML

Distributed by/Distribué par **pürminerals®**
Atlanta, GA 30327 Made In USA/Fabriqué aux Etats-Unis
1.866.PUR.0022 purminerals.com

Drug Facts/Les Faits de drogue

Medicinal Ingredient/Active Ingredient:

Ingrédient Médicinal/Ingrédient actif :

Octinoxate 5.0 % w/w

Purpose/Usages: Sunscreen/Protection solaire

Uses: Helps prevent sunburn. **Usages :** Aide à prévenir les coups de soleil.

Warnings: For external use only • Do not use on damaged or broken skin • Stop use and ask a doctor if rash occurs • When using this product, keep out of eyes. Rinse with water to remove • Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away. **Avertissement :** Usage externe seulement • Ne pas appliquer sur une peau abîmée • Arrêtez l'utilisation et demandez conseil à votre

ATING

GLUE AREA / NO INK OR COLOUR

médecin en cas de rougeurs • Eloignez le produit des yeux lors de l'utilisation. Pour nettoyer, rincez avec de l'eau • Gardez hors de portée des enfants. En cas d'ingestion, demandez conseil à votre médecin ou appelez un centre anti-poison immédiatement.

Directions: Apply liberally 15 minutes before sun exposure
• Use a water resistant sunscreen if swimming or sweating
• Reapply at least every 2 hours • Children under 6 months: ask a doctor
Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m.–2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. **Conseils d'utilisation :** Appliquez librement 15 minutes avant de vous exposer au soleil • Utilisez un écran solaire résistant à l'eau en cas de natation ou de transpiration • Appliquez une fois toutes les deux heures au minimum • Enfants en dessous de 6 mois : Demandez un avis médical
Mesures de protection solaire : l'exposition au soleil augmente les risques de cancer et de vieillissement prématuré de la peau. Pour diminuer ce risque, utilisez régulièrement un écran solaire avec un indice de protection (IP) égal ou supérieur à 15 et • limitez le temps d'exposition au soleil, particulièrement entre 10 h et 14 h • Portez des chemises à manches longues, un pantalon, un chapeau et des lunettes de soleil

Non-Medicinal Ingredients/ Inactive Ingredients:
Ingrédients Non-médicinaux/Ingrédients Inactifs :
Acrylates/C12-22 Alkyl Methacrylate Copolymer, Amodimethicone, Aqua, Bambusa Vulgaris Leaf/Stem Extract, Bis-PEG/PPG-14/14 Dimethicone, Boron Nitride, Butyrospermum Parkii (Shea Butter) Extract, C12-C15 Alkyl Ethylhexanoate, Ceramide AP, Cetyl PEG/PPG-10/1 Dimethicone, Citric Acid, Cyclopentasiloxane, Dextrin, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Disteardimonium Hectorite, EDTA, Ethylhexylglycerin, Ferulic Acid, Glucosamine HCL, Hydroxyethylcellulose, Lactic Acid, Laureth-7, Lecithin, Magnesium Sulfate, Mannitol, Pentylene Glycol, Phenoxyethanol, Pisum Sativum (Pea) Extract, Propanediol, Propylene Carbonate, Retinol, Silica Silylate, Sodium Citrate, Sodium Gluconate, Sodium PCA, Sodium Starch Octenylsuccinate, Tocopheryl Acetate, Tribehenin, Triethoxycaprylylsilane, Trihydroxystearin, Trimethylsiloxy silicate, Waltheria Indica Leaf Extract, Xanthan Gum, Zinc Stearate. **May Contain:** Iron Oxides (CI 77491, CI 77492, CI 77499), Mica, Titanium Dioxide (CI 77891)

Other: Protect this product from excessive heat and direct sun
• In the unlikely event of an adverse reaction, please contact 1.866.PUR.0022. **Autres :** Protégez ce produit de la chaleur et du rayonnement direct du soleil. Dans l'événement peu probable d'une réaction défavorable... veuillez contactez le 1.866.PUR.0022.

Obtenez un maquillage parfait pendant 14 heures grâce à une formule sans huiles, éprouvée et conçue pour améliorer l'apparence de la peau.


Application : Appliquer sur une peau propre en utilisant le pinceau applicateur biseauté pour fond de teint liquide ou le bout des doigts. Pour de meilleurs résultats, appliquer sur le fond de teint correcteur de votre choix.

TEXTURE LÉGÈRE
SANS HUILE
HYDRATANT

Imported by/Importé par: Alobette Cosmetics, Canada Inc., Mississauga, ON L4W 2Z2
BIORIUS sprl, 2 rue René Descartes, B-7000 Mors, Belgium



pur



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Light Tan

pür™

4-in-1 Liquid

**14-Hour Wear Foundation
Broad Spectrum SPF 15**

1FL OZ/30ML

Let's Mingle:
facebook.com/purminerals

Light Tan
Clair Hâle

pür

**4-in-1 Liquid
14-Hour Wear Foundation**

Fond de teint liquide
longue tenue-14 heures

pür™

**4-in-1 Liquid
14-Hour Wear Foundation
Broad Spectrum SPF 15**



Fond de teint liquide
tenue prolongée-14 heures
Large spectre FPS 15

Achieve up to 14 hours of
complexion perfection with an
oil-free foundation proven to
improve your skin's appearance.

Application: Smooth over clean,
moisturized skin using the Liquid
Chisel Brush or fingertips. For best
results, apply over the Correcting
Primer of your choice.

**LIGHTWEIGHT
OIL-FREE**

HYDRATING

1 FL OZ/30ML

Distributed by/Distribué par **pūminerals®**
Atlanta, GA 30327 Made In USA/Fabriqué aux Etats-Unis
1.866.PUR.0022 purminerals.com

Drug Facts/Les Faits de drogue

Medicinal Ingredient/Active Ingredient:

Ingrédient Médicinal/Ingrédient actif :

Octinoxate 5.0 % w/w

Purpose/Usages: Sunscreen/Protection solaire

Uses: Helps prevent sunburn. **Usages :** Aide à prévenir les coups de soleil.

Warnings: For external use only • Do not use on damaged or broken skin • Stop use and ask a doctor if rash occurs • When using this product, keep out of eyes. Rinse with water to remove • Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away. **Avertissement :** Usage externe seulement • Ne pas appliquer sur une peau abîmée • Arrêtez l'utilisation et demandez conseil à votre

HYDRATING

GLUE AREA / NO INK OR COLOUR

• Evitez l'eau chaude et le maquillage jusqu'à votre médecin en cas de rougeurs • Éloignez le produit des yeux lors de l'utilisation. Pour nettoyer, rincez avec de l'eau • Gardez hors de portée des enfants. En cas d'ingestion, demandez conseil à votre médecin ou appelez un centre anti-poison immédiatement.

Directions: Apply liberally 15 minutes before sun exposure
• Use a water resistant sunscreen if swimming or sweating
• Reapply at least every 2 hours • Children under 6 months: ask a doctor
Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m.–2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. **Conseils d'utilisation :** Appliquez librement 15 minutes avant de vous exposer au soleil • Utilisez un écran solaire résistant à l'eau en cas de natation ou de transpiration • Appliquez une fois toutes les deux heures au minimum • Enfants en dessous de 6 mois : Demandez un avis médical
Mesures de protection solaire : l'exposition au soleil augmente les risques de cancer et de vieillissement prématuré de la peau. Pour diminuer ce risque, utilisez régulièrement un écran solaire avec un indice de protection (IP) égal ou supérieur à 15 et • limitez le temps d'exposition au soleil, particulièrement entre 10 h et 14 h • Portez des chemises à manches longues, un pantalon, un chapeau et des lunettes de soleil

Non-Medicinal Ingredients/Inactive Ingredients:
Ingrédients Non-médicinaux/Ingrédients Inactifs :
Acrylates/C12-22 Alkyl Methacrylate Copolymer, Amodimethicone, Aqua, Bambusa Vulgaris Leaf/Stem Extract, Bis-PEG/PPG-14/14 Dimethicone, Boron Nitride, Butyrospermum Parkii (Shea Butter) Extract, C12-C15 Alkyl Ethylhexanoate, Ceramide AP, Cetyl PEG/PPG-10/1 Dimethicone, Citric Acid, Cyclopentasiloxane, Dextrin, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Disteardimonium Hectorite, EDTA, Ethylhexylglycerin, Ferulic Acid, Glucosamine HCL, Hydroxyethylcellulose, Lactic Acid, Laureth-7, Lecithin, Magnesium Sulfate, Mannitol, Pentylene Glycol, Phenoxyethanol, Pisum Sativum (Pea) Extract, Propanediol, Propylene Carbonate, Retinol, Silica Silylate, Sodium Citrate, Sodium Gluconate, Sodium PCA, Sodium Starch Octenylsuccinate, Tocopheryl Acetate, Tribehenin, Triethoxycaprylylsilane, Trihydroxystearin, Trimethylsiloxy silicate, Waltheria Indica Leaf Extract, Xanthan Gum, Zinc Stearate. **May Contain:** Iron Oxides (CI 77491, CI 77492, CI 77499), Mica, Titanium Dioxide (CI 77891)

Other: Protect this product from excessive heat and direct sun
• In the unlikely event of an adverse reaction, please contact 1.866.PUR.0022. **Autres :** Protégez ce produit de la chaleur et du rayonnement direct du soleil. Dans l'événement peu probable d'une réaction défavorable... veuillez contactez le 1.866.PUR.0022.

Obtenez un maquillage parfait pendant 14 heures grâce à une formule sans huiles, éprouvée et conçue pour améliorer l'apparence de la peau.


Application : Appliquer sur une peau propre en utilisant le pinceau applicateur biseauté pour fond de teint liquide ou le bout des doigts. Pour de meilleurs résultats, appliquer sur le fond de teint correcteur de votre choix.

TEXTURE LÉGÈRE
SANS HUILE
HYDRATANT

Imported by/Importé par: A loette Cosmetics, Canada Inc.,
Mississauga, ON L4W 2Z2
BIORIUS sprl, 2 rue René Descartes, B-7000 Mons, Belgium



pur



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Tan

pür™

4-in-1 Liquid

**14-Hour Wear Foundation
Broad Spectrum SPF 15**

1FL OZ/30ML

Let's Mingle:
facebook.com/purminerals

Tan/Håle

pür

**4-in-1 Liquid
14-Hour Wear Foundation**

Fond de teint liquide
longue tenue-14 heures

pür™

**4-in-1 Liquid
14-Hour Wear Foundation
Broad Spectrum SPF 15**



Fond de teint liquide
tenue prolongée-14 heures
Large spectre FPS 15

Achieve up to 14 hours of
complexion perfection with an
oil-free foundation proven to
improve your skin's appearance.

Application: Smooth over clean,
moisturized skin using the Liquid
Chisel Brush or fingertips. For best
results, apply over the Correcting
Primer of your choice.

**LIGHTWEIGHT
OIL-FREE**

HYDRATING

1 FL OZ/30ML

Distributed by/Distribué par **pūminerals®**
Atlanta, GA 30327 Made In USA/Fabriqué aux Etats-Unis
1.866.PUR.0022 purminerals.com

Drug Facts/Les Faits de drogue

Medicinal Ingredient/Active Ingredient:

Ingrédient Médicinal/Ingrédient actif :

Octinoxate 5.0 % w/w

Purpose/Usages: Sunscreen/Protection solaire

Uses: Helps prevent sunburn. **Usages :** Aide à prévenir les coups de soleil.

Warnings: For external use only • Do not use on damaged or broken skin • Stop use and ask a doctor if rash occurs • When using this product, keep out of eyes. Rinse with water to remove • Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away. **Avertissement :** Usage externe seulement • Ne pas appliquer sur une peau abîmée • Arrêtez l'utilisation et demandez conseil à votre

HYDRATING

GLUE AREA / NO INK OR COLOUR

• Evitez l'eau chaude et le maquillage jusqu'à votre médecin en cas de rougeurs • Éloignez le produit des yeux lors de l'utilisation. Pour nettoyer, rincez avec de l'eau • Gardez hors de portée des enfants. En cas d'ingestion, demandez conseil à votre médecin ou appelez un centre anti-poison immédiatement.

Directions: Apply liberally 15 minutes before sun exposure
• Use a water resistant sunscreen if swimming or sweating
• Reapply at least every 2 hours • Children under 6 months: ask a doctor
Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m.–2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. **Conseils d'utilisation :** Appliquez librement 15 minutes avant de vous exposer au soleil • Utilisez un écran solaire résistant à l'eau en cas de natation ou de transpiration • Appliquez une fois toutes les deux heures au minimum • Enfants en dessous de 6 mois : Demandez un avis médical
Mesures de protection solaire : l'exposition au soleil augmente les risques de cancer et de vieillissement prématuré de la peau. Pour diminuer ce risque, utilisez régulièrement un écran solaire avec un indice de protection (IP) égal ou supérieur à 15 et • limitez le temps d'exposition au soleil, particulièrement entre 10 h et 14 h • Portez des chemises à manches longues, un pantalon, un chapeau et des lunettes de soleil

Non-Medicinal Ingredients/Inactive Ingredients:
Ingrédients Non-médicinaux/Ingrédients Inactifs :
Acrylates/C12-22 Alkyl Methacrylate Copolymer, Amodimethicone, Aqua, Bambusa Vulgaris Leaf/Stem Extract, Bis-PEG/PPG-14/14 Dimethicone, Boron Nitride, Butyrospermum Parkii (Shea Butter) Extract, C12-C15 Alkyl Ethylhexanoate, Ceramide AP, Cetyl PEG/PPG-10/1 Dimethicone, Citric Acid, Cyclopentasiloxane, Dextrin, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Disteardimonium Hectorite, EDTA, Ethylhexylglycerin, Ferulic Acid, Glucosamine HCL, Hydroxyethylcellulose, Lactic Acid, Laureth-7, Lecithin, Magnesium Sulfate, Mannitol, Pentylene Glycol, Phenoxyethanol, Pisum Sativum (Pea) Extract, Propanediol, Propylene Carbonate, Retinol, Silica Silylate, Sodium Citrate, Sodium Gluconate, Sodium PCA, Sodium Starch Octenylsuccinate, Tocopheryl Acetate, Tribehenin, Triethoxycaprylylsilane, Trihydroxystearin, Trimethylsiloxy silicate, Waltheria Indica Leaf Extract, Xanthan Gum, Zinc Stearate. **May Contain:** Iron Oxides (CI 77491, CI 77492, CI 77499), Mica, Titanium Dioxide (CI 77891)

Other: Protect this product from excessive heat and direct sun
• In the unlikely event of an adverse reaction, please contact 1.866.PUR.0022. **Autres :** Protégez ce produit de la chaleur et du rayonnement direct du soleil. Dans l'événement peu probable d'une réaction défavorable... veuillez contacter le 1.866.PUR.0022.

Obtenez un maquillage parfait pendant 14 heures grâce à une formule sans huiles, éprouvée et conçue pour améliorer l'apparence de la peau.


Application : Appliquer sur une peau propre en utilisant le pinceau applicateur biseauté pour fond de teint liquide ou le bout des doigts. Pour de meilleurs résultats, appliquer sur le fond de teint correcteur de votre choix.

TEXTURE LÉGÈRE
SANS HUILE
HYDRATANT

Imported by/Importé par: A loette Cosmetics, Canada Inc.,
Mississauga, ON L4W 2Z2
BIORIUS sprl, 2 rue René Descartes, B-7000 Mons, Belgium



pur



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Medium Dark

pür™

4-in-1 Liquid

**14-Hour Wear Foundation
Broad Spectrum SPF 15**

1FL OZ/30ML

Let's Mingle:
facebook.com/purminerals

Medium Dark
Moyen foncé

pür

**4-in-1 Liquid
14-Hour Wear Foundation**

Fond de teint liquide
longue tenue-14 heures

pür™

**4-in-1 Liquid
14-Hour Wear Foundation
Broad Spectrum SPF 15**



Fond de teint liquide
tenue prolongée-14 heures
Large spectre FPS 15

Achieve up to 14 hours of
complexion perfection with an
oil-free foundation proven to
improve your skin's appearance.

Application: Smooth over clean,
moisturized skin using the Liquid
Chisel Brush or fingertips. For best
results, apply over the Correcting
Primer of your choice.

**LIGHTWEIGHT
OIL-FREE**

HYDRATING

1 FL OZ/30ML

Distributed by/Distribué par **pürminerals®**
Atlanta, GA 30327 Made In USA/Fabriqué aux Etats-Unis
1.866.PUR.0022 purminerals.com

Drug Facts/Les Faits de drogue

Medicinal Ingredient/Active Ingredient:

Ingrédient Médicinal/Ingrédient actif :

Octinoxate 5.0 % w/w

Purpose/Usages: Sunscreen/Protection solaire

Uses: Helps prevent sunburn. **Usages :** Aide à prévenir les coups de soleil.

Warnings: For external use only • Do not use on damaged or broken skin • Stop use and ask a doctor if rash occurs • When using this product, keep out of eyes. Rinse with water to remove • Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away. **Avertissement :** Usage externe seulement • Ne pas appliquer sur une peau abîmée • Arrêtez l'utilisation et demandez conseil à votre

ATING

GLUE AREA / NO INK OR COLOUR

médecin en cas de rougeurs • Eloignez le produit des yeux lors de l'utilisation. Pour nettoyer, rincez avec de l'eau • Gardez hors de portée des enfants. En cas d'ingestion, demandez conseil à votre médecin ou appelez un centre anti-poison immédiatement.

Directions: Apply liberally 15 minutes before sun exposure
• Use a water resistant sunscreen if swimming or sweating
• Reapply at least every 2 hours • Children under 6 months: ask a doctor
Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m.–2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. **Conseils d'utilisation :** Appliquez librement 15 minutes avant de vous exposer au soleil • Utilisez un écran solaire résistant à l'eau en cas de natation ou de transpiration • Appliquez une fois toutes les deux heures au minimum • Enfants en dessous de 6 mois : Demandez un avis médical
Mesures de protection solaire : l'exposition au soleil augmente les risques de cancer et de vieillissement prématuré de la peau. Pour diminuer ce risque, utilisez régulièrement un écran solaire avec un indice de protection (IP) égal ou supérieur à 15 et • limitez le temps d'exposition au soleil, particulièrement entre 10 h et 14 h • Portez des chemises à manches longues, un pantalon, un chapeau et des lunettes de soleil

Non-Medicinal Ingredients/Inactive Ingredients:
Ingrédients Non-médicinaux/Ingrédients Inactifs :
Acrylates/C12-22 Alkyl Methacrylate Copolymer, Amodimethicone, Aqua, Bambusa Vulgaris Leaf/Stem Extract, Bis-PEG/PPG-14/14 Dimethicone, Boron Nitride, Butyrospermum Parkii (Shea Butter) Extract, C12-C15 Alkyl Ethylhexanoate, Ceramide AP, Cetyl PEG/PPG-10/1 Dimethicone, Citric Acid, Cyclopentasiloxane, Dextrin, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Disteardimonium Hectorite, EDTA, Ethylhexylglycerin, Ferulic Acid, Glucosamine HCL, Hydroxyethylcellulose, Lactic Acid, Laureth-7, Lecithin, Magnesium Sulfate, Mannitol, Pentylene Glycol, Phenoxyethanol, Pisum Sativum (Pea) Extract, Propanediol, Propylene Carbonate, Retinol, Silica Silylate, Sodium Citrate, Sodium Gluconate, Sodium PCA, Sodium Starch Octenylsuccinate, Tocopheryl Acetate, Tribehenin, Triethoxycaprylylsilane, Trihydroxystearin, Trimethylsiloxyllicate, Waltheria Indica Leaf Extract, Xanthan Gum, Zinc Stearate. **May Contain:** Iron Oxides (CI 77491, CI 77492, CI 77499), Mica, Titanium Dioxide (CI 77891)

Other: Protect this product from excessive heat and direct sun
• In the unlikely event of an adverse reaction, please contact 1.866.PUR.0022. **Autres :** Protégez ce produit de la chaleur et du rayonnement direct du soleil. Dans l'événement peu probable d'une réaction défavorable... veuillez contactez le 1.866.PUR.0022.

Obtenez un maquillage parfait pendant 14 heures grâce à une formule sans huiles, éprouvée et conçue pour améliorer l'apparence de la peau.

Application : Appliquer sur une peau propre en utilisant le pinceau applicateur biseauté pour fond de teint liquide ou le bout des doigts. Pour de meilleurs résultats, appliquer sur le fond de teint correcteur de votre choix.

TEXTURE LÉGÈRE
SANS HUILE
HYDRATANT

Imported by/Importé par: A loette Cosmetics, Canada Inc., Mississauga, ON L4W 2Z2
BIORIUS sprl, 2 rue René Descartes, B-7000 Mors, Belgium



pur



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Golden Dark

pür™

4-in-1 Liquid

**14-Hour Wear Foundation
Broad Spectrum SPF 15**

1FL OZ/30ML

Let's Mingle:
facebook.com/purminerals

Golden Dark
Or foncé

pür

**4-in-1 Liquid
14-Hour Wear Foundation**

Fond de teint liquide
longue tenue-14 heures

pür™

**4-in-1 Liquid
14-Hour Wear Foundation
Broad Spectrum SPF 15**



Fond de teint liquide
tenue prolongée-14 heures
Large spectre FPS 15

Achieve up to 14 hours of
complexion perfection with an
oil-free foundation proven to
improve your skin's appearance.

Application: Smooth over clean,
moisturized skin using the Liquid
Chisel Brush or fingertips. For best
results, apply over the Correcting
Primer of your choice.

**LIGHTWEIGHT
OIL-FREE**

HYDRATING

1 FL OZ/30ML

Distributed by/Distribué par **pürminerals®**
Atlanta, GA 30327 Made In USA/Fabriqué aux Etats-Unis
1.866.PUR.0022 purminerals.com

Drug Facts/Les Faits de drogue

Medicinal Ingredient/Active Ingredient:

Ingrédient Médicinal/Ingrédient actif :

Octinoxate 5.0 % w/w

Purpose/Usages: Sunscreen/Protection solaire

Uses: Helps prevent sunburn. **Usages :** Aide à prévenir les coups de soleil.

Warnings: For external use only • Do not use on damaged or broken skin • Stop use and ask a doctor if rash occurs • When using this product, keep out of eyes. Rinse with water to remove • Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away. **Avertissement :** Usage externe seulement • Ne pas appliquer sur une peau abîmée • Arrêtez l'utilisation et demandez conseil à votre

ATING

GLUE AREA / NO INK OR COLOUR

médecin en cas de rougeurs • Eloignez le produit des yeux lors de l'utilisation. Pour nettoyer, rincez avec de l'eau • Gardez hors de portée des enfants. En cas d'ingestion, demandez conseil à votre médecin ou appelez un centre anti-poison immédiatement.

Directions: Apply liberally 15 minutes before sun exposure
• Use a water resistant sunscreen if swimming or sweating
• Reapply at least every 2 hours • Children under 6 months: ask a doctor
Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m.–2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. **Conseils d'utilisation :** Appliquez librement 15 minutes avant de vous exposer au soleil • Utilisez un écran solaire résistant à l'eau en cas de natation ou de transpiration • Appliquez une fois toutes les deux heures au minimum • Enfants en dessous de 6 mois : Demandez un avis médical
Mesures de protection solaire : l'exposition au soleil augmente les risques de cancer et de vieillissement prématuré de la peau. Pour diminuer ce risque, utilisez régulièrement un écran solaire avec un indice de protection (IP) égal ou supérieur à 15 et • limitez le temps d'exposition au soleil, particulièrement entre 10 h et 14 h • Portez des chemises à manches longues, un pantalon, un chapeau et des lunettes de soleil

Non-Medicinal Ingredients/Inactive Ingredients:
Ingrédients Non-médicinaux/Ingrédients Inactifs :
Acrylates/C12-22 Alkyl Methacrylate Copolymer, Amodimethicone, Aqua, Bambusa Vulgaris Leaf/Stem Extract, Bis-PEG/PPG-14/14 Dimethicone, Boron Nitride, Butyrospermum Parkii (Shea Butter) Extract, C12-C15 Alkyl Ethylhexanoate, Ceramide AP, Cetyl PEG/PPG-10/1 Dimethicone, Citric Acid, Cyclopentasiloxane, Dextrin, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Disteardimonium Hectorite, EDTA, Ethylhexylglycerin, Ferulic Acid, Glucosamine HCL, Hydroxyethylcellulose, Lactic Acid, Laureth-7, Lecithin, Magnesium Sulfate, Mannitol, Pentylene Glycol, Phenoxyethanol, Pisum Sativum (Pea) Extract, Propanediol, Propylene Carbonate, Retinol, Silica Silylate, Sodium Citrate, Sodium Gluconate, Sodium PCA, Sodium Starch Octenylsuccinate, Tocopheryl Acetate, Tribehenin, Triethoxycaprylylsilane, Trihydroxystearin, Trimethylsiloxy silicate, Waltheria Indica Leaf Extract, Xanthan Gum, Zinc Stearate. **May Contain:** Iron Oxides (CI 77491, CI 77492, CI 77499), Mica, Titanium Dioxide (CI 77891)

Other: Protect this product from excessive heat and direct sun
• In the unlikely event of an adverse reaction, please contact 1.866.PUR.0022. **Autres :** Protégez ce produit de la chaleur et du rayonnement direct du soleil. Dans l'événement peu probable d'une réaction défavorable... veuillez contactez le 1.866.PUR.0022.

Obtenez un maquillage parfait pendant 14 heures grâce à une formule sans huiles, éprouvée et conçue pour améliorer l'apparence de la peau.


Application : Appliquer sur une peau propre en utilisant le pinceau applicateur biseauté pour fond de teint liquide ou le bout des doigts. Pour de meilleurs résultats, appliquer sur le fond de teint correcteur de votre choix.

TEXTURE LÉGÈRE
SANS HUILE
HYDRATANT

Imported by/Importé par: Alobette Cosmetics, Canada Inc.,
Mississauga, ON L4W 2Z2
BIORIUS sprl, 2 rue René Descartes, B-7000 Mors, Belgium



pur



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Deep

pür™

4-in-1 Liquid

**14-Hour Wear Foundation
Broad Spectrum SPF 15**

1FL OZ/30ML

Let's Mingle:
facebook.com/purminerals

Deep
Profond

pür

**4-in-1 Liquid
14-Hour Wear Foundation**

Fond de teint liquide
longue tenue-14 heures

pür™

**4-in-1 Liquid
14-Hour Wear Foundation
Broad Spectrum SPF 15**



Fond de teint liquide
tenue prolongée-14 heures
Large spectre FPS 15

Achieve up to 14 hours of
complexion perfection with an
oil-free foundation proven to
improve your skin's appearance.

Application: Smooth over clean,
moisturized skin using the Liquid
Chisel Brush or fingertips. For best
results, apply over the Correcting
Primer of your choice.

**LIGHTWEIGHT
OIL-FREE**

HYDRATING

1 FL OZ/30ML

Distributed by/Distribué par **pürminerals®**
Atlanta, GA 30327 Made In USA/Fabriqué aux Etats-Unis
1.866.PUR.0022 purminerals.com

Drug Facts/Les Faits de drogue

Medicinal Ingredient/Active Ingredient:

Ingrédient Médicinal/Ingrédient actif :

Octinoxate 5.0 % w/w

Purpose/Usages: Sunscreen/Protection solaire

Uses: Helps prevent sunburn. **Usages :** Aide à prévenir les coups de soleil.

Warnings: For external use only • Do not use on damaged or broken skin • Stop use and ask a doctor if rash occurs • When using this product, keep out of eyes. Rinse with water to remove • Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away. **Avertissement :** Usage externe seulement • Ne pas appliquer sur une peau abîmée • Arrêtez l'utilisation et demandez conseil à votre

ATING

GLUE AREA / NO INK OR COLOUR

médecin en cas de rougeurs • Eloignez le produit des yeux lors de l'utilisation. Pour nettoyer, rincez avec de l'eau • Gardez hors de portée des enfants. En cas d'ingestion, demandez conseil à votre médecin ou appelez un centre anti-poison immédiatement.

Directions: Apply liberally 15 minutes before sun exposure
• Use a water resistant sunscreen if swimming or sweating
• Reapply at least every 2 hours • Children under 6 months: ask a doctor
Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m.–2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. **Conseils d'utilisation :** Appliquez librement 15 minutes avant de vous exposer au soleil • Utilisez un écran solaire résistant à l'eau en cas de natation ou de transpiration • Appliquez une fois toutes les deux heures au minimum • Enfants en dessous de 6 mois : Demandez un avis médical
Mesures de protection solaire : l'exposition au soleil augmente les risques de cancer et de vieillissement prématuré de la peau. Pour diminuer ce risque, utilisez régulièrement un écran solaire avec un indice de protection (IP) égal ou supérieur à 15 et • limitez le temps d'exposition au soleil, particulièrement entre 10 h et 14 h • Portez des chemises à manches longues, un pantalon, un chapeau et des lunettes de soleil

Non-Medicinal Ingredients/Inactive Ingredients:
Ingrédients Non-médicinaux/Ingrédients Inactifs :
Acrylates/C12-22 Alkyl Methacrylate Copolymer, Amodimethicone, Aqua, Bambusa Vulgaris Leaf/Stem Extract, Bis-PEG/PPG-14/14 Dimethicone, Boron Nitride, Butyrospermum Parkii (Shea Butter) Extract, C12-C15 Alkyl Ethylhexanoate, Ceramide AP, Cetyl PEG/PPG-10/1 Dimethicone, Citric Acid, Cyclopentasiloxane, Dextrin, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Disteardimonium Hectorite, EDTA, Ethylhexylglycerin, Ferulic Acid, Glucosamine HCL, Hydroxyethylcellulose, Lactic Acid, Laureth-7, Lecithin, Magnesium Sulfate, Mannitol, Pentylene Glycol, Phenoxyethanol, Pisum Sativum (Pea) Extract, Propanediol, Propylene Carbonate, Retinol, Silica Silylate, Sodium Citrate, Sodium Gluconate, Sodium PCA, Sodium Starch Octenylsuccinate, Tocopheryl Acetate, Tribehenin, Triethoxycaprylylsilane, Trihydroxystearin, Trimethylsiloxy silicate, Waltheria Indica Leaf Extract, Xanthan Gum, Zinc Stearate. **May Contain:** Iron Oxides (CI 77491, CI 77492, CI 77499), Mica, Titanium Dioxide (CI 77891)

Other: Protect this product from excessive heat and direct sun
• In the unlikely event of an adverse reaction, please contact 1.866.PUR.0022. **Autres :** Protégez ce produit de la chaleur et du rayonnement direct du soleil. Dans l'événement peu probable d'une réaction défavorable... veuillez contactez le 1.866.PUR.0022.

Obtenez un maquillage parfait pendant 14 heures grâce à une formule sans huiles, éprouvée et conçue pour améliorer l'apparence de la peau.

Application : Appliquer sur une peau propre en utilisant le pinceau applicateur biseauté pour fond de teint liquide ou le bout des doigts. Pour de meilleurs résultats, appliquer sur le fond de teint correcteur de votre choix.

TEXTURE LÉGÈRE
SANS HUILE
HYDRATANT

Imported by/Importé par: Alobette Cosmetics, Canada Inc.,
Mississauga, ON L4W 2Z2
BIORIUS sprl, 2 rue René Descartes, B-7000 Mors, Belgium



pur



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Deeper

pür™

4-in-1 Liquid

**14-Hour Wear Foundation
Broad Spectrum SPF 15**

1FL OZ/30ML

Let's Mingle:
facebook.com/purminerals

Deeper
Sombre

pür

**4-in-1 Liquid
14-Hour Wear Foundation**

Fond de teint liquide
longue tenue-14 heures

pür™

**4-in-1 Liquid
14-Hour Wear Foundation
Broad Spectrum SPF 15**



Fond de teint liquide
tenue prolongée-14 heures
Large spectre FPS 15

Achieve up to 14 hours of
complexion perfection with an
oil-free foundation proven to
improve your skin's appearance.

Application: Smooth over clean,
moisturized skin using the Liquid
Chisel Brush or fingertips. For best
results, apply over the Correcting
Primer of your choice.

**LIGHTWEIGHT
OIL-FREE**

HYDRATING

1 FL OZ/30ML

Distributed by/Distribué par **pürminerals®**
Atlanta, GA 30327 Made In USA/Fabriqué aux Etats-Unis
1.866.PUR.0022 purminerals.com

Drug Facts/Les Faits de drogue

Medicinal Ingredient/Active Ingredient:

Ingrédient Médicinal/Ingrédient actif :

Octinoxate 5.0 % w/w

Purpose/Usages: Sunscreen/Protection solaire

Uses: Helps prevent sunburn. **Usages :** Aide à prévenir les coups de soleil.

Warnings: For external use only • Do not use on damaged or broken skin • Stop use and ask a doctor if rash occurs • When using this product, keep out of eyes. Rinse with water to remove • Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away. **Avertissement :** Usage externe seulement • Ne pas appliquer sur une peau abîmée • Arrêtez l'utilisation et demandez conseil à votre

ATING

GLUE AREA / NO INK OR COLOUR

médecin en cas de rougeurs • Eloignez le produit des yeux lors de l'utilisation. Pour nettoyer, rincez avec de l'eau • Gardez hors de portée des enfants. En cas d'ingestion, demandez conseil à votre médecin ou appelez un centre anti-poison immédiatement.

Directions: Apply liberally 15 minutes before sun exposure
• Use a water resistant sunscreen if swimming or sweating
• Reapply at least every 2 hours • Children under 6 months: ask a doctor
Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m.–2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. **Conseils d'utilisation :** Appliquez librement 15 minutes avant de vous exposer au soleil • Utilisez un écran solaire résistant à l'eau en cas de natation ou de transpiration • Appliquez une fois toutes les deux heures au minimum • Enfants en dessous de 6 mois : Demandez un avis médical
Mesures de protection solaire : l'exposition au soleil augmente les risques de cancer et de vieillissement prématuré de la peau. Pour diminuer ce risque, utilisez régulièrement un écran solaire avec un indice de protection (IP) égal ou supérieur à 15 et • limitez le temps d'exposition au soleil, particulièrement entre 10 h et 14 h • Portez des chemises à manches longues, un pantalon, un chapeau et des lunettes de soleil

Non-Medicinal Ingredients/Inactive Ingredients:
Ingrédients Non-médicinaux/Ingrédients Inactifs :
Acrylates/C12-22 Alkyl Methacrylate Copolymer, Amodimethicone, Aqua, Bambusa Vulgaris Leaf/Stem Extract, Bis-PEG/PPG-14/14 Dimethicone, Boron Nitride, Butyrospermum Parkii (Shea Butter) Extract, C12-C15 Alkyl Ethylhexanoate, Ceramide AP, Cetyl PEG/PPG-10/1 Dimethicone, Citric Acid, Cyclopentasiloxane, Dextrin, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Disteardimonium Hectorite, EDTA, Ethylhexylglycerin, Ferulic Acid, Glucosamine HCL, Hydroxyethylcellulose, Lactic Acid, Laureth-7, Lecithin, Magnesium Sulfate, Mannitol, Pentylene Glycol, Phenoxyethanol, Pisum Sativum (Pea) Extract, Propanediol, Propylene Carbonate, Retinol, Silica Silylate, Sodium Citrate, Sodium Gluconate, Sodium PCA, Sodium Starch Octenylsuccinate, Tocopheryl Acetate, Tribehenin, Triethoxycaprylylsilane, Trihydroxystearin, Trimethylsiloxyllicate, Waltheria Indica Leaf Extract, Xanthan Gum, Zinc Stearate. **May Contain:** Iron Oxides (CI 77491, CI 77492, CI 77499), Mica, Titanium Dioxide (CI 77891)

Other: Protect this product from excessive heat and direct sun
• In the unlikely event of an adverse reaction, please contact 1.866.PUR.0022. **Autres :** Protégez ce produit de la chaleur et du rayonnement direct du soleil. Dans l'événement peu probable d'une réaction défavorable... veuillez contactez le 1.866.PUR.0022.

Obtenez un maquillage parfait pendant 14 heures grâce à une formule sans huiles, éprouvée et conçue pour améliorer l'apparence de la peau.


Application : Appliquer sur une peau propre en utilisant le pinceau applicateur biseauté pour fond de teint liquide ou le bout des doigts. Pour de meilleurs résultats, appliquer sur le fond de teint correcteur de votre choix.

TEXTURE LÉGÈRE
SANS HUILE
HYDRATANT

Imported by/Importé par: A loette Cosmetics, Canada Inc., Mississauga, ON L4W 2Z2
BIORIUS sprl, 2 rue René Descartes, B-7000 Mors, Belgium



pur



PURMINERALS 4-IN-1 14-HOUR WEAR FOUNDATION BROAD SPECTRUM SPF 15 (LIGHT)

octinoxate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67345-0005
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
PROPANEDIOL (UNII: 5965N8W85T)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
ZINC STEARATE (UNII: H92E6QA4FV)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
MANNITOL (UNII: 3OWL53L36A)	
LAURETH-7 (UNII: Z95S6G8201)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
SHEANUT OIL (UNII: O88E196QRF)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
GLUCOSAMINE HYDROCHLORIDE (UNII: 750W5330FY)	
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PEA (UNII: W4X7H8GYFM)	
XANTHAN GUM (UNII: TTV12P4NEE)	
BAMBUSA VULGARIS TOP (UNII: FIW80T6P6V)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SODIUM GLUCONATE (UNII: R6Q3791S76)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	

LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
ICODEXTRIN (UNII: 2NX48Z0A9G)
RETINOL (UNII: G2SH0XKK91)
WALTHERIA INDICA LEAF (UNII: T69OLD6617)
FERULIC ACID (UNII: AVM951ZWST)
EDETIC ACID (UNII: 9G34HU7RV0)
CERAMIDE AP (UNII: F1X8L2B00J)
MICA (UNII: V8A1AW0880)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67345-0005-0	1 in 1 CARTON	08/01/2012	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2012	

PURMINERALS 4-IN-1 14-HOUR WEAR FOUNDATION BROAD SPECTRUM SPF 15 (BLUSH MEDIUM)

octinoxate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67345-0006
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	

PROPANEDIOL (UNII: 5965N8W85T)
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)
BORON NITRIDE (UNII: 2U4T60A6YD)
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)
ZINC STEARATE (UNII: H92E6QA4FV)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
MANNITOL (UNII: 3OWL53L36A)
LAURETH-7 (UNII: Z95S6G8201)
TRIBEHENIN (UNII: 8OC9U7TQZ0)
SHEANUT OIL (UNII: O88E196QRF)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
GLUCOSAMINE HYDROCHLORIDE (UNII: 750W5330FY)
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
PEA (UNII: W4X7H8GYFM)
XANTHAN GUM (UNII: TTV12P4NEE)
BAMBUSA VULGARIS TOP (UNII: FIW80T6P6V)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
SODIUM GLUCONATE (UNII: R6Q3791S76)
PENTYLENE GLYCOL (UNII: 50C1307PZG)
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
ICODEXTRIN (UNII: 2NX48Z0A9G)
RETINOL (UNII: G2SH0XKK91)
WALTHERIA INDICA LEAF (UNII: T69OLD6617)
FERULIC ACID (UNII: AVM951ZWST)
EDETIC ACID (UNII: 9G34HU7RV0)
CERAMIDE AP (UNII: F1X8L2B00J)
MICA (UNII: V8A1AW0880)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67345-0006-0	1 in 1 CARTON	08/01/2012	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2012	

PURMINERALS 4-IN-1 14-HOUR WEAR FOUNDATION BROAD SPECTRUM SPF 15 (GOLDEN MEDIUM)

octinoxate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67345-0007
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
PROPANEDIOL (UNII: 5965N8W85T)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
ZINC STEARATE (UNII: H92E6QA4FV)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
MANNITOL (UNII: 3OWL53L36A)	
LAURETH-7 (UNII: Z95S6G8201)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
SHEANUT OIL (UNII: O88E196QRF)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
GLUCOSAMINE HYDROCHLORIDE (UNII: 750W5330FY)	
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PEA (UNII: W4X7H8GYFM)	
XANTHAN GUM (UNII: TTV12P4NEE)	
BAMBUSA VULGARIS TOP (UNII: FIW80T6P6V)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SODIUM GLUCONATE (UNII: R6Q3791S76)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
ICODEXTRIN (UNII: 2NX48Z0A9G)	
RETINOL (UNII: G2SH0XKK91)	
WALTHERIA INDICA LEAF (UNII: T69OLD6617)	

FERULIC ACID (UNII: AVM951ZWST)	
EDETIC ACID (UNII: 9G34HU7RV0)	
CERAMIDE AP (UNII: F1X8L2B00J)	
MICA (UNII: V8A1AW0880)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67345-0007-0	1 in 1 CARTON	08/01/2012	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2012	

PURMINERALS 4-IN-1 14-HOUR WEAR FOUNDATION BROAD SPECTRUM SPF 15 (LIGHT TAN)

octinoxate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67345-0008
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
PROPANEDIOL (UNII: 5965N8W85T)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
ZINC STEARATE (UNII: H92E6QA4FV)	
PHENOXYETHANOL (UNII: H1E492ZZ3T)	

MANNITOL (UNII: 3OWL53L36A)
LAURETH-7 (UNII: Z95S6G8201)
TRIBEHENIN (UNII: 8OC9U7TQZ0)
SHEANUT OIL (UNII: O88E196QRF)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
GLUCOSAMINE HYDROCHLORIDE (UNII: 750W5330FY)
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
PEA (UNII: W4X7H8GYFM)
XANTHAN GUM (UNII: TTV12P4NEE)
BAMBUSA VULGARIS TOP (UNII: FIW80T6P6V)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
SODIUM GLUCONATE (UNII: R6Q3791S76)
PENTYLENE GLYCOL (UNII: 50C1307PZG)
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
ICODEXTRIN (UNII: 2NX48Z0A9G)
RETINOL (UNII: G2SH0XKK91)
WALTHERIA INDICA LEAF (UNII: T69OLD6617)
FERULIC ACID (UNII: AVM951ZWST)
EDETIC ACID (UNII: 9G34HU7RV0)
CERAMIDE AP (UNII: F1X8L2B00J)
MICA (UNII: V8A1AW0880)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67345-0008-0	1 in 1 CARTON	08/01/2012	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2012	

PURMINERALS 4-IN-1 14-HOUR WEAR FOUNDATION BROAD SPECTRUM SPF 15 (TAN)

octinoxate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67345-0009
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
PROPANEDIOL (UNII: 5965N8W85T)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
ZINC STEARATE (UNII: H92E6QA4FV)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
MANNITOL (UNII: 3OWL53L36A)	
LAURETH-7 (UNII: Z95S6G8201)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
SHEANUT OIL (UNII: O88E196QRF)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
GLUCOSAMINE HYDROCHLORIDE (UNII: 750W5330FY)	
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PEA (UNII: W4X7H8GYFM)	
XANTHAN GUM (UNII: TTV12P4NEE)	
BAMBUSA VULGARIS TOP (UNII: FIW80T6P6V)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SODIUM GLUCONATE (UNII: R6Q3791S76)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
ICODextrin (UNII: 2NX48Z0A9G)	
RETINOL (UNII: G2SH0XKK91)	
WALTHERIA INDICA LEAF (UNII: T69OLD6617)	
FERULIC ACID (UNII: AVM951ZWST)	
EDETIC ACID (UNII: 9G34HU7RV0)	
CERAMIDE AP (UNII: F1X8L2B00J)	
MICA (UNII: V8A1AW0880)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67345-0009-0	1 in 1 CARTON	08/01/2012	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2012	

PURMINERALS 4-IN-1 14-HOUR WEAR FOUNDATION BROAD SPECTRUM SPF 15 (MEDIUM DARK)

octinoxate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67345-0010
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
PROPANEDIOL (UNII: 5965N8W85T)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
ZINC STEARATE (UNII: H92E6QA4FV)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
MANNITOL (UNII: 3OWL53L36A)	
LAURETH-7 (UNII: Z95S6G8201)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
SHEANUT OIL (UNII: O88E196QRF)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
GLUCOSAMINE HYDROCHLORIDE (UNII: 750W5330FY)	

TRIHYDROXYSTEARIN (UNII: 06YD7896S3)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
PEA (UNII: W4X7H8GYFM)
XANTHAN GUM (UNII: TTV12P4NEE)
BAMBUSA VULGARIS TOP (UNII: FIW80T6P6V)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
SODIUM GLUCONATE (UNII: R6Q3791S76)
PENTYLENE GLYCOL (UNII: 50C1307PZG)
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
ICODEXTRIN (UNII: 2NX48Z0A9G)
RETINOL (UNII: G2SH0XKK91)
WALTHERIA INDICA LEAF (UNII: T69OLD6617)
FERULIC ACID (UNII: AVM951ZWST)
EDETIC ACID (UNII: 9G34HU7RV0)
CERAMIDE AP (UNII: F1X8L2B00J)
MICA (UNII: V8A1AW0880)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67345-0010-0	1 in 1 CARTON	08/01/2012	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2012	

PURMINERALS 4-IN-1 14-HOUR WEAR FOUNDATION BROAD SPECTRUM SPF 15 (GOLDEN DARK)

octinoxate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67345-0011
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
PROPANEDIOL (UNII: 5965N8W85T)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
ZINC STEARATE (UNII: H92E6QA4FV)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
MANNITOL (UNII: 3OWL53L36A)	
LAURETH-7 (UNII: Z95S6G8201)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
SHEANUT OIL (UNII: O88E196QRF)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
GLUCOSAMINE HYDROCHLORIDE (UNII: 750W5330FY)	
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PEA (UNII: W4X7H8GYFM)	
XANTHAN GUM (UNII: TTV12P4NEE)	
BAMBUSA VULGARIS TOP (UNII: FIW80T6P6V)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SODIUM GLUCONATE (UNII: R6Q3791S76)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
ICODEXTRIN (UNII: 2NX48Z0A9G)	
RETINOL (UNII: G2SH0XKK91)	
WALTHERIA INDICA LEAF (UNII: T69OLD6617)	
FERULIC ACID (UNII: AVM951ZWST)	
EDETIC ACID (UNII: 9G34HU7RV0)	
CERAMIDE AP (UNII: F1X8L2B00J)	
MICA (UNII: V8A1AW0880)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67345-	1 in 1 CARTON	08/01/2012	

1	0011-0	1 III 1 CARTON	08/01/2012
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2012	

PURMINERALS 4-IN-1 14-HOUR WEAR FOUNDATION BROAD SPECTRUM SPF 15 (DEEP)

octinoxate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67345-0012
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
PROPANEDIOL (UNII: 5965N8W85T)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
ZINC STEARATE (UNII: H92E6QA4FV)	
PHENOXYETHANOL (UNII: H1E492ZZ3T)	
MANNITOL (UNII: 3OWL53L36A)	
LAURETH-7 (UNII: Z95S6G8201)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
SHEANUT OIL (UNII: O88E196QRF)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
GLUCOSAMINE HYDROCHLORIDE (UNII: 750W5330FY)	
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PEA (UNII: W4X7H8GYFM)	
XANTHAN GUM (UNII: TTV12P4NEE)	
BAMBUSA VULGARIS TOP (UNII: FIW80T6P6V)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
SODIUM GLUCONATE (UNII: R6Q3791S76)
PENTYLENE GLYCOL (UNII: 50C1307PZG)
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
ICODEXTRIN (UNII: 2NX48Z0A9G)
RETINOL (UNII: G2SH0XKK91)
WALTHERIA INDICA LEAF (UNII: T69OLD6617)
FERULIC ACID (UNII: AVM951ZWST)
EDETC ACID (UNII: 9G34HU7RV0)
CERAMIDE AP (UNII: F1X8L2B00J)
MICA (UNII: V8A1AW0880)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67345-0012-0	1 in 1 CARTON	08/01/2012	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2012	

PURMINERALS 4-IN-1 14-HOUR WEAR FOUNDATION BROAD SPECTRUM SPF 15 (DEEPER)
 octinoxate liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67345-0013
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
PROPANEDIOL (UNII: 5965N8W85T)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
ZINC STEARATE (UNII: H92E6QA4FV)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
MANNITOL (UNII: 3OWL53L36A)	
LAURETH-7 (UNII: Z95S6G8201)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
SHEANUT OIL (UNII: O88E196QRF)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
GLUCOSAMINE HYDROCHLORIDE (UNII: 750W5330FY)	
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PEA (UNII: W4X7H8GYFM)	
XANTHAN GUM (UNII: TTV12P4NEE)	
BAMBUSA VULGARIS TOP (UNII: FIW80T6P6V)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SODIUM GLUCONATE (UNII: R6Q3791S76)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
ICODEXTRIN (UNII: 2NX48Z0A9G)	
RETINOL (UNII: G2SH0XKK91)	
WALTHERIA INDICA LEAF (UNII: T69OLD6617)	
FERULIC ACID (UNII: AVM951ZWST)	
EDETIC ACID (UNII: 9G34HU7RV0)	
CERAMIDE AP (UNII: F1X8L2B00J)	
MICA (UNII: V8A1AW0880)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67345-0013-0	1 in 1 CARTON	08/01/2012	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	08/01/2012	

Labeler - Purminerals (114450443)

Revised: 1/2023

Purminerals