

**ACETAMINOPHEN- acetaminophen tablet
WALGREEN CO.**

Acetaminophen 500mg

Active ingredient

(in each Caplet)

Acetaminophen, USP 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

Liver warning

This product contains acetaminophen.

Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert

acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening

- blisters

- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days

- fever gets worse or lasts more than 3 days

- new symptoms occur

- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding

ask a health professional before use.

Keep out of the reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over

- take 2 caplets every 6 hours while symptoms last
 - do not take more than 6 caplets in 24 hours, unless directed by a doctor
 - do not use for more than 10 days unless directed by a doctor
- children under 12 years
ask a doctor

Other information

- store between 20-25°C (68-77°F). See USP Controlled Room Temperature
- avoid high humidity
- see end panel for lot number and expiration date

Inactive ingredients

hydroxypropyl methyl cellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid.

Questions or comments?

call 1-877-770-3183 Mon-Fri 8:00 AM EST to 5:00 PM PST.



ACETAMINOPHEN

acetaminophen tablet

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0363-9595 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------|
| ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D) | ACETAMINOPHEN | 500 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2) | |
| STEARIC ACID (UNII: 4ELV7Z 65AP) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |
| STARCH, CORN (UNII: O8232NY3SJ) | |
| POVIDONE (UNII: FZ 989GH94E) | |
| HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO) | |

Product Characteristics

| | | | |
|-----------------|-------|---------------------|--------------------------|
| Color | white | Score | score with uneven pieces |
| Shape | OVAL | Size | 17mm |
| Flavor | | Imprint Code | G;551 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0363-9595-10 | 100 in 1 BOTTLE; Type 1: Convenience Kit of Co-Package | 10/15/2021 | |

Walgreens
Pain Reliever
 ACETAMINOPHEN USP, 500 mg
 PAIN RELIEVER / FEVER REDUCER

COMBO PACK

Walgreens
Pain Reliever
 ACETAMINOPHEN USP, 500 mg
 PAIN RELIEVER / FEVER REDUCER

EXTRA STRENGTH CAPLETS

100 CAPLETS**
 (**CAPSULE-SHAPED TABLETS)

ACTUAL SIZE

PHARMACIST RECOMMENDED
 Walgreens
 "Trusted since 1901"
 Health expertise you rely on.™

Drug Facts (continued)

■ redness or swelling is present
 These could be signs of a serious condition.
 If pregnant or breast-feeding, ask a health professional before use.
 Keep out of the reach of children.
 Overdose warning: In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

■ do not take more than directed (see overdose warning)

adults and children 12 years and over

■ take 2 caplets every 6 hours while symptoms last
 ■ do not take more than 6 caplets in 24 hours, unless directed by a doctor
 ■ do not use for more than 10 days unless directed by a doctor

children under 12 years

ask a doctor

Other information

■ store between 20-25°C (68-77°F). See USP Controlled Room Temperature
 ■ avoid high humidity
 ■ See end panel for lot number and expiration date

Inactive ingredients

hydroxypropyl methyl cellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid.

Questions or comments?
 call 1-877-770-3183 Mon-Fri 8:00 AM EST to 5:00 PM PST

††This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Tylenol®.

CONTAINS NO ASPIRIN

Drug Facts

Active ingredient (in each caplet)

Acetaminophen, USP 500 mg..... Pain reliever/fever reducer

Purpose

Pain reliever/fever reducer

Uses

■ temporarily relieves minor aches and pains due to:

- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps

■ temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drug containing acetaminophen
- 3 or more alcoholic drinks every day while using this product.

Allergy note: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ If you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur

Important: Read all product information before using. Keep the carton for important information.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

700000002453
 200000003330

200000003330
 700000002453

ITEM 323865 W10383-0321-L
 3 11917 03237 5

Lot
 Exp.

0.7

03

03

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|---|-----------------------------|---------------------------|
| OTC Monograph Drug | M013 | 10/15/2021 | |

Labeler - WALGREEN CO. (008965063)

Revised: 1/2024

WALGREEN CO.