

STELLALIFE VEGA ORAL CARE GEL- gel gel
STELLALIFE VEGA ORAL CARE RECOVERY- kit
STELLALIFE VEGA ORAL CARE- spray spray
StellaLife, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

StellaLife VEGA Oral Care Spray



Uses

Temporarily

- Relieves pain and swelling.
- Promotes healing.
- Reduces bruising.

Usage

Temporarily

- Relieves pain and swelling.
- Promotes healing.
- Reduces bruising.

Warnings

Do not use if you have a known allergy or sensitivity to any of the following ingredients

Stop use and consult a healthcare professional if you experience irritation or unusual sensitivity, or develop a rash.

As with any drug, if you are pregnant or nursing a baby, seek the advice of a healthcare professional before using this product.

Keep this and all drugs out of the reach of children. In case of accidental overdose, seek

professional assistance or contact poison control center immediately.
If pain, swelling or other related symptoms persist for more than 7 days of use, contact a dental professional.

Keep Out of Reach of Children

Keep this and all drugs out of reach of children. In case of accidental overdose, seek professional assistance or contact a poison control center immediately.

Directions

Adults and children over 6 years of age: Shake well. Spray 4 times per application under the tongue. Repeat 3-4 times per day or as directed by your doctor. Consult a healthcare professional for use in children under 6 years of age.

Other Information

For your protection, this bottle has a full body seal. Do not use if this tamper evident seal is broken or missing.

Store at room temperature.

Keep away from direct heat or sunlight.

Because of natural ingredients, color may vary over time.

Use within 60 days of opening.

Inactive Ingredients

Citric acid, Glycerin, Potassium sorbate, Purified water.

Drug Facts

Contains 7.14% of each of the following HPUS ingredients:

Active Ingredients	Purpose
Arnica 3X, 6X, 18X	Bruising, swelling
Calendula 3X	Antiseptic
Chamomilla 5X	Swelling
Echinacea angustifolia 3X	Antiseptic
Echinacea purpurea 3X	Antiseptic
Hepar sulph calc 8X	Antiseptic
Hypericum 10X	Bruising, wound healing
Ignata 30X	Soothing
Ledum palustre 6X	Analgesic
Ruta 12X	Bruising
Silicea 8X	Analgesic, antiseptic
Staphysagria 8X	Analgesic, soothing

StellaLife VEGA Oral Care Gel

Drug Facts

Contains 0.0714% of each of the following HPUS ingredients:

Active Ingredients	Purpose
Arnica 3X, 6X, 18X	Bruising, swelling
Calendula 3X	Antiseptic
Chamomilla 5X	Swelling
Echinacea angustifolia 3X	Antiseptic
Echinacea purpurea 3X	Antiseptic
Hepar sulph calc 8X	Antiseptic
Hypericum 10X	Bruising, wound healing
Ignata 30X	Soothing
Ledum palustre 6X	Analgesic
Ruta 12X	Bruising
Silicea 8X	Analgesic, antiseptic
Staphysagria 8X	Analgesic, soothing

Uses

- Promotes oral health
- Hydrates oral cavity
- Supports healthy gums
- Freshens breath

Usage

Temporarily

- Relieves pain and swelling.
- Promotes healing.
- Reduces bruising.
- Relieves oral ulcers.
- Hydrates oral cavity.

Warnings

Do not use if you have a known allergy or sensitivity to any of the following ingredients. Stop use and consult a healthcare professional if you experience irritation or unusual sensitivity, or develop a rash.

As with any drug, if you are pregnant or nursing a baby, seek the advice of a healthcare professional before using this product.

Keep this and all drugs out of the reach of children. In case of accidental overdose, seek professional assistance or contact poison control center immediately.

If pain, swelling or other related symptoms persist for more than 7 days of use, contact a dental professional.

Keep Out of Reach of Children

Keep this and all drugs out of reach of children. In case of accidental overdose, seek professional assistance or contact a poison control center immediately.

Directions

Adults and children over the age of 6 years: Wash hands. Apply to the gum at the surgical or affected area with a cotton swab. Allow gel to dissolve. Do not eat or drink for 20 minutes after application. Apply 4 times per day or as directed by a dental professional. Consult your healthcare professional for use in children under 6 years of age.

Other Information

For your protection, this bottle has a full body seal. Do not use if this tamper evident seal is broken or missing.

Store at room temperature.

Keep away from direct heat or sunlight.

Because of natural ingredients, color may vary over time.

Use within 60 days of opening.

Inactive Ingredients

Allantoin, Hydroxyethylcellulose, Peppermint oil, Purified water, Sodium benzoate, Xylitol.

StellaLife VEGA Oral Care Rinse (Peppermint)

Drug Facts

Contains 0.55% of each of the following HPUS ingredients:

Active Ingredients	Purpose
Azadirachta Indica 1X	Antiginivitis, swelling
Calendula 1X	Antiseptic
Echinacea Purpurea 1X	Antiseptic
Plantago Major 1X	Antiseptic

Uses

- Promotes oral health
- Hydrates oral cavity
- Supports healthy gums
- Freshens breath

Usage

- Antimicrobial
- Promotes oral health
- Hydrates oral cavity
- Supports healthy gums
- Freshens breath

Warnings

Do not use if you have a known allergy or sensitivity to any of the following ingredients
Stop use and consult a healthcare professional if you experience irritation or unusual

sensitivity, or develop a rash.

As with any drug, if you are pregnant or nursing a baby, seek the advise of a healthcare professional before using this product.

Keep this and all drugs out of the reach of children. In case of accidental overdose, seek professional assistance or contact poison control center immediately.

If pain, swelling or other related symptoms persist for more than 7 days of use, contact a dental professional.

Keep Out of Reach of Children

Keep this and all drugs out of reach of children. In case of accidental overdose, seek professional assistance or contact a poison control center immediately.

Directions

Adults and children over the age of 6 years: Shake well. Use 3/4 tablespoon (10 ml) per application 3 times a day. Swish in the mouth for 1-2 minutes and then spit out. Do not swallow. Refrain from eating or drinking for at least 20 minutes after use. Consult your healthcare professional for use in children under 6 years of age.

Other Information

For your protection, this bottle has a full body seal. Do not use if this tamper evident seal is broken or missing.

Store at room temperature.

Keep away from direct heat or sunlight.

Because of natural ingredients, color may vary over time.

Use within 60 days of opening.

Inactive Ingredients

Allantoin, Citric acid, Glycerin, Peppermint flavor, Peppermint oil, Polysorbate 20, Potassium sorbate, Propolis, Purified water, Xylitol

StellaLife VEGA Oral Care Recovery Kit Display

VEGA® Oral Care Rinse

Drug Facts

Active Ingredients Purpose
 Contains 0.55% of each of the following HPUS ingredients:
 Azadirachta indica 1X.....Antingivits, swelling
 Calendula 1X.....Antiseptic
 Echinacea purpurea 1X.....Antiseptic
 Plantago major 1X.....Antiseptic

Uses
 ■ Antimicrobial.
 ■ Promotes oral health.
 ■ Hydrates oral cavity.
 ■ Promotes healthy gums.
 ■ Freshens breath.

Warnings
 ■ Do not use if you have a known allergy or sensitivity to any of the ingredients.
 ■ Stop use and consult a healthcare professional if you experience irritation or unusual sensitivity, or develop a rash.
 ■ As with any drug, if you are pregnant or nursing a baby, seek the advice of a healthcare professional before using this product.
 ■ Keep this and all drugs out of the reach of children. In case of accidental overdose, seek professional assistance or contact a poison control center immediately.
 ■ If pain, swelling or other related symptoms persist for more than 7 days of use, contact a dental professional.

Directions
 Adults and children over the age of 6 years: Shake well. Use 3/4 Tablespontful (10 ml) per application 3 times a day. Swish in the mouth for at least 1 minute and then spit out. Do not swallow. Refrain from eating or drinking for at least 20 minutes after use. Consult your healthcare professional for use in children under 6 years of age.

Other information
 For your protection this bottle has an inner seal under the cap. Do not use if this tamper evident cap seal is broken or missing.
 ■ Store at room temperature.
 ■ Keep away from direct heat or sunlight.
 ■ Because of natural ingredients, color may vary over time.
 ■ Use within 60 days of opening.

Inactive ingredients
 Allantoin, Citric acid, Glycerin, Peppermint flavor, Peppermint oil, Polysorbate 20, Potassium sorbate, Propolis, Purified water, Xylitol.

Questions?
 1-800-828-7265
 support@StellaLife.com

*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

STELLALIFE®
 Intelligent Healing®

VEGA® Oral Care Recovery Kit

Homeopathic NDC 69685-115-01

Making a difference through Intelligent Healing®

DENTIST RECOMMENDED

Includes:
 Homeopathic NDC 69685-112-16 Rinse
 Homeopathic NDC 69685-111-01 Spray
 Homeopathic NDC 69685-112-01 Gel

VEGA® Oral Care Rinse
 ADVANCED FORMULA
 Antimicrobial*
 Promotes oral health*
 Hydrates oral cavity*
 Promotes healthy gums*
 Freshens breath*
 Alcohol 1.8%
 16 fl oz (473 ml)

VEGA® Oral Care Spray
 Pain and swelling relief*
 Promotes healing*
 Reduces bruising*
 1 fl oz (30 ml)

VEGA® Oral Care Gel
 Pain and swelling relief*
 Promotes healing*
 Reduces bruising*
 Relieves oral ulcers*
 Hydrates oral cavity*
 1 fl oz (30 ml)

STELLALIFE®
 Intelligent Healing®

3 • 3 • 3 StellaLife® Program

- Start **3 DAYS** before the surgery or procedure to increase therapeutic levels.
- Apply **3 TIMES** per day, preferably after meals.
- Use **all 3 PRODUCTS** at the same time in the order outlined.

Directions

STEP 1 VEGA Oral Care Rinse
 Shake well. Swish 3/4 tablespoon (10 ml) for 1-2 minutes, spit out.

STEP 2 VEGA Oral Care Spray
 Spray 4 times under the tongue.

STEP 3 VEGA Oral Care Gel
 Apply to the gum at the affected area with a cotton swab.

Continue using all 3 products after the surgery or procedure. Refrain from drinking and eating for at least 20 minutes after application. Consult your healthcare professional for use in children under 6 years of age.

MADE IN U.S.A.

StellaLife.com

Distributed by: StellaLife®
 P.O. Box 1204, Northbrook, IL 60065, USA
 1-800-828-7265; support@StellaLife.com

VEGA® and Intelligent Healing® are trademarks of StellaLife®, Inc. All rights reserved.

VEGA® Oral Care Spray

Drug Facts

Active Ingredients Purpose
 Contains 7.14% of each of the following HPUS ingredients:
 Arnica 3X, 6X, 18X.....Bruising, swelling
 Calendula 3X.....Antiseptic
 Chamomilla 5X.....Swelling
 Echinacea angustifolia 3X.....Antiseptic
 Echinacea purpurea 3X.....Antiseptic
 Hepar sulph calc 8X.....Antiseptic
 Hypericum 10X.....Bruising, wound healing
 Ignatia 30X.....Soothing
 Ledum palustre 6X.....Analgesic
 Ruta 12X.....Bruising
 Silicea 8X.....Analgesic, antiseptic
 Staphysagria 8X.....Analgesic, soothing

Uses Temporarily
 ■ Relieves pain and swelling.
 ■ Promotes healing.
 ■ Reduces bruising.

Warnings
 ■ Do not use if you have a known allergy or sensitivity to any of the ingredients.
 ■ Stop use and consult a healthcare professional if you experience irritation or unusual sensitivity, or develop a rash.
 ■ As with any drug, if you are pregnant or nursing a baby, seek the advice of a healthcare professional before using this product.
 ■ Keep this and all drugs out of the reach of children. In case of accidental overdose, seek professional assistance or contact a poison control center immediately.
 ■ If pain, swelling or other related symptoms persist for more than 7 days of use, contact a dental professional.

Directions
 Adults and children over 6 years of age: Shake well. Spray 4 times under the tongue. Repeat 3-4 times per day or as directed by your doctor. Consult a healthcare professional for use in children under 6 years of age.

Other information
 For your protection this bottle has a full body seal. Do not use if this tamper evident seal around bottle is broken or missing.
 ■ Store at room temperature.
 ■ Keep away from direct heat or sunlight.
 ■ Because of natural ingredients, color may vary over time.
 ■ Use within 60 days of opening.

Inactive ingredients
 Citric acid, Glycerin, Potassium sorbate, Purified water.

Questions?
 1-800-828-7265
 support@StellaLife.com

VEGA® Oral Care Gel

Drug Facts

Active Ingredients Purpose
 Contains 0.0714% of each of the following HPUS ingredients:
 Arnica 3X, 6X, 18X.....Bruising, swelling
 Calendula 3X.....Antiseptic
 Chamomilla 5X.....Swelling
 Echinacea angustifolia 3X.....Antiseptic
 Echinacea purpurea 3X.....Antiseptic
 Hepar sulph calc 8X.....Antiseptic
 Hypericum 10X.....Bruising, wound healing
 Ignatia 30X.....Soothing
 Ledum palustre 6X.....Analgesic
 Ruta 12X.....Bruising
 Silicea 8X.....Analgesic, antiseptic
 Staphysagria 8X.....Analgesic, soothing

Uses Temporarily
 ■ Relieves pain and swelling.
 ■ Promotes healing.
 ■ Reduces bruising.
 ■ Relieves oral ulcers.
 ■ Hydrates oral cavity.

Warnings
 ■ Do not use if you have a known allergy or sensitivity to any of the ingredients.
 ■ Stop use and consult a healthcare professional if you experience irritation or unusual sensitivity, or develop a rash.
 ■ As with any drug, if you are pregnant or nursing a baby, seek the advice of a healthcare professional before using this product.
 ■ Keep this and all drugs out of the reach of children. In case of accidental overdose, seek professional assistance or contact a poison control center immediately.
 ■ If pain, swelling or other related symptoms persist for more than 7 days of use, contact a dental professional.

Directions
 Adults and children over the age of 6 years: Wash hands. Apply to the gum at the surgical or affected area with a cotton swab. Allow gel to dissolve. Do not eat or drink for 20 minutes after application. Apply 4 times per day or as directed by a dental professional. Consult your healthcare professional for use in children under 6 years of age.

Other information
 For your protection this container has a seal. Do not use if this tamper evident seal is broken or missing.
 ■ Store at room temperature.
 ■ Keep away from direct heat or sunlight.
 ■ Because of natural ingredients, color may vary over time.
 ■ Use within 60 days of opening.

Inactive ingredients
 Allantoin, Hydroxyethylcellulose, Peppermint oil, Purified water, Sodium benzoate, Xylitol.

Drug Facts

Active ingredients Purpose
 Contains 0.0714% of each of the following HPUS ingredients:
 Arnica 3X, 6X, 18X..... Bruising, swelling
 Calendula 3X.....Antiseptic
 Chamomilla 5X.....Swelling
 Echinacea angustifolia 3X.....Antiseptic
 Echinacea purpurea 3X.....Antiseptic
 Hepar sulph calc 8X.....Antiseptic
 Hypericum 10X..... Bruising, wound healing
 Ignatia 30X.....Soothing
 Ledum palustre 6X.....Analgesic
 Ruta 12X.....Bruising
 Silicea 8X.....Analgesic, antiseptic
 Staphysagria 8X.....Analgesic, soothing

Uses Temporarily
 ■ Relieves pain and swelling.
 ■ Promotes healing.
 ■ Reduces bruising.
 ■ Relieves oral ulcers.
 ■ Hydrates oral cavity.

Warnings
 ■ Do not use if you have a known allergy or sensitivity to any of the ingredients.
 ■ Stop use and consult a health professional if you experience irritation or unusual sensitivity, or develop a rash.
 ■ As with any drug, if you are pregnant or nursing a baby, seek the advice of a health professional before using this product.
 ■ Keep this and all drugs out of the reach of children. In case of accidental overdose, seek professional assistance or contact a poison control center immediately.
 ■ If pain, swelling or other related symptoms persist for more than 7 days of use, contact a dental professional.

Drug Facts (continued)

Directions
 Adults and children over the age of 6 years: Wash hands. Apply to the gum at the surgical or affected area with a cotton swab. Allow gel to dissolve. Do not eat or drink for 20 minutes after application. Apply 4 times per day or as directed by a dental professional. Consult your healthcare professional for use in children under 6 years of age.

Other information
 For your protection, this container has a seal. Do not use if this tamper evident seal is broken or missing.
 ■ Store at room temperature.
 ■ Keep away from direct heat or sunlight.
 ■ Because of natural ingredients, color may vary over time.
 ■ Use within 60 days of opening.

Inactive ingredients
 Allantoin, Hydroxyethylcellulose, Peppermint oil, Purified water, Sodium benzoate, Xylitol.

Questions?
 1-800-828-7265 or support@StellaLife.com

Homeopathic NDC 69685-112-01

STELLALIFE®
 Intelligent Healing®

DENTIST RECOMMENDED

Pain and swelling relief*

Promotes healing*
 Reduces bruising*
 Relieves oral ulcers*
 Hydrates oral cavity*

VEGA® Oral Care Gel

Peppermint 1 fl oz (30 ml)

STELLALIFE®
 Intelligent Healing®

Distributed by:
 StellaLife®
 P.O. Box 1204
 Northbrook
 IL 60065, USA

Awarded
 Editors' Choice,
 the highest
 distinction
 given by the
 Dental Advisor™.

StellaLife.com

Made in U.S.A.

VEGA® and Intelligent Healing® are trademarks of StellaLife®, Inc. All rights reserved.

*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Homeopathic NDC 69685-111-01



Pain and swelling relief*
Promotes healing*
Reduces bruising*
VEGA® Oral Care
Spray
 1 fl oz (30 ml)

Drug Facts
Active ingredients Purpose
 Contains 7.14% each of the following HPUS ingredients:
 Arnica 3X, 6X, 18X Bruising, swelling
 Calendula 3X Antiseptic
 Chamomilla 5X Swelling
 Echinacea angustifolia 3X Antiseptic
 Echinacea purpurea 3X Antiseptic
 Hepar sulph calc 8X Antiseptic
 Hypericum 10X Bruising, wound healing
 Ignatia 30X Soothing
 Ledum palustre 6X Analgesic
 Ruta 12X Bruising
 Silicea 8X Analgesic, antiseptic
 Staphysagria 8X Analgesic, soothing

peel here

StellaLife VEGA Oral Care Gel Display

<p>Drug Facts</p> <p>Active ingredients Purpose Contains 0.0714% of each of the following HPUS ingredients: Arnica 3X, 6X, 18X Bruising, swelling Calendula 3X Antiseptic Chamomilla 5X Swelling Echinacea angustifolia 3X Antiseptic Echinacea purpurea 3X Antiseptic Hepar sulph calc 8X Antiseptic Hypericum 10X Bruising, wound healing Ignatia 30X Soothing Ledum palustre 6X Analgesic Ruta 12X Bruising Silicea 8X Analgesic, antiseptic Staphysagria 8X Analgesic, soothing</p>	<p>Drug Facts (continued)</p> <p>Directions Adults and children over the age of 6 years: Wash hands. Apply to the gum at the surgical or affected area with a cotton swab. Allow gel to dissolve. Do not eat or drink for 20 minutes after application. Apply 4 times per day or as directed by a dental professional. Consult your healthcare professional for use in children under 6 years of age.</p>	<p>Homeopathic NDC 69685-112-01</p>  <p>DENTIST RECOMMENDED</p>  <p>Pain and swelling relief*</p> <p>Promotes healing* Reduces bruising* Relieves oral ulcers* Hydrates oral cavity*</p> <p>VEGA® Oral Care</p> <p>Gel</p> <p>Peppermint 1 fl oz (30 ml)</p>	 <p>Distributed by: StellaLife® P.O. Box 1204 Northbrook IL 60065, USA</p> <p>Awarded Editors' Choice, the highest distinction given by the Dental Advisor™.</p>  <p>StellaLife.com</p> <p>Made in U.S.A. VEGA® and Intelligent Healing® are trademarks of StellaLife®, Inc. All rights reserved.</p> <p>*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.</p>
<p>Uses Temporarily</p> <ul style="list-style-type: none"> Relieves pain and swelling. Promotes healing. Reduces bruising. Relieves oral ulcers. Hydrates oral cavity. 	<p>Other information For your protection, this container has a seal. Do not use if this tamper evident seal is broken or missing.</p> <ul style="list-style-type: none"> Store at room temperature. Keep away from direct heat or sunlight. Because of natural ingredients, color may vary over time. Use within 60 days of opening. 		
<p>Warnings</p> <ul style="list-style-type: none"> Do not use if you have a known allergy or sensitivity to any of the ingredients. Stop use and consult a health professional if you experience irritation or unusual sensitivity, or develop a rash. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health professional before using this product. Keep this and all drugs out of the reach of children. In case of accidental overdose, seek professional assistance or contact a poison control center immediately. If pain, swelling or other related symptoms persist for more than 7 days of use, contact a dental professional. 	<p>Inactive ingredients Allantoin, Hydroxyethylcellulose, Peppermint oil, Purified water, Sodium benzoate, Xylitol.</p> <p>Questions? 1-800-828-7265 or support@StellaLife.com</p>		

StellaLife VEGA Oral Care Spray Display



STELLALIFE VEGA ORAL CARE GEL

gel gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69685-112
Route of Administration	DENTAL, TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LEDUM PALUSTRE TWIG (UNII: 877L01IZ0P) (LEDUM PALUSTRE TWG - UNII:877L01IZ0P)	LEDUM PALUSTRE TWG	6 [hp_X] in 1 mL
CALENDULA OFFICINALIS FLOWERING TOP (UNII: 18E7415PXQ) (CALENDULA OFFICINALIS FLOWERING TOP - UNII:18E7415PXQ)	CALENDULA OFFICINALIS FLOWERING TOP	3 [hp_X] in 1 mL
ECHINACEA ANGUSTIFOLIA (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)	ECHINACEA ANGUSTIFOLIA	3 [hp_X] in 1 mL
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	10 [hp_X] in 1 mL
STRYCHNOS IGNATII SEED (UNII: 1NM3M2487K) (STRYCHNOS IGNATII SEED - UNII:1NM3M2487K)	STRYCHNOS IGNATII SEED	30 [hp_X] in 1 mL
SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	8 [hp_X] in 1 mL
RUTA GRAVEOLENS FLOWERING TOP (UNII: N94C2U587S) (RUTA GRAVEOLENS FLOWERING TOP - UNII:N94C2U587S)	RUTA GRAVEOLENS FLOWERING TOP	12 [hp_X] in 1 mL
ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA	18 [hp_X] in 1 mL
MATRICARIA RECUTITA (UNII: G0R4UBI2ZZ) (MATRICARIA RECUTITA - UNII:G0R4UBI2ZZ)	MATRICARIA RECUTITA	5 [hp_X] in 1 mL
ECHINACEA PURPUREA (UNII: QI7G114Y98) (ECHINACEA PURPUREA - UNII:QI7G114Y98)	ECHINACEA PURPUREA	3 [hp_X] in 1 mL
DELPHINIUM STAPHISAGRIA SEED (UNII: 00543AP1JV) (DELPHINIUM STAPHISAGRIA SEED - UNII:00543AP1JV)	DELPHINIUM STAPHISAGRIA SEED	8 [hp_X] in 1 mL
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	8 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PEPPERMINT OIL (UNII: AV092KU4JH)	
HYDROXYETHYL CELLULOSE (100 MPA.S AT 2%) (UNII: R33S7TK2EP)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
XYLITOL (UNII: VCQ006KQ1E)	
ALLANTOIN (UNII: 344S277G0Z)	

Product Characteristics

Color	yellow	Score	
Shape		Size	
Flavor	PEPPERMINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69685-112-01	1 in 1 BOX	01/08/2021	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/08/2021	

STELLALIFE VEGA ORAL CARE RECOVERY

kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69685-115
--------------	----------------	--------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69685-115-01	1 in 1 BOX; Type 1: Convenience Kit of Co-Package	01/08/2021	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1		1
Part 2		1
Part 3		1

Part 1 of 3

STELLALIFE VEGA ORAL CARE

spray spray

Product Information

Item Code (Source)	NDC:69685-111
Route of Administration	SUBLINGUAL, DENTAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ECHINACEA ANGUSTIFOLIA (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)	ECHINACEA ANGUSTIFOLIA	3 [hp_X] in 1 mL
ECHINACEA PURPUREA (UNII: QI7G114Y98) (ECHINACEA PURPUREA - UNII:QI7G114Y98)	ECHINACEA PURPUREA	3 [hp_X] in 1 mL
LEDUM PALUSTRE TWIG (UNII: 877L01IZ0P) (LEDUM PALUSTRE TWG - UNII:877L01IZ0P)	LEDUM PALUSTRE TWG	6 [hp_X] in 1 mL
SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	8 [hp_X] in 1 mL
DELPHINIUM STAPHISAGRIA SEED (UNII: 00543AP1JV) (DELPHINIUM STAPHISAGRIA SEED - UNII:00543AP1JV)	DELPHINIUM STAPHISAGRIA SEED	8 [hp_X] in 1 mL
CALENDULA OFFICINALIS FLOWERING TOP (UNII: 18E7415PXQ) (CALENDULA OFFICINALIS FLOWERING TOP - UNII:18E7415PXQ)	CALENDULA OFFICINALIS FLOWERING TOP	3 [hp_X] in 1 mL
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	10 [hp_X] in 1 mL
STRYCHNOS IGNATII SEED (UNII: 1NM3M2487K) (STRYCHNOS IGNATII SEED - UNII:1NM3M2487K)	STRYCHNOS IGNATII SEED	30 [hp_X] in 1 mL
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	8 [hp_X] in 1 mL
RUTA GRAVEOLENS FLOWERING TOP (UNII: N94C2U587S) (RUTA GRAVEOLENS FLOWERING TOP - UNII:N94C2U587S)	RUTA GRAVEOLENS FLOWERING TOP	12 [hp_X] in 1 mL
ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA	18 [hp_X] in 1 mL
MATRICARIA RECUTITA (UNII: G0R4UBI2ZZ) (MATRICARIA RECUTITA - UNII:G0R4UBI2ZZ)	MATRICARIA RECUTITA	5 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
GLYCERIN (UNII: PDC6A3C0OX)	

Product Characteristics

Color	yellow	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/08/2021	

Part 2 of 3

STELLALIFE VEGA ORAL CARE GEL

gel gel

Product Information

Item Code (Source)	NDC:69685-112
Route of Administration	DENTAL, TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	8 [hp_X] in 1 mL
RUTA GRAVEOLENS FLOWERING TOP (UNII: N94C2U587S) (RUTA GRAVEOLENS FLOWERING TOP - UNII:N94C2U587S)	RUTA GRAVEOLENS FLOWERING TOP	12 [hp_X] in 1 mL
ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA	18 [hp_X] in 1 mL
MATRICARIA RECUTITA (UNII: G0R4UBI2ZZ) (MATRICARIA RECUTITA - UNII:G0R4UBI2ZZ)	MATRICARIA RECUTITA	5 [hp_X] in 1 mL
ECHINACEA PURPUREA (UNII: QI7G114Y98) (ECHINACEA PURPUREA - UNII:QI7G114Y98)	ECHINACEA PURPUREA	3 [hp_X] in 1 mL
DELPHINIUM STAPHISAGRIA SEED (UNII: 00543AP1JV) (DELPHINIUM STAPHISAGRIA SEED - UNII:00543AP1JV)	DELPHINIUM STAPHISAGRIA SEED	8 [hp_X] in 1 mL
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	10 [hp_X] in 1 mL
ECHINACEA ANGUSTIFOLIA (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)	ECHINACEA ANGUSTIFOLIA	3 [hp_X] in 1 mL
CALENDULA OFFICINALIS FLOWERING TOP (UNII: 18E7415PXQ) (CALENDULA OFFICINALIS FLOWERING TOP - UNII:18E7415PXQ)	CALENDULA OFFICINALIS FLOWERING TOP	3 [hp_X] in 1 mL
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	8 [hp_X] in 1 mL
LEDUM PALUSTRE TWIG (UNII: 877L01IZ0P) (LEDUM PALUSTRE TWIG - UNII:877L01IZ0P)	LEDUM PALUSTRE TWIG	6 [hp_X] in 1 mL
STRYCHNOS IGNATII SEED (UNII: 1NM3M2487K) (STRYCHNOS IGNATII SEED -	STRYCHNOS IGNATII	30 [hp_X]

UNII:1NM3M2487K)

SEED

in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
HYDROXYETHYL CELLULOSE (100 MPA.S AT 2%) (UNII: R33S7TK2EP)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
ALLANTOIN (UNII: 344S277G0Z)	
XYLITOL (UNII: VCQ006KQ1E)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	

Product Characteristics

Color	yellow	Score	
Shape		Size	
Flavor	PEPPERMINT	Imprint Code	
Contains			

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/08/2021	

Part 3 of 3**STELLALIFE VEGA ORAL CARE RINSE**

rinse rinse

Product Information

Item Code (Source)	NDC:69685-103(NDC:61727-103)
Route of Administration	DENTAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ECHINACEA PURPUREA (UNII: QI7G114Y98) (ECHINACEA PURPUREA - UNII:QI7G114Y98)	ECHINACEA PURPUREA	1 [hp_X] in 1 mL
AZADIRACHTA INDICA BARK (UNII: G580B439YI) (AZADIRACHTA INDICA BARK - UNII:G580B439YI)	AZADIRACHTA INDICA BARK	1 [hp_X] in 1 mL
CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD) (CALENDULA OFFICINALIS FLOWER - UNII:P0M7O4Y7YD)	CALENDULA OFFICINALIS FLOWER	1 [hp_X] in 1 mL
PLANTAGO MAJOR (UNII: W2469WNO6U) (PLANTAGO MAJOR - UNII:W2469WNO6U)	PLANTAGO MAJOR	1 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PROPOLIS WAX (UNII: 6Y8XYV2NOF)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
XYLITOL (UNII: VCQ006KQ1E)	
ALLANTOIN (UNII: 344S277G0Z)	
WATER (UNII: 059QF0KO0R)	
MENTHA PIPERITA LEAF (UNII: A389O33LX6)	

Product Characteristics

Color	yellow	Score	
Shape		Size	
Flavor	PEPPERMINT	Imprint Code	
Contains			

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/08/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/08/2021	

STELLALIFE VEGA ORAL CARE

spray spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69685-111
Route of Administration	SUBLINGUAL, DENTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - HYPERICUM PERFORATUM)	HYPERICUM PERFORATUM	10 [hp X]

UNII:XK4IUX8MNB)	PTIPERICUM PERFORATUM	in 1 mL
STRYCHNOS IGNATII SEED (UNII: 1NM3M2487K) (STRYCHNOS IGNATII SEED - UNII:1NM3M2487K)	STRYCHNOS IGNATII SEED	30 [hp_X] in 1 mL
SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	8 [hp_X] in 1 mL
CALENDULA OFFICINALIS FLOWERING TOP (UNII: 18E7415PXQ) (CALENDULA OFFICINALIS FLOWERING TOP - UNII:18E7415PXQ)	CALENDULA OFFICINALIS FLOWERING TOP	3 [hp_X] in 1 mL
ECHINACEA ANGUSTIFOLIA (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)	ECHINACEA ANGUSTIFOLIA	3 [hp_X] in 1 mL
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	8 [hp_X] in 1 mL
RUTA GRAVEOLENS FLOWERING TOP (UNII: N94C2U587S) (RUTA GRAVEOLENS FLOWERING TOP - UNII:N94C2U587S)	RUTA GRAVEOLENS FLOWERING TOP	12 [hp_X] in 1 mL
ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA	18 [hp_X] in 1 mL
MATRICARIA RECUTITA (UNII: G0R4UBI2ZZ) (MATRICARIA RECUTITA - UNII:G0R4UBI2ZZ)	MATRICARIA RECUTITA	5 [hp_X] in 1 mL
ECHINACEA PURPUREA (UNII: QI7G114Y98) (ECHINACEA PURPUREA - UNII:QI7G114Y98)	ECHINACEA PURPUREA	3 [hp_X] in 1 mL
LEDUM PALUSTRE TWIG (UNII: 877L01IZ0P) (LEDUM PALUSTRE TWG - UNII:877L01IZ0P)	LEDUM PALUSTRE TWG	6 [hp_X] in 1 mL
DELPHINIUM STAPHISAGRIA SEED (UNII: 00543AP1JV) (DELPHINIUM STAPHISAGRIA SEED - UNII:00543AP1JV)	DELPHINIUM STAPHISAGRIA SEED	8 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	yellow	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69685-111-01	1 in 1 BOX	01/08/2021	
1		30 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved		01/08/2021	

homeopathic

01/06/2021

Labeler - StellaLife, Inc. (079714251)

Revised: 12/2025

StellaLife, Inc.