

CVS COLD AND HOT ROLL-ON- cool and heat pain relief liquid
CVS Pharmacy

CVS Cold and Hot Roll-On

Adults and children over 12 yrs of age: apply to the affected area no more than 3 to 4 times daily

IF MEDICINE COMES IN CONTACT WITH HANDS, WASH WITH SOAP AND WATER.

Children 12 years or younger: ask a doctor.

When using this product: use only as directed. Do not bandage tightly or use with a heating pad. Avoid contact with eyes and mucous membranes. Do not apply to wounds or damaged, broken or irritated skin. A temporary burning sensation may occur after use but normally disappears in several days. If severe burning sensation occurs, discontinue use immediately. If swelling or blistering of the skin occurs, stop use and seek medical attention. Do not expose treated area to heat or direct sunlight.

Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Capsaicin, Glycerin, Isopropyl Myristate, Propylene Glycol, SD Alcohol 40 (30%Z), Triethanolamine, Purified Water.

Temporarily relieves minor muscle and joint pain associated with arthritis, simple backache, muscle strains, sprains, bruises.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Topical analgesic

Menthol 16%

If pregnant or breast feeding, ask a healthcare professional before use.



Cold & Hot Roll-On

MENTHOL 16%
Pain-relieving liquid

- Long-lasting formula
- No-touch applicator
- Dries quickly

2.5 FL OZ (74 mL)



Drug Facts

Active ingredient

Menthol 16%.....Topical analgesic

Purpose

Uses temporarily relieves minor muscle and joint pain associated with ■ arthritis ■ simple backache ■ muscle strains ■ sprains ■ bruises

Warnings

For external use only.

When using this product ■ use only as directed ■ do not bandage tightly or use with a heating pad ■ avoid contact with eyes and mucous membranes ■ do not apply to wounds or damaged, broken or irritated skin ■ A temporary burning sensation may occur after use but normally disappears in several days. ■ If severe burning sensation occurs, discontinue use immediately ■ If swelling or blistering of the skin occurs, stop use and seek medical attention ■ Do not expose treated area to heat or direct sunlight.

Stop use and ask a doctor if ■ condition worsens ■ redness is present ■ irritation develops ■ symptoms persist for more than 7 days or clear up and occur again within a few days

Flammable ■ **Keep away from fire or flame**

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

If pregnant or breast-feeding, ask a health professional before use.

Directions

Adults and children over 12 yrs of age: apply to the affected area no more than 3 to 4 times daily

■ **IF MEDICINE COMES IN CONTACT WITH HANDS WASH WITH SOAP AND WATER**

Children 12 years or younger: ask a doctor

Inactive ingredients

Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Capsaicin, Glycerin, Isopropyl Myristate, Propylene Glycol, Purified Water, SD Alcohol 40 (30%), Triethanolamine

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

© 2022 CVS/pharmacy

CVS.com® 1-800-SHOP CVS V-35138

CVS Health.

Cold & Hot Roll-On

MENTHOL 16%
Pain-relieving liquid

CVS Health.

Compare to the active ingredient in IcyHot® Pain-Relieving Liquid*

CVS Health.

Cold & Hot Roll-On

MENTHOL 16%
Pain-relieving liquid

- Long-lasting formula
- No-touch applicator
- Dries quickly

Actual Product Size on Side Panel



2.5 FL OZ (74 mL)

Cold & Hot Roll-On

MENTHOL 16%
Pain-relieving liquid

- Long-lasting formula
- No-touch applicator
- Dries quickly

Drug Facts

| Active ingredient | Purpose |
|-------------------|-------------------|
| Menthol 16% | Topical analgesic |

Uses Temporarily relieves minor muscle and joint pain associated with arthritis, simple backache, muscle strains, sprains, bruises

Warnings

For external use only.

When using this product use only as directed. Do not bandage tightly or use with a heating pad. Avoid contact with eyes and mucous membranes. Do not apply to wounds or damaged, broken or irritated skin. A temporary burning sensation may occur after use but normally disappears in several days. If severe burning sensation occurs, discontinue use immediately. If swelling or blistering of the skin occurs, stop use and seek medical attention. Do not expose treated area to heat or direct sunlight.

Stop use and ask a doctor if condition worsens, redness is present, irritation develops, symptoms persist for more than 7 days or clear up and occur again within a few days.

Flammable - Keep away from fire or flame.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

If pregnant or breast-feeding, ask a health professional before use.

Directions

Adults and children over 12 years of age: apply to the affected area no more than 3 to 4 times daily.
IF MEDICINE COMES IN CONTACT WITH HANDS WASH WITH SOAP AND WATER.

Children 12 years or younger, ask a doctor.

Inactive ingredients

Acrylate/C-15-30 Alkyl Acrylate Copolymer, Capric Acid, Glycerin, Isopropyl Myristate, Propylene Glycol, Purified Water, SD Alcohol 40 (20%), Triethanolamine

*This product is not manufactured or distributed by Clorox, Inc. owner of the registered trademark "IcyHot".

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2022 CVS/pharmacy
CVS.com | 1-800-SHOP CVS
V-35136

100% money back guaranteed.
CVS.com/returnpolicy



Package Contains One Bottle

Actual Size

#371256



0 50428 35244 1

9



MAXIMUM STRENGTH

Cold & Hot Roll-On

MENTHOL 16%

Pain-relieving liquid

- Long-lasting formula
- No-touch applicator
- Dries quickly



2.5 FL OZ (74 mL)

Drug Facts

Active ingredient

Menthol 16%.....Topical analgesic

Purpose

Uses temporarily relieves minor muscle and joint pain associated with ■ arthritis ■ simple backache ■ muscle strains ■ sprains ■ bruises

Warnings

For external use only.

When using this product ■ use only as directed ■ do not bandage lightly or use with a heating pad ■ avoid contact with eyes and mucous membranes ■ do not apply to wounds or damaged, broken or irritated skin ■ A temporary burning sensation may occur after use but normally disappears in several days. ■ If severe burning sensation occurs, discontinue use immediately ■ If swelling or blistering of the skin occurs, stop use and seek medical attention ■ Do not expose treated area to heat or direct sunlight.

Stop use and ask a doctor if ■ condition worsens ■ redness is present ■ irritation develops ■ symptoms persist for more than 7 days or clear up and occur again within a few days

Flammable ■ Keep away from fire or flame

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

If pregnant or breast-feeding, ask a health professional before use.

Directions

Adults and children over 12 yrs of age: apply to the affected area no more than 3 to 4 times daily

■ **IF MEDICINE COMES IN CONTACT WITH HANDS WASH WITH SOAP AND WATER**

Children 12 years or younger: ask a doctor

Inactive ingredients

Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Capsaicin, Glycerin, Isopropyl Myristate, Propylene Glycol, Purified Water, SD Alcohol 40 (30%), Triethanolamine

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

© 2020 CVS/pharmacy

CVS.com® 1-800-SHOP CVS V-35138



CVS COLD AND HOT ROLL-ON

cool and heat pain relief liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:69842-399 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|-----------------|
| MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) | MENTHOL | 16 mg in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| ISOPROPYL MYRISTATE (UNII: ORE8K4LNJS) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| WATER (UNII: 059QF0KO0R) | |
| (C10-C30)ALKYL METHACRYLATE ESTER (UNII: XH2FQZ38D8) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| TROLAMINE (UNII: 9O3K93S3TK) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| CAPSAICIN (UNII: S07O44R1ZM) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:69842-399-97 | 1 in 1 CARTON | 01/13/2021 | |
| 1 | | 74 mL in 1 CONTAINER; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M017 | 01/13/2021 | |

Labeler - CVS Pharmacy (062312574)

Registrant - Pharma Nobis, LLC (118564114)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------|---------|-----------|---|
| Pharma Nobis, LLC | | 118564114 | pack(69842-399) , analysis(69842-399) , manufacture(69842-399) , label(69842-399) |

Revised: 12/2023

CVS Pharmacy