

OXYGEN- oxygen gas
RTA Pediatric Care Inc.

OXYGEN USP Label

OXYGEN REFRIGERATED LIQUID USP
UN 1073

CONTENTS: _____ LITERS

CAS NO: 7782-44-7

DANGER:

REFRIGERATED LIQUEFIED OXIDIZING GAS. ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. DO NOT CHANGE OR FORCE FIT CONNECTIONS. MAY CAUSE OR INTENSIFY FIRE: OXIDIZER, CONTAINS REFRIGERATED GAS: MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not get in eyes, on skin, or on clothing. Keep reduction valves free from grease and oil. In case of fire, stop leak if it is safe to do so. Avoid spills. Do not walk or roll equipment over spills. Store and use in a well ventilated place. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Wear cold insulating gloves/face shield/eye protection. Protect from sunlight when ambient temperature exceeds 52° C/125° F. Container temperature should not exceed 52° C/125° F. Close valve after each use and when empty. Use a back flow preventive device in the piping. Do not handle until all safety precautions have been read and understood. Use only with equipment cleaned or oxygen service. Keep/store away from combustible materials. Do not drop. Use suitable hand truck for container movement.

FIRST AID:

IN CASE OF FROSTBITE: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.


↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↑

Rx ONLY

RTA Pediatric Care
882 S. Delsea Drive
Vineland, NJ 08360
856-794-8050

OXYGEN, REFRIGERATED LIQUID USP

UN 1073



CONTENTS: _____ LITERS

CAS NO: 7782-44-7



DANGER:

REFRIGERATED LIQUEFIED OXIDIZING GAS. ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. DO NOT CHANGE OR FORCE FIT CONNECTIONS. MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not get in eyes, on skin, or on clothing. Keep reduction valves free from grease and oil. In case of fire, stop leak if safe to do so. Avoid spills. Do not walk or roll equipment over spills. Store and use in a well ventilated place. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Wear cold insulating gloves/face shield/eye protection. Protect from sunlight when ambient temperature exceeds 52 °C/125 °F. Container temperature should not exceed 52 °C/125 °F. Close valve after each use and when empty. Use a back flow preventative device in the piping. Do not handle until all safety precautions have been read and understood. Use only with equipment cleaned for oxygen service. Keep/store away

from combustible materials. Do not drop. Use suitable hand truck for container movement.

FIRST AID:

IN CASE OF FROSTBITE: Thaw frosted parts with lukewarm water.
Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↑

Rx ONLY

**RTA Pediatric Care
882 S. Delsea Drive
Vineland, NJ 08360
856-794-8050**

OXYGEN, COMPRESSED USP LABEL

OXYGEN, COMPRESSED USP

UN1072

**RTA Pediatric Care
882 S. Delsea Drive
Vineland, NJ 08360
856-794-8050**

RATERMANN

MANUFACTURING, INC.

Phone: 800-264-7793

Fax: 800-264-7797

www.rmorder.com

email: Image@rmlmfg.com

GCS-OXYUSPNC-XXX-PK500 *Please carefully review all custom imprinted production specifications, as they are not returnable for refund or credit.*

- Approved – (Apply to all labels)** (Use this layout for company information (and logo if applicable) for all labels)
- Approved – (This label only)** (I would like to individually review proofs for all subsequent labels)
- Declined – Reason** _____

Signature _____ Date: _____



INFORMATION REQUIREMENTS FOR LABELS

*Complete address is a requirement for Industrial and Specialty Gases (per OGA C-7-2014, Section 7.1 OSHA's Hazard Communication Standard).

**Medical Gases – The FDA requires City, State and Zip Code, but allows the street address to be omitted, as long as the company can be located in a city or telephone directory on medical gases. For medical gas labels, our customers have the option of including their full address or just the City, State and Zip Code and this decision is solely at their discretion. (Per FDA CFR Title 21, Sec. 201.1 (i))

INDUSTRIAL AND SPECIALTY GASES

Company Name: Required
 Address: Required – Street Number and Name, City, State and Zip Code
 Phone: Required
 Web Address: (optional)
 Tag line or Slogan: (optional)

MEDICAL GASES

Company Name: Required
 Address: Required – City, State and Zip Code
 Phone: Required
 Web Address: (optional)
 Tag line or Slogan: (optional)

© 2014-2015 Ratermann Manufacturing, Inc. All Rights Reserved.
 Label depicted is not actual size.

Please review the displayed artwork. All artwork proofs must be signed and returned with approval or revisions to be made as soon as possible. Production cannot proceed until we receive your signed approval. Delay in returning the signed proofs will result in an extended production period. Ratermann Manufacturing, Inc. will not be responsible for errors undetected but approved by customer.

All orders are pursuant to Ratermann Manufacturing, Inc. Terms and Conditions, which can be found at www.rmorder.com

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:69241-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69241-001-01	37.7 L in 1 DEWAR; Type 0: Not a Combination Product	09/01/2014	
2	NDC:69241-001-02	40.0 L in 1 DEWAR; Type 0: Not a Combination Product	09/01/2014	
3	NDC:69241-001-03	169 L in 1 CYLINDER; Type 0: Not a Combination Product	03/01/2022	
4	NDC:69241-001-04	311 L in 1 CYLINDER; Type 0: Not a Combination Product	03/01/2022	
5	NDC:69241-001-05	623 L in 1 CYLINDER; Type 0: Not a Combination Product	03/01/2022	
6	NDC:69241-001-06	2265 L in 1 CYLINDER; Type 0: Not a Combination Product	03/01/2022	
7	NDC:69241-001-07	3455 L in 1 CYLINDER; Type 0: Not a Combination Product	03/01/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205849	09/01/2014	

Labeler - RTA Pediatric Care Inc. (827906103)

Registrant - RTA Pediatric Care Inc. (827906103)

Establishment

Name	Address	ID/FEI	Business Operations
RTA Pediatric Care Inc.		827906103	manufacture(69241-001)

Establishment

Name	Address	ID/FEI	Business Operations
-------------	----------------	---------------	----------------------------

South Jersey Welding Supply

796071926

manufacture(69241-001)

Revised: 11/2025

RTA Pediatric Care Inc.