

**SUN FACE PROTECTOR SUNSCREEN BROAD SPECTRUM SPF 50- avobenzene, homosalate, octisalate, octocrylene cream**  
**Distribuidora Comercial Jafra, S.A. de C.V.**

-----  
**Jafra face protector sunscreen broad spectrum SPF 50+**

**Active Ingredients                      Purpose**

Avobenzene 3%.....Sunscreen  
Homosalate 10%.....Sunscreen  
Octisalate 5%.....Sunscreen  
Octocrylene 10%.....Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**) , decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure
- reapply:
  - after 40 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.

- wear long-sleeved shirts, pants, hats, and sunglasses

### ***Other information***

protect this product from excessive heat and direct sun

### ***Inactive Ingredients***

Water, Polyester-8, Styrene/Acrylates Copolymer, Cetyl Alcohol, VP/Eicosene Copolymer, Dicaprylyl Carbonate, Glyceryl Stearate, PEG -100 Stearate, Phenoxyethanol, Arginine, Bisabolol, Glycerin, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Tocopheryl Acetate, Fragrance, Ethylhexylglycerin, Disodium EDTA, Panthenol, Sambucus Nigra Fruit Extract, Benzyl Salicylate, Coumarin, Butylphenyl Methylpropional, Linalool, Hydroxycitronellal

**Questions?** Call 1-800-551-2345 or visit **[www.jafra.com](http://www.jafra.com)**

### **Product label**

SUNN-009 REV.2

FINAL ART

JAFRA

USA ONLY

CARTON- JAFRA SUN FACE PROTECTOR SUNSCREEN  
BS SPF 50+ WATER RESISTANT (40 MINUTES)  
08.FEB.2024 (11.SEP.2020) (22.OCT.2020 LMS)

FORMULA: JSS130B - 10005483  
MPVG



26

118

**Drug Facts**

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 10%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**

**Directions**

- apply liberally and evenly 15 minutes before sun exposure
- reapply:
  - after 40 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- children under 6 months of age: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.-2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses

**Other information**

- protect this product from excessive heat and direct sun

**Drug Facts (continued)**

**Inactive ingredients**

Water, Polyester-8, Styrene/Acrylates Copolymer, Cetyl Alcohol, VP/Eicosene Copolymer, Dicaprylyl Carbonate, Glyceryl Stearate, PEG-100 Stearate, Phenoxyethanol, Alginate, Bisabolol, Glycerin, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Tocopheryl Acetate, Fragrance, Ethylhexylglycerin, Disodium EDTA, Panthenol, Sambucus Nigra Fruit Extract, Benzyl Salicylate, Coumarin, Butylphenyl Methylpropional, Linalool, Hydroxycitronellal

**Questions?**

Call 1-800-551-2345  
or visit [www.jafra.com](http://www.jafra.com)



face protector sunscreen  
Broad Spectrum SPF 50+

WATER RESISTANT (40 MINUTES)

50 ml / 1.7 FL. OZ.



Made in Mexico for:  
JAFRA Cosmetics International, Inc.  
Westlake Village, CA 91362  
[www.JAFRA.com](http://www.JAFRA.com)  
Hecho en México para:  
Distribuidora Comercial JAFRA S.A. de C.V.  
Av. La Estacada No. 201, C.P. 76215,  
Parque Industrial Quetzilero,  
Santa Rosa Mexicana, Querétaro,  
Quetzilero, México.  
JAFRA is a registered trademark of  
JAFRA Cosmetics Int'l, Inc.

15

40

40

40

40

39.15

174.15

SUNN-029

FINAL ARTWORK

JAFRA

LABEL- JAFRA SUN\_FACE  
PROTECT SUNSCRN  
SPF50+\_US  
15.NOV.23



SUNN-009 REV.1 WITH OTC  
OVERLABEL IS SUNN-029

PMS Only for reference  
(Match against physical sample)




Av. La Estaci6n No. 201, C.P. 70210, Parque Industrial Quer6taro, Santa Rosa Jaur6guel, Quer6taro, Quer6taro, M6xico.  
JAFRA is a registered trademark of JAFRA Cosmetics Int'l, Inc.

BLACK DO NOT PRINT

WHITE LABEL

MPVG



**Drug Facts**

**Active ingredients**

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 10%	Sunscreen
Octisalate 0%	Sunscreen
Octocrylene 10%	Sunscreen

**Uses**

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

Stop use and ask a doctor if rash occurs

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**

**Directions**

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours; children under 6 months: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

**Inactive ingredients**

Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Arginine, Bisabolol, Cetyl Alcohol, Dicaprylyl Carbonate, Disodium EDTA, Ethylhexylglycerin, Fragrance/Parfum, Glycerin, Glyceryl Stearate, PEG-100 Stearate, Panthenol, Phenoxethanol, Polyester-a, Sambucus Nigra (Elderberry) Fruit Extract, Styrene/Acrylates Copolymer, Tocopheryl Acetate, VP/Eicosene Copolymer, Water/Aqua

**Other information**

- protect this product from excessive heat and direct sun

Made in Mexico for JAFRA Cosmetics International, Inc. Westlake Village, CA 91361  
Distributed in EL: JAFRA Cosmetics D.R.O.C.S. Munich www.JAFRA.com  
Hecho en M6xico para: Distribuidora Comercial JAFRA, S.A. de C.V. Blvd. Adolfo Lopez Mateos 2273, C.P. 01710, Ciudad de M6xico, M6xico.  
JAFRA es Marca Registrada LOS ANGELES - ZURICH - MURRICH - MEXICO CITY - JAKARTA

JAFRA  
**SUN**  
**50+**

face protector sunscreen  
broad spectrum SPF 50+

WATER RESISTANT (40 MINUTES)

50 ml e 1.7 FL. OZ (US)

→ LABEL PLACEMENT

**SUN FACE PROTECTOR SUNSCREEN BROAD SPECTRUM SPF 50**  
avobenzone, homosalate, octisalate, octocrylene cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68828-295
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>LEVOMENOL</b> (UNII: 24WE03BX2T)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>POLYESTER-8 (1400 MW, CYANODIPHENYLPROPENOYL CAPPED)</b> (UNII: T9296U138P)	
<b>BENZYL SALICYLATE</b> (UNII: WAO5MKN9TU)	
<b>ARGININE</b> (UNII: 94ZLA3W45F)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>EUROPEAN ELDERBERRY</b> (UNII: BQY1UBX046)	
<b>VINYLPYRROLIDONE/EICOSENE COPOLYMER</b> (UNII: 035MV9S1C3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>CARBOMER COPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED)</b> (UNII: 809Y72KV36)	
<b>COUMARIN</b> (UNII: A4VZ22K1WT)	
<b>BUTYLPHENYL METHYLPROPIONAL</b> (UNII: T7540GJV69)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>HYDROXYCITRONELLAL</b> (UNII: 8SQ0VA4YUR)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:68828-295-01	50 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/14/2021	
2	NDC:68828-295-02	7.5 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/14/2021	11/01/2024

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/14/2021	

**Labeler** - Distribuidora Comercial Jafra, S.A. de C.V. (951612777)

**Registrant** - Jafra cosmetics international Inc. (031183599)

## Establishment

Name	Address	ID/FEI	Business Operations
Distribuidora Comercial Jafra, S.A. de C.V.		951612777	manufacture(68828-295)

Revised: 10/2025

Distribuidora Comercial Jafra, S.A. de C.V.