

**POISON IVY AND OAK FORMULA- glandula suprarenalis (bovine), hepar suis, rhus tox, urtica dioica, rhus aromatica, rhus glabra, histaminum hydrochloricum, rhus diversiloba, adrenocorticotrophin spray  
Nutritional Specialties, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**DRUG FACTS:**

**ACTIVE INGREDIENTS:**

Glandula Suprarenalis (Bovine) 6X, 12X, Hepar Suis (Liver) 6X, 12X, Rhus Tox (Poison Ivy) 6X, 12X, 60X, 100X, Urtica Dioica (Stinging Nettle) 6X, 12X, 60X, 100X, Rhus Aromatica (Fragrant Sumac) 8X, 12X, 60X, 100X, Rhus Glabra 8X, 12X, 60X, 100X, Histaminum Hydrochloricum 12X, Rhus Diversiloba (Pacific Poison Oak) 16X, 30X, 60X, 100X, Adrenocorticotrophin 15C, 30C.

**PURPOSE:**

Provides factors that mitigate hypersensitivity to poison ivy and poison oak.

†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

**WARNINGS:**

**Professional Use Only**

**If pregnant or breast-feeding**, ask a health professional before use.

In case of overdose, get medical help or contact a Poison Control Center right away.

If condition worsens, seek medical attention.

**KEEP OUT OF REACH OF CHILDREN**

**Do not use if tamper evident seal is broken or missing.**

**Store in a cool place after opening**

**KEEP OUT OF REACH OF CHILDREN:**

**KEEP OUT OF REACH OF CHILDREN**

In case of overdose, get medical help or contact a Poison Control Center right away.

**DIRECTIONS:**

Adults: 2 to 3 sprays orally, three times daily. Children under twelve one half adult

dosage. Do not take within 15 minutes of consuming food, beverage or brushing teeth. Consult a physician for use in children under 12 years of age.

**INDICATIONS:**

Provides factors that mitigate hypersensitivity to poison ivy and poison oak.†

†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

**INACTIVE INGREDIENTS:**

Alcohol USP 20%, Purified Water USP.

**QUESTIONS:**

**MANUFACTURED EXCLUSIVELY FOR**

**NUTRITIONAL SPECIALTIES, INC.**

**PO BOX 97227**

**PITTSBURG, PA 15229**

**[www.phpltd.com](http://www.phpltd.com)**

**PACKAGE LABEL DISPLAY:**

**Professional**

**Health Products**

**HOMEOPATHIC**

**NDC 83027-0039-1**

**POISON IVY &**

**OAK FORMULA**

**2 FL. OZ (60 ml)**

**Professional Use Only**

**WARNINGS:** If pregnant or breast-feeding, ask a health professional before use. In case of overdose, get medical help or contact a Poison Control Center right away. If condition worsens, seek medical attention.

**KEEP OUT OF REACH OF CHILDREN**

Do not use if tamper evident seal is broken or missing.

Store in a cool place after opening.

† Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.



NDC 83027-0039-1

# POISON IVY & OAK FORMULA

A263 (reorder code)

**Active Ingredients:** Glandula Suprarenalis (Bovine) 6x, 12x. Hepar Suis (Liver) 6x, 12x. Rhus Tox (Poison Ivy) 6x, 12x, 60x, 100x. Urtica dioica (Stinging Nettle) 6x, 12x, 60x, 100x. Rhus Aromatica (Fragrant Sumac) 8x, 12x, 60x, 100x. Rhus Glabra 8x, 12x, 60x, 100x. Histaminum Hydrochloricum 12x. Rhus Diversiloba (Pacific Poison Oak) 16x, 30x, 60x, 100x. Adrenocorticotrophin 15c, 30c.

**Inactive Ingredients:** Alcohol USP 20%, Purified Water USP.

2 FL. OZ. (60 ml)

**Indication:** Provides factors that mitigate hypersensitivity to poison ivy and poison oak.†

**Directions For Use:** Adults: 2 to 3 sprays orally, three times daily. Children under twelve one half adult dosage. Do not take within 15 minutes of consuming food, beverage or brushing teeth. Consult a physician for use in children under 12 years of age.

**PHPP** MANUFACTURED EXCLUSIVELY FOR NUTRITIONAL SPECIALTIES, INC. PO BOX 97227 PITTSBURGH, PA 15229 www.phpltd.com rev. 1.0

## POISON IVY AND OAK FORMULA

glandula suprarenalis (bovine), hepar suis, rhus tox, urtica dioica, rhus aromatica, rhus glabra, histaminum hydrochloricum, rhus diversiloba, adrenocorticotrophin spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83027-0039
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BOS TAURUS ADRENAL GLAND</b> (UNII: M2776SWB29) (BOS TAURUS ADRENAL GLAND - UNII:M2776SWB29)	BOS TAURUS ADRENAL GLAND	6 [hp_X] in 1 mL
<b>PORK LIVER</b> (UNII: 6EC706HI7F) (PORK LIVER - UNII:6EC706HI7F)	PORK LIVER	6 [hp_X] in 1 mL
<b>TOXICODENDRON PUBESCENS LEAF</b> (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	6 [hp_X] in 1 mL
<b>URTICA DIOICA WHOLE</b> (UNII: 710FLW4U46) (URTICA DIOICA - UNII:710FLW4U46)	URTICA DIOICA WHOLE	6 [hp_X] in 1 mL
<b>RHUS AROMATICA ROOT BARK</b> (UNII: Q3H36W0J42) (RHUS AROMATICA ROOT BARK - UNII:Q3H36W0J42)	RHUS AROMATICA ROOT BARK	8 [hp_X] in 1 mL
<b>RHUS GLABRA TOP</b> (UNII: RHH784E0K6) (RHUS GLABRA TOP - UNII:RHH784E0K6)	RHUS GLABRA TOP	8 [hp_X] in 1 mL
<b>HISTAMINE DIHYDROCHLORIDE</b> (UNII: 3POA0Q644U) (HISTAMINE - UNII:820484N8I3)	HISTAMINE DIHYDROCHLORIDE	12 [hp_X] in 1 mL
<b>TOXICODENDRON DIVERSILOBUM LEAF</b> (UNII: V727AWD6ZZ) (TOXICODENDRON DIVERSILOBUM LEAF - UNII:V727AWD6ZZ)	TOXICODENDRON DIVERSILOBUM LEAF	16 [hp_X] in 1 mL
<b>CORTICOTROPIN</b> (UNII: K0U68Q2TXA) (CORTICOTROPIN - UNII:K0U68Q2TXA)	CORTICOTROPIN	15 [hp_C] in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

**WATER** (UNII: 059QF0KO0R)

**ALCOHOL** (UNII: 3K9958V90M)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83027-0039-1	60 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	03/29/2023	04/25/2028

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/29/2023	04/25/2028

**Labeler** - Nutritional Specialties, Inc. (032744609)

Revised: 7/2024

Nutritional Specialties, Inc.