

SHISEIDO URBAN ENVIRONMENT MINERAL CLEAR SUNSCREEN- titanium dioxide, zinc oxide lotion
Shiseido Americas Corporation

SHISEIDO URBAN ENVIRONMENT MINERAL CLEAR SUNSCREEN

☐ Drug Facts

Active Ingredients

Titanium Dioxide 4.5%

Zinc Oxide 17.2%

Purpose

Sunscreen

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging cause by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply: • after 40 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

DIMETHICONE □ WATER □ DIISOPROPYL SEBACATE □ DIPHENYLSILOXY PHENYL
 TRIMETHICONE □ DIPROPYLENE GLYCOL □ GLYCERIN □ SORBITAN SESQUISTEARATE □
 POLYHYDROXYSTEARIC ACID □ LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL
 DIMETHICONE □ SILICA □ AMINOETHANESULFINIC ACID □ THIOTAURINE □ SCUTELLARIA
 BAICALENSIS ROOT EXTRACT □ PAEONIA ALBIFLORA ROOT EXTRACT □ SODIUM
 HYALURONATE □ DIPOTASSIUM GLYCYRRHIZATE □ GINKGO BILOBA LEAF EXTRACT □
 PEG/PPG-14/7 DIMETHYL ETHER □ ONONIS SPINOSA ROOT EXTRACT □ CAMELLIA
 JAPONICA FLOWER EXTRACT □ GARCINIA MANGOSTANA BARK EXTRACT □ TREHALOSE □
 SPIRULINA PLATENSIS EXTRACT □ SOLUBLE COLLAGEN □ ALUMINUM HYDROXIDE □
 TRIETHOXYCAPRYLYLSILANE □ STEARIC ACID □ DISTEARDIMONIUM HECTORITE □
 BUTYLENE GLYCOL □ TRISODIUM EDTA □ ISOSTEARIC ACID □ SODIUM CITRATE □ CITRIC
 ACID □ SODIUM METABISULFITE □ PRUNUS YEDOENSIS LEAF EXTRACT □ SYZYGIUM
 JAMBOS LEAF EXTRACT □ TOCOPHEROL □ MICA □ DISODIUM PHOSPHATE □ RIBOFLAVIN □
 ERGOTHIONEINE □ SODIUM PHOSPHATE □ PHENOXYETHANOL □ BENZOIC ACID □ TITANIUM
 DIOXIDE □

Other information

- protect this productt in this container from excessive heat and direct sun

Questions or Comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 30 mL Bottle

SHISEIDO

Ginza Tokyo

Urban Environment

MINERAL CLEAR

Sunscreen

SPF 50

Daily Protection & Age Defense

BROAD SPECTRUM SPF 50

WATER RESISTANT (40 MINUTES)

For All Skin Types Including Sensitive

30mL 1 FL. OZ.



SHISEIDO URBAN ENVIRONMENT MINERAL CLEAR SUNSCREEN

titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-951
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.38 g in 30 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	5.28 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
DIISOPROPYL SEBACATE (UNII: J8T3X564IH)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	

LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)
SILICA (UNII: ETJ7Z6XBU4)
AMINOETHANESULFINIC ACID (UNII: 5L08GE4332)
THIOTAURINE (UNII: NQZ2D7AO62)
SCUTELLARIA BAICALENSIS ROOT (UNII: 7J95K7ID2S)
PAEONIA ALBIFLORA FLOWER (UNII: R73687A534)
SODIUM HYALURONATE (UNII: YSE9PPT4TH)
DIPOTASSIUM GLYCYRRHIZATE (UNII: CA2Y0FE3FX)
GINKGO BILOBA LEAF (UNII: 19FUJ2C58T)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
ONONIS SPINOSA ROOT (UNII: FD2FMC53M1)
CAMELLIA JAPONICA FLOWER (UNII: KUB8101TNF)
GARCINIA MANGOSTANA BARK (UNII: N6A4WY566I)
TREHALOSE (UNII: B8WCK70T7I)
SPIRULINA PLATENSIS (UNII: 9L3TIH1UUE)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
STEARIC ACID (UNII: 4ELV7Z65AP)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
TRISODIUM EDTA (UNII: 420IP921MB)
ISOSTEARIC ACID (UNII: X33R8U0062)
SODIUM CITRATE (UNII: 1Q73Q2JULR)
CITRIC ACID (UNII: 2968PHW8QP)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
PRUNUS X YEDOENSIS LEAF (UNII: 1Z125GA907)
SYZYGIUM JAMBOS LEAF (UNII: 407Z4W5LFF)
TOCOPHEROL (UNII: R0ZB2556P8)
MICA (UNII: V8A1AW0880)
DISODIUM PHOSPHATE (UNII: 22ADO53M6F)
RIBOFLAVIN (UNII: TLM2976OFR)
ERGOTHIONEINE (UNII: BDZ3DQM98W)
SODIUM PHOSPHATE (UNII: SE337SVY37)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
BENZOIC ACID (UNII: 8SKN0B0MIM)

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-951-10	1 in 1 BOX	12/09/2025	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a		

Combination Product			
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/09/2025	

Labeler - Shiseido Americas Corporation (193691821)

Establishment			
Name	Address	ID/FEI	Business Operations
Shiseido America Inc.		782677132	manufacture(58411-951)

Revised: 2/2026

Shiseido Americas Corporation