

ACID REDUCER COMPLETE- famotidine, calcium carbonate, magnesium hydroxide tablet, chewable
Walgreen Company

Walgreen Co. Acid Reducer Complete Drug Facts

Active ingredients (in each chewable tablet)

Famotidine 10 mg

Calcium carbonate 800 mg

Magnesium hydroxide 165 mg

Purposes

Acid reducer

Antacid

Use

relieves heartburn associated with acid indigestion and sour stomach

Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Antacids and acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- adults and children 12 years and over:
 - **do not swallow tablet whole: chew completely**
 - to relieve symptoms, **chew** 1 tablet before swallowing
 - do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

Other Safety Information

- **each tablet contains:** calcium 330 mg, magnesium 80 mg
- read the directions and warnings before use
- read the bottle. It contains important information.
- store at 20-25°C (68-77°F)
- protect from moisture

Inactive ingredients

anhydrous lactose, D&C yellow #10 aluminum lake, dextrans, FD&C yellow #6 aluminum lake, glyceryl monostearate, lactose monohydrate, magnesium stearate, maltodextrin, microcrystalline cellulose, modified food starch, natural and artificial tropical flavor, polyacrylate dispersion, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, sucralose, talc

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

Walgreens

WALGREENS PHARMACIST RECOMMENDED

Compare to the active ingredients in Pepcid Complete®

NEW

Acid Reducer Complete

FAMOTIDINE 10 mg / CALCIUM CARBONATE 800 mg / MAGNESIUM HYDROXIDE 165 mg TABLETS (CHEWABLE)

ACID REDUCER + ANTACID

Dual Action

Chewable

• Just one tablet relieves heartburn due to acid indigestion

50 CHEWABLE TABLETS

ACTUAL SIZE

Tropical Fruit flavor

Drug Facts **DO NOT USE IF PRINTED FOIL UNDER CAP IS BROKEN OR MISSING**

Active ingredients (in each chewable tablet)	Purposes
Famotidine 10 mg	Acid reducer
Calcium carbonate 800 mg	Antacid
Magnesium hydroxide 165 mg	Antacid

Use relieves heartburn associated with acid indigestion and sour stomach

Warnings
Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids and acid reducers may interact with certain prescription drugs.

Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

Drug Facts (continued)

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- adults and children 12 years and over:
 - do not swallow tablet whole: chew completely
 - to relieve symptoms, chew 1 tablet before swallowing
 - do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

Other information

- each tablet contains: calcium 330 mg, magnesium 80 mg
- read the directions and warnings before use
- read the bottle. It contains important information.
- store at 20-25°C (68-77°F)
- protect from moisture

PEEL BACK HERE

Drug Facts (continued)

Inactive ingredients anhydrous lactose, D&C yellow #10 aluminum lake, dextrates, FD&C yellow #6 aluminum lake, glyceryl monostearate, lactose monohydrate, magnesium stearate, maltodextrin, microcrystalline cellulose, modified food starch, natural and artificial tropical flavor, polyacrylate dispersion, polyacrylate 01, povidone, pregelatinized starch, sodium starch glycolate, sucralose, talc

Questions or comments? 1-800-719-9260

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.
*This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Pepcid Complete®.
U.S. Pat. No. 0801,175

DISTRIBUTED BY: WALGREEN CO.
DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2025 Walgreen Co. NDC 0383-4038-71

ACID REDUCER COMPLETE

famotidine, calcium carbonate, magnesium hydroxide tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-4036
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	10 mg
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB, CARBONATE ION - UNII:7UJQ5OPE7D)	CALCIUM CARBONATE	800 mg
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	165 mg

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
DEXTRATES (UNII: G263MI44RU)	
FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
TALC (UNII: 7SEV7J4R1U)	

Product Characteristics

Color	YELLOW	Score	no score
Shape	ROUND	Size	18mm
Flavor		Imprint Code	34j
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-4036-71	50 in 1 BOTTLE; Type 0: Not a Combination Product	03/19/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

ANDA	ANDA077355	03/19/2026	
------	------------	------------	--

Labeler - Walgreen Company (008965063)

Revised: 3/2026

Walgreen Company