

**LIDOCAINE PATCH 4%- lidocaine 4% patch**  
**Medcore LLC**

-----

**Lidocaine Patch 4%**

**Drug Facts**

**Active ingredient**

Lidocaine 4%

**Purpose**

Topical anesthetic

**Uses**

For temporary relief of pain

**Warnings**

*(For external use only)*

**Do not use**

- more than 1 patch at a time
- on wounds or damaged skin
- with a heating pad
- if you are allergic to any ingredients of this product

**When using this product**

- use only as directed
- avoid contact with the eyes, mucous membranes or rashes
- do not bandage tightly

**Stop use and ask a doctor if**

- localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- condition worsen
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions****Adult and children 12 years of age and over:**

- clean and dry affected area
- apply 1 patch at a time to affected area, not more than 3 to 4 times daily
- remove patch from the skin after at most 8-hour application

**Children under 12 years of age:** consult a doctor

**Inactive ingredients**

Glycerin, edetate disodium, tartaric acid, povidone K90, polysorbate 80, propylene glycol, carboxymethylcellulose sodium, kaolin, carbomer, sodium polyacrylate, purified water, phenoxyethanol.

**Other information**

Store at room temperature 15°–30°C (59°–86°F)

Avoid storing product in direct sunlight and protect product from excessive moisture.

**PRINCIPAL DISPLAY PANEL**

NDC: 82461-416-30

**Medcore LLC**

**Lidocaine Patch 4%**

**Pain Relieving Hydrogel Technology**

**Contains:**

**30 Patches**

**Manufactured for:** Medcore LLC 3048 Valley Rd Basking Ridge, NJ 07920

Store in a dry, cool place for Comments or Questions, call 908-280-2269



## LIDOCAINE PATCH 4%

lidocaine 4% patch

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82461-416
Route of Administration	TRANSDERMAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)				
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED</b> (UNII: K679OBS311)				
<b>KAOLIN</b> (UNII: 24H4NWX5CO)				
<b>SODIUM POLYACRYLATE (8000 MW)</b> (UNII: 285CYO341L)				
<b>TARTARIC ACID</b> (UNII: W4888I119H)				
<b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC)				
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)				
<b>WATER</b> (UNII: 059QF0KO0R)				
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)				
<b>Product Characteristics</b>				
<b>Color</b>			<b>Score</b>	
<b>Shape</b>		RECTANGLE	<b>Size</b>	
<b>Flavor</b>			<b>Imprint Code</b>	
<b>Contains</b>				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
<b>1</b>	NDC:82461-416-30	6 in 1 BOX	05/18/2025	
<b>1</b>		5 g in 1 POUCH; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>		<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug		M017	05/18/2025	

**Labeler** - Medcore LLC (069802634)