

**MULTI ACTION-  
bacitracinzinc,neomycinsulfate,polymyxinbsulfate,pramoxinehcl ointment  
Trifecta Pharmaceutical USA LLC**

-----  
**Multi-Action Ointment**

**DRUG FACTS**

**Active Ingredient**

Bacitracin Zinc 500 Units

**Purpose**

First Aid Antibiotic

**Active Ingredient**

Neomycin Sulfate 3.5mg

**Purpose**

First Aid Antibiotic

**Active Ingredient**

Polymyxin B Sulfate 10,000 Units

**Purpose**

First Aid Antibiotic

**Active Ingredient**

Pramoxine HCL 10mg

**Purpose**

External Analgesic

**Uses**

First Aid to help prevent infection in and for temporary relief of pain or discomfort in minor cuts, scrapes and burns.

## **Warnings**

### **For external use only. Do not use:**

- If you are allergic to any of the ingredients
- in the eyes
- on large areas of the body

### **Ask a Doctor before Use**

Ask Doctor before use if you have:

- Deep or puncture wounds
- Animal bites
- Serious burns

### **Stop Use and ask a Doctor if:**

- You need to use longer than 1 week
- Condition persists or gets worse
- Symptoms persists for more than 1 week or clear up and occur again within a few days
- A rash or other allergic reaction develops

### **Keep out of Reach of Children**

If Swallowed, get medical help or contact a Poison Control Center right away

## **Directions**

Adults and children 2 years and older:

- Clean the affected area
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- May be covered with a sterile bandage

Children under 2 years: ask a doctor

## **Other Information**

- Store at 20° to 25°C (68° to 77°F)

## **Inactive Ingredient:**

Cocoa Butter, Levant Cottonseed Oil, Olive Oil, Petrolatum, Sodium pyruvate, vitamin E

## **Questions?**

Call 1-888-296-9067 Weekdays 9AM - 5PM EST

## Other Information

Distributed By

Trifecta Pharmaceuticals USA®

101 NE Third Avenue, Suite 1500


Ft. Lauderdale, FL. 33301 USA

www.trifecta-pharma.com

This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Neosporin® Plus Pain Itch Scar.

## Packaging

# OUTSIDE BOX



**Drug Facts**

**Active Ingredients (each gram contains)**  
 Bacitracin Zinc 500 units First aid antibiotic  
 Neomycin Sulfate 3.5 mg First aid antibiotic  
 Polymyxin B Sulfate 10,000 units First aid antibiotic  
 Pramoxine HCl 10 mg External analgesic

**Purpose**  
 • symptoms persist for more than 1 week, or clear up and occur again within a few days  
 • rash or other allergic reaction develops  
 • symptoms persist for more than 1 week, or clear up and occur again within a few days

**Drug Facts (continued)**  
 • symptoms persist for more than 1 week, or clear up and occur again within a few days  
 • rash or other allergic reaction develops  
 • symptoms persist for more than 1 week, or clear up and occur again within a few days

**100% GUARANTEED**

# INNER TUBE

NDC: 69396-072-01

**Globe®**

**Multi-Action Ointment**  
 BACITRACIN ZINC • NEOMYCIN SULFATE  
 POLYMYXIN B SULFATE • PRAMOXINE HCL

**+ PAIN + ITCH + SCAR**

NET WT. 1 oz. (28.4g)

**Active Ingredients (each gram contains)**  
 Bacitracin Zinc 500 units First aid antibiotic  
 Neomycin Sulfate 3.5 mg First aid antibiotic  
 Polymyxin B Sulfate 10,000 units First aid antibiotic  
 Pramoxine HCl 10 mg External analgesic

**Purpose**  
 • symptoms persist for more than 1 week, or clear up and occur again within a few days  
 • rash or other allergic reaction develops  
 • symptoms persist for more than 1 week, or clear up and occur again within a few days

**Use**  
 First aid to help prevent infection and for temporary relief of pain or discomfort on minor cuts, scrapes, and burns.

**Warnings**  
 For external use only.  
 Do not use if you are allergic to any of the ingredients.  
 • in the eyes • over large areas of the body  
 Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns

**Stop use and ask a doctor if • you need to use longer than 1 week •**

**Directions**  
 Adults and children 3 years of age and older • clean the affected area • apply a small amount of the product to the surface area of the lip of a blister on the area 1 to 3 times daily • may be covered with a sterile bandage. Children under 3 years of age: ask a doctor.

**Other information**  
 Store at 20° to 25°C (68° to 77°F).  
 Inactive ingredients: Citric Acid, Glycerin, Carbomer 980, Olive oil, Paraben, Sodium pyruvate, "Vitamin E"

**Questions?** Call 1-888-298-6967

Distributed by: InVivo Pharmaceuticals USA  
 101 NE Third Avenue, Suite 1500, Ft. Lauderdale, FL 33301 USA | www.invivo-pharma.com

## MULTI ACTION

bacitracinzinc,neomycinsulfate,polymyxinbsulfate,pramoxinehcl ointment

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:69396-072 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength       | Strength             |
|---|-------------------------|----------------------|
| <b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)   | POLYMYXIN B             | 10000 [USP'U] in 1 g |
| <b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)        | BACITRACIN ZINC         | 500 [USP'U] in 1 g   |
| <b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)         | NEOMYCIN SULFATE        | 3.5 mg in 1 g        |
| <b>PRAMOXINE HYDROCHLORIDE</b> (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056) | PRAMOXINE HYDROCHLORIDE | 10 mg in 1 g         |

### Inactive Ingredients

| Ingredient Name                                 | Strength |
|---|----------|
| <b>SODIUM PYRUVATE</b> (UNII: POD38AIF08)       |          |
| <b>ALPHA-TOCOPHEROL</b> (UNII: H4N855PNZ1)      |          |
| <b>OLIVE OIL</b> (UNII: 6UYK2W1W1E)             |          |
| <b>LEVANT COTTONSEED OIL</b> (UNII: N5CFT140R8) |          |

**COCOA BUTTER** (UNII: 512OYT1CRR)

**PETROLATUM** (UNII: 4T6H12BN9U)

### Packaging

| # | Item Code        | Package Description                                 | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:69396-072-01 | 1 in 1 BOX  | 01/22/2021           |                    |
| 1 |                  | 28.4 g in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M004                                     | 01/22/2021           |                    |

**Labeler** - Trifecta Pharmaceutical USA LLC (079424163)

Revised: 5/2025

Trifecta Pharmaceutical USA LLC