

**FIRST AID ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b,  
pramoxine hcl ointment  
Walgreen Company**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Walgreen Co. First Aid Antibiotic Ointment Drug Facts**

**Active ingredients (in each gram)**

Bacitracin zinc 500 units

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 10,000 units as polymyxin B sulfate

Pramoxine HCl 10 mg

**Purpose**

First aid antibiotic

External analgesic

**Uses**

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

**Warnings**

**For external use only.**

**Do not use**

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

## **Stop use and ask a doctor if**

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

## **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

## **Directions**

- adults and children 2 years of age and older:
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

## **Other information**

- store at 20-25°C (68-77°F)

## **Inactive ingredients**

cocoa butter, cottonseed oil, olive oil, petrolatum, sodium pyruvate, tocopheryl acetate

## **Questions or comments?**

**1-800-719-9260**

## **Package/Label Principal Display Panel**

Walgreens

WALGREENS PHARMACIST RECOMMENDED

Compare to the active ingredients in Neosporin® + Pain Itch Scar

First Aid Antibiotic Ointment

BACITRACIN ZINC/ NEOMYCIN SULFATE/ POLYMYXIN B SULFATE/ PRAMOXINE HCl

FIRST AID ANTIBIOTIC / PAIN RELIEVING OINTMENT

Pain

Itch

## Scar

- Minimizes the appearance of scars
- Maximum strength pain & itch relief
- Long-lasting infection protection

NET WT 0.5 OZ (14 g)

**Walgreens**

NDC 0363-0841-58



Compare to the active ingredients in  
Neosporin® + Pain Itch Scar™

# First Aid Antibiotic Ointment

BACITRACIN ZINC/ NEOMYCIN SULFATE/  
POLYMYXIN B SULFATE/ PRAMOXINE HCl  
FIRST AID ANTIBIOTIC / PAIN RELIEVING OINTMENT

**Pain Itch Scar**

- Minimizes the appearance of scars
- Maximum strength pain & itch relief
- Long-lasting infection protection

NET WT 0.5 OZ (14 g)



### Drug Facts

Active ingredients (in each gram)	Purpose
Bacitracin zinc 500 units.....	First aid antibiotic
Neomycin sulfate equivalent to 3.5 mg of neomycin base.....	First aid antibiotic
Polymyxin B 10,000 units as polymyxin B sulfates.....	First aid antibiotic
Pramoxine HCl 10 mg.....	External analgesic

**Uses** first aid to help prevent infection and for temporary relief of pain or discomfort in minor: ■ cuts ■ scrapes ■ burns

### Warnings

For external use only.

### Drug Facts (continued)

Do not use  
■ if you are allergic to any of the ingredients  
■ in the eyes ■ over large areas of the body

Ask a doctor before use if you have  
■ deep or puncture wounds  
■ animal bites ■ serious burns

### Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

### Drug Facts (continued)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### Directions

### Drug Facts (continued)

- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage



## FIRST AID ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b, pramoxine hcl ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-0841
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP'U] in 1 g
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ 07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g
<b>PRAMOXINE HYDROCHLORIDE</b> (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>COCOA BUTTER</b> (UNII: 512OYT1CRR)	
<b>OLIVE OIL</b> (UNII: 6UYK2WLW1E)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>SODIUM PYRUVATE</b> (UNII: POD38AIF08)	
<b>COTTONSEED OIL</b> (UNII: H3E878020N)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	

### Product Characteristics

<b>Color</b>	YELLOW (Pale)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0841-58	1 in 1 CARTON	02/16/2017	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:0363-0841-64	1 in 1 CARTON	02/16/2017	06/30/2021
2		28 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	02/16/2017	

**Labeler** - Walgreen Company (008965063)

Revised: 7/2022

Walgreen Company