

**FIRST AID ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b,
pramoxine hcl ointment
Walgreen Company**

Walgreen Co. First Aid Antibiotic Ointment Drug Facts

Active ingredients (in each gram)

Bacitracin zinc 500 units

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 10,000 units as polymyxin B sulfate

Pramoxine HCl 10 mg

Purpose

First aid antibiotic

External analgesic

Uses

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week

- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- adults and children 2 years of age and older:
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

cocoa butter, cottonseed oil, olive oil, petrolatum, sodium pyruvate, tocopheryl acetate

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

Walgreens

WALGREENS PHARMACIST RECOMMENDED

Compare to the active ingredients in Neosporin[®] + Pain Itch Scar

First Aid Antibiotic Ointment

BACITRACIN ZINC/ NEOMYCIN SULFATE/ POLYMYXIN B SULFATE/ PRAMOXINE HCl

FIRST AID ANTIBIOTIC / PAIN RELIEVING OINTMENT

Pain

Itch

Scar

- Minimizes the appearance of scars

- Maximum strength pain & itch relief
- Long-lasting infection protection

NET WT 0.5 OZ (14 g)

Walgreens

NDC 0363-0641-58



Compare to the active ingredients in Neosporin® + Pain Itch Scar™

First Aid Antibiotic Ointment

BACITRACIN ZINC/ NEOMYCIN SULFATE/
POLYMYXIN B SULFATE/ PRAMOXINE HCl
FIRST AID ANTIBIOTIC / PAIN RELIEVING OINTMENT

Pain Itch Scar

- Minimizes the appearance of scars
- Maximum strength pain & itch relief
- Long-lasting infection protection

NET WT 0.5 OZ (14 g)



Drug Facts

Active ingredients (in each gram)	Purpose
Bacitracin zinc 500 units.....	First aid antibiotic
Neomycin sulfate equivalent to 3.5 mg of neomycin base.....	First aid antibiotic
Polymyxin B 10,000 units as polymyxin B sulfates.....	First aid antibiotic
Pramoxine HCl 10 mg.....	External analgesic

Uses first aid to help prevent infection and for temporary relief of pain or discomfort in minor: ■ cuts ■ scrapes ■ burns

Warnings

For external use only.

Drug Facts (continued)

- Do not use
- if you are allergic to any of the ingredients
 - in the eyes ■ over large areas of the body
- Ask a doctor before use if you have
- deep or puncture wounds
 - animal bites ■ serious burns
- Stop use and ask a doctor if
- you need to use longer than 1 week
 - condition persists or gets worse
 - symptoms persist for more than 1 week, or clear up and occur again within a few days
 - rash or other allergic reaction develops

Drug Facts (continued)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

Drug Facts (continued)

- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage



FIRST AID ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b, pramoxine hcl ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0841
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP'U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
COCOA BUTTER (UNII: 512OYT1CRR)	
OLIVE OIL (UNII: 6UYK2WLW1E)	
PETROLATUM (UNII: 4T6H12BN9U)	
SODIUM PYRUVATE (UNII: POD38AIF08)	
COTTONSEED OIL (UNII: H3E878020N)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Product Characteristics

Color	YELLOW (Pale)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0841-58	1 in 1 CARTON	02/16/2017	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:0363-0841-64	1 in 1 CARTON	02/16/2017	06/30/2021
2		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	02/16/2017	

Labeler - Walgreen Company (008965063)

Revised: 11/2024

Walgreen Company