

**OXYGEN - oxygen gas**  
**Airtec Gases, LLC**

-----  
**Oxygen**

OXYGEN, COMPRESSED USP

UN1072

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

DISTRIBUTED BY:

AIRTEC GASES

LAS VEGAS, NV 89109

(702) 454-2400

LOT#:

NET CONTENTS:

NO SMOKING NO VAPING

**OXYGEN,  
COMPRESSED  
USP**

**UN1072**


**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

**DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.

CAS: 7782-44-7 **DO NOT REMOVE THIS PRODUCT LABEL.**

DISTRIBUTED BY:  
**AIRTEC GASES**  
LAS VEGAS, NV 89109  
(702) 454-2400

LOT#:  
NET CONTENTS:




OXYGEN, COMPRESSED USP

UN 1072

AIRTEC GASES

LAS VEGAS, NV 89109

(702) 424-2400

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen contents of arterial blood may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. **DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS0 before use.

**FIRST AID: IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CAS7782-44-7 **DO NOT REMOVE THIS PRODUCTE LABEL.**

LOT#: NET CONTENTS:

NO SMOKING

NO VAPING



Oxygen, Refrigerated Liquid, USP

UN 1073 Rx ONLY

AIRTEC GASES

LAS VEGAS, NV 89109

(702) 424-2400

NET CONTENTS:

NO SMOKING

NO VAPING

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen contents of arterial blood may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. **DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment used and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. **DO NOT REMOVE THIS PRODUCT LABEL.**

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen contents of arterial blood may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

**DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment used and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF ON SKIN:** Thaw

frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.



## OXYGEN

oxygen gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:24312-001
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24312-001-01	113 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2004	
2	NDC:24312-001-02	170 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2004	
3	NDC:24312-001-03	248 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2004	
4	NDC:24312-001-04	415 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2004	
5	NDC:24312-001-05	682 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2004	
6	NDC:24312-	7132 L in 1 CYLINDER; Type 0: Not a Combination	01/01/2004	

0	001-06	Product	01/01/2004	
7	NDC:24312-001-07	3552 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2004	
8	NDC:24312-001-08	180 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/2004	
9	NDC:24312-001-09	647 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2004	
10	NDC:24312-001-10	1724 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2004	
11	NDC:24312-001-11	8510 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2004	
12	NDC:24312-001-12	420 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2004	
13	NDC:24312-001-13	690 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2004	
14	NDC:24312-001-14	3160 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2004	
15	NDC:24312-001-15	3470 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2004	
16	NDC:24312-001-16	6270 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2004	
17	NDC:24312-001-17	7060 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2004	
18	NDC:24312-001-18	8510 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2004	
19	NDC:24312-001-19	103.1 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2004	
20	NDC:24312-001-20	149.7 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2004	
21	NDC:24312-001-21	647.1 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2004	
22	NDC:24312-001-22	1723.6 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2004	
23	NDC:24312-001-23	248.4 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2004	
24	NDC:24312-001-24	127100 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2004	
25	NDC:24312-001-25	141500 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2004	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205712	01/01/2004	

**Labeler** - Airtec Gases, LLC (167046148)

**Registrant** - Airtec Gases, LLC (167046148)

## Establishment

Name	Address	ID/FEI	Business Operations
Airtec Gases, LLC		167046148	manufacture(24312-001)

