

**A04 DEEP ANTITOX- allium cepa, allium sativum, aloe socotrina, arsenicum iodatum, asterias rubens, baptisia tinctoria, calcarea iodata, candida albicans, carbo vegetabilis, chelidonium majus, cina, cinchona officinalis, colchicum autumnale, echinacea angustifolia, echinacea purpurea, indolum, lac vaccinum, lacticum acidum, millefolium, saccharum officinale, sarcolacticum acidum, scrophularia nodosa, skatolum, solidago virgaurea, sulphur, uricum acidum solution/ drops**

**Apex Energetics Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **A04**

<b>Active Ingredients</b>	
Allium Cepa	1X
Allium Sativum	1X
Aloe Socotrina	1X 4X 6X 8X 10X 15X
Arsenicum Iodatum	6X 8X 12X 15X
Asterias Rubens	4X 6X 8X
Baptisia Tinctoria	1X 6X 9X 12X 15X
Calcarea Iodata	8X 10X 12X 30X
Candida Albicans	12X 15X 20X 30X 60X 200X
Carbo Vegetabilis	8X 10X 12X
Chelidonium Majus	1X 2X 12X 15X 30X
Cina	3X
Cinchona Officinalis	3X
Colchicum Autumnale	6X 9X 30X
Echinacea Angustifolia	1X
Echinacea Purpurea	1X
Indolum	10X 12X 15X 30X
Lac Vaccinum	6X 12X 30X 60X 200X
Lacticum Acidum	12X 15X 20X 30X 200X
Millefolium	1X
Saccharum Officinale	12X 30X 60X 200X
Sarcolacticum Acidum	30X 200X
Scrophularia Nodosa	1X 5X 7X 9X 12X 30X
Skatolum	10X 12X 15X 30X
Solidago Virgaurea	1X
Sulphur	12X
Uricum Acidum	8X 10X 12X 15X

### **Uses:**

For temporary relief of minor:

intestinal discomfort\*

headaches\*

muscle aches\*

coughing\*

skin itching\*

flatulence\*

constipation\*

\*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

### **Warnings:**

**If pregnant or breastfeeding**, ask a health professional before use.

Do not use if clear seal over the cap is broken or missing.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Stop use and ask a doctor if** intestinal discomfort, headaches, muscle aches, coughing, skin itching, flatulence, constipation, or other symptoms do not improve within 7 days or are accompanied by fever.

### **Directions:**

Adults & children ages 12 years and over: Take 5-10 drops under the tongue 2-3 times a day, or as directed by your healthcare professional. Consult a physician for use in children under 12 years of age.

### **Inactive Ingredients**

alcohol (20% by volume), distilled water

Distributed by Apex Energetics. Questions?

16592 Hale Ave., Irvine, CA 92606, USA

---

FUTUREPLEX® A04

ANTITOX®

DEEP

ANTITOX™

Homeopathic Formula

Intestinal Discomfort\*

Headaches\*

Muscle Aches\*

1 fl oz (30 mL)

Alcohol 20% by Volume

LOT

**Drug Facts (continued)**

**Uses:** For temporary relief of minor:  
 • intestinal discomfort\* • headaches\* • muscle aches\*  
 • coughing\* • skin itching\* • flatulence\* • constipation\*

**Warnings:** If pregnant or breastfeeding, ask a health professional before use. Do not use if clear seal over the cap is broken or missing. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. **Stop use and ask a doctor if** intestinal discomfort, headaches, muscle aches, coughing, skin itching, flatulence, constipation, or other symptoms do not improve within 7 days or are accompanied by fever.

**Directions:** Adults & children ages 12 years and over: Take 5-10 drops under the tongue 2-3 times a day, or as directed by your healthcare professional. Consult a physician for use in children under 12 years of age.

**Inactive Ingredients** alcohol (20% by volume), distilled water

\*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Distributed by Apex Energetics. Questions?  
 16592 Hale Ave., Irvine, CA 92606, USA

©2021 Apex Energetics.



**FUTUREPLEX A04  
 ANTITOX™**



**DEEP  
 ANTITOX™**  
 Homeopathic Formula

Intestinal Discomfort\*  
 Headaches\* • Muscle Aches\*

1 fl oz (30 mL)  
 Alcohol 20% by Volume

**Drug Facts**

A0421-0205

**Active Ingredients**

Allium Cepa	1X
Allium Sativum	1X
Aloe Socotrina	1X 4X 6X 8X 10X 15X
Arsenicum Iodatum	6X 8X 12X 15X
Asterias Rubens	4X 6X 8X
Baptisia Tinctoria	1X 6X 9X 12X 15X
Calcarea Iodata	8X 10X 12X 30X
Candida Albicans	12X 15X 20X 30X 60X 200X
Carbo Vegetabilis	8X 10X 12X
Chelidonium Majus	1X 2X 12X 15X 30X
Cina	3X
Cinchona Officinalis	3X
Colchicum Autumnale	6X 9X 30X
Echinacea Angustifolia	1X
Echinacea Purpurea	1X
Indolum	10X 12X 15X 30X
Lac Vaccinum	6X 12X 30X 60X 200X
Lacticum Acidum	12X 15X 20X 30X 200X
Millefolium	1X
Saccharum Officinale	12X 30X 60X 200X
Sarcolacticum Acidum	30X 200X
Scrophularia Nodosa	1X 5X 7X 9X 12X 30X
Skatolum	10X 12X 15X 30X
Solidago Virgaurea	1X
Sulphur	12X
Uricum Acidum	8X 10X 12X 15X

**A04 DEEP ANTITOX**

allium cepa, allium sativum, aloe socotrina, arsenicum iodatum, asterias rubens, baptisia tinctoria, calcarea iodata, candida albicans, carbo vegetabilis, chelidonium majus, cina, cinchona officinalis, colchicum autumnale, echinacea angustifolia, echinacea purpurea, indolum, lac vaccinum, lacticum acidum, millefolium, saccharum officinale, sarcolacticum acidum, scrophularia nodosa, skatolum, solidago virgaurea, sulphur, uricum acidum solution/ drops

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63479-0104
<b>Route of Administration</b>	SUBLINGUAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ONION</b> (UNII: 492225Q21H) (ONION - UNII:492225Q21H)	ONION	1 [hp_X] in 1 mL
<b>ECHINACEA ANGUSTIFOLIA WHOLE</b> (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA WHOLE - UNII:VB06AV5US8)	ECHINACEA ANGUSTIFOLIA WHOLE	1 [hp_X] in 1 mL
<b>SUCROSE</b> (UNII: C151H8M554) (SUCROSE - UNII:C151H8M554)	SUCROSE	200 [hp_X] in 1 mL
<b>SCROPHULARIA NODOSA</b> (UNII: 7H443NUB2T) (SCROPHULARIA NODOSA - UNII:7H443NUB2T)	SCROPHULARIA NODOSA	30 [hp_X] in 1 mL
<b>CANDIDA ALBICANS</b> (UNII: 4D7G21HDBC) (CANDIDA ALBICANS - UNII:4D7G21HDBC)	CANDIDA ALBICANS	200 [hp_X] in 1 mL
<b>CALCIUM IODIDE</b> (UNII: 8EKI9QEE2H) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM IODIDE	30 [hp_X] in 1 mL
<b>ACTIVATED CHARCOAL</b> (UNII: 2P3VWUJ3H10) (ACTIVATED CHARCOAL - UNII:2P3VWUJ3H10)	ACTIVATED CHARCOAL	12 [hp_X] in 1 mL
<b>CHELIDONIUM MAJUS</b> (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS - UNII:7E889U5RNN)	CHELIDONIUM MAJUS	30 [hp_X] in 1 mL
<b>ARTEMISIA CINA PRE-FLOWERING TOP</b> (UNII: 28M1820ACT) (ARTEMISIA CINA PRE-FLOWERING TOP - UNII:28M1820ACT)	ARTEMISIA CINA PRE-FLOWERING TOP	3 [hp_X] in 1 mL

<b>COLCHICUM AUTUMNALE BULB</b> (UNII: 993QHL78E6) (COLCHICUM AUTUMNALE BULB - UNII:993QHL78E6)	COLCHICUM AUTUMNALE BULB	30 [hp_X] in 1 mL
<b>ECHINACEA PURPUREA</b> (UNII: QI7G114Y98) (ECHINACEA PURPUREA - UNII:QI7G114Y98)	ECHINACEA PURPUREA	1 [hp_X] in 1 mL
<b>ACHILLEA MILLEFOLIUM</b> (UNII: 2FXJ6S W4PK) (ACHILLEA MILLEFOLIUM - UNII:2FXJ6S W4PK)	ACHILLEA MILLEFOLIUM	1 [hp_X] in 1 mL
<b>COW MILK</b> (UNII: 917J3173FT) (COW MILK - UNII:917J3173FT)	COW MILK	200 [hp_X] in 1 mL
<b>SULFUR</b> (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	12 [hp_X] in 1 mL
<b>URIC ACID</b> (UNII: 268B43MJ25) (URIC ACID - UNII:268B43MJ25)	URIC ACID	15 [hp_X] in 1 mL
<b>CINCHONA OFFICINALIS BARK</b> (UNII: S003A158SB) (CINCHONA OFFICINALIS BARK - UNII:S003A158SB)	CINCHONA OFFICINALIS BARK	3 [hp_X] in 1 mL
<b>BAPTISIA TINCTORIA ROOT</b> (UNII: 5EF0HW5WJ) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HW5WJ)	BAPTISIA TINCTORIA ROOT	15 [hp_X] in 1 mL
<b>SOLIDAGO VIRGAUREA FLOWERING TOP</b> (UNII: 5405K23S50) (SOLIDAGO VIRGAUREA FLOWERING TOP - UNII:5405K23S50)	SOLIDAGO VIRGAUREA FLOWERING TOP	1 [hp_X] in 1 mL
<b>GARLIC</b> (UNII: V1V998DC17) (GARLIC - UNII:V1V998DC17)	GARLIC	1 [hp_X] in 1 mL
<b>ALOE</b> (UNII: V5VD430YW9) (ALOE - UNII:V5VD430YW9)	ALOE	15 [hp_X] in 1 mL
<b>ARSENIC TRIIODIDE</b> (UNII: 3029988O2T) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIIODIDE	15 [hp_X] in 1 mL
<b>ASTERIAS RUBENS</b> (UNII: A7FYY9Q742) (ASTERIAS RUBENS - UNII:A7FYY9Q742)	ASTERIAS RUBENS	8 [hp_X] in 1 mL
<b>INDOLE</b> (UNII: 8724FJW4M5) (INDOLE - UNII:8724FJW4M5)	INDOLE	30 [hp_X] in 1 mL
<b>LACTIC ACID, DL-</b> (UNII: 3B8D35Y7S4) (LACTIC ACID, DL- - UNII:3B8D35Y7S4)	LACTIC ACID, DL-	200 [hp_X] in 1 mL
<b>LACTIC ACID, L-</b> (UNII: F9S9FFU82N) (LACTIC ACID, L- - UNII:F9S9FFU82N)	LACTIC ACID, L-	200 [hp_X] in 1 mL
<b>SKATOLE</b> (UNII: 9W945B5H7R) (SKATOLE - UNII:9W945B5H7R)	SKATOLE	30 [hp_X] in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63479-0104-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/15/1994	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/15/1994	

