

**OXYGEN HELIUM MIXTURE 20/80- oxygen helium mixture 20/80 gas**  
**AGL Welding Supply CO., Inc.**

-----  
**oxygen helium 20/80**

AGL Certified ISO 9001:2008 Inhalation Therapy Co. CLIFTON, NJ 07015 973-478-5100  
NON-FLAMMABLE GAS 2 OXYDIZER 5.1

Compressed gas, oxidizing, n.o.s. (Oxygen, Helium) UN1956 Part # K2MOH Medical Gas Mixture 20% Oxygen, USP CAS: 7782-44-7 Balance Helium, USP CAS: 7440-59-7  
Rx only WARNING: Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. DANGER: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet before use. FIRST AID: IF ACCIDENTALLY INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. DO NOT REMOVE THIS PRODUCT LABEL For Medical Use Only. Label # AGL-8-D-124-4 01/21/16 Ver. 3.67 Volume: 4910 Liters AGL 600 Rt. 46 W CLIFTON, N.J., 07015



Inhalation Therapy Co.

Clifton, N.J. 07015

973-478-5100



Compressed gas, n.o.s.  
(Oxygen, Helium)

UN1956

Part #: K2MOH

Medical Gas Mixture

20% Oxygen, USP  
Balance Helium, USP

CAS: 7782-44-7  
CAS: 7440-59-7

Rx only

**WARNING:** Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

**WARNING CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.**

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use.

**FIRST AID: IF ACCIDENTLY INHALED:** Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL

For Medical Use Only.

Label #: AGL-8-D-124-4 01/21/16 Ver. 3.67

Volume: 4910 Liters

AGL  
600 Rt. 48 W  
CLIFTON, N.J., 07015

## OXYGEN HELIUM MIXTURE 20/80

oxygen helium mixture 20/80 gas

### Product Information

<b>Product Type</b>	PRESCRIPTION ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:17575-191
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Oxygen</b> (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	200 mL in 1 L

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>Helium</b> (UNII: 206GF3GB41)	800 mL in 1 L

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
<b>1</b>	NDC:17575-191-01	4554 L in 1 CYLINDER		
<b>2</b>	NDC:17575-191-02	500 L in 1 CYLINDER		
<b>3</b>	NDC:17575-191-03	4910 L in 1 CYLINDER		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
NADA	NADA141365	01/01/1966	

**Labeler** - AGL Welding Supply CO., Inc. (011186004)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
AGL Welding Supply CO., Inc.		011186004	manufacture

Revised: 10/2025

AGL Welding Supply CO., Inc.