

SU PHEDRINE PE SINUS CONGESTION- phenylephrine hcl tablet, film coated
Salado Sales, Inc.

CVP 44-453 Sinus Congestion

Active ingredient (in each tablet)

Phenylephrine HCl 10 mg

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- diabetes
- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
- children under 12 years: ask a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

croscarmellose sodium, dextrose monohydrate, dibasic calcium phosphate dihydrate, FD&C red #40, lecithin, magnesium stearate, maltodextrin, microcrystalline cellulose, silicon dioxide, sodium carboxymethylcellulose, sodium citrate dihydrate, titanium dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

**CVP®
HEALTH**

COMPARE TO
SUDAFED PE®
SINUS CONGESTION
ACTIVE INGREDIENT*

NON-DROWSY
SU•PHEDRINE PE
SINUS CONGESTION
PHENYLEPHRINE HYDROCHLORIDE
NASAL DECONGESTANT
MAXIMUM STRENGTH

RELIEVES NASAL &
SINUS CONGESTION
CONTAINS NO PSEUDOEPHEDRINE

18 TABLETS
10 mg EACH
1 PILL PER DOSE

TAMPER EVIDENT: DO NOT USE IF

**PACKAGE IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS
ANY SIGNS OF TAMPERING**

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark SUDAFED PE® SINUS CONGESTION. 50844 REV0820N45344

Distributed by Consumer Value Products, Inc.
P.O. Box 6115, Temple, Texas 76502
CVPproducts.com



NON-DROWSY SU-PHEDRINE PE SINUS CONGESTION



NON-DROWSY SU-PHEDRINE PE SINUS CONGESTION

PHENYLEPHRINE HYDROCHLORIDE
NASAL DECONGESTANT
MAXIMUM STRENGTH



18 TABLETS
10 mg EACH
1 PILL PER DOSE

RELIEVES NASAL &
SINUS CONGESTION
CONTAINS NO PSEUDOEPHEDRINE

COMPARE TO
SUDAFED PE®
SINUS CONGESTION
ACTIVE INGREDIENT*

No Print Area
Lot no. & Expiration Date

TAMPER EVIDENT: DO NOT USE IF
PACKAGE IS OPENED OR IF BLISTER
UNITS TORN, BROKEN OR SHOWS
ANY SIGNS OF TAMPERING

ACTUAL
SIZE

B-0226-453-44-BLR
REV0820N45344



*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark SUDAFED PE® SINUS CONGESTION. 50844 REV0820N45344
Distributed by Consumer Value Products, Inc.
P.O. Box 6115, Temple, Texas 76502
CVPproducts.com

Drug Facts	Drug Facts (continued)
Active ingredient (in each tablet) Phenylephrine HCl 10 mg Nasal decongestant	Drug Facts (continued) If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Uses ■ temporarily relieves nasal congestion due to the common cold, ■ temporarily relieves sinus congestion and pressure ■ temporarily relieves sinus congestion and pressure	Directions ■ adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours. ■ children under 12 years: ask a doctor
Warnings Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. Ask a doctor before use if you have ■ heart disease ■ diabetes ■ diabetes ■ thyroid disease ■ high blood pressure ■ difficulty in urination due to enlargement of the prostate gland	Other information ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ see end flap for expiration date and lot number
When using this product do not exceed recommended dosage. ■ difficulty in urination due to enlargement of the prostate gland ■ thyroid disease ■ high blood pressure ■ heart disease ■ diabetes ■ diabetes	Inactive ingredients croscarmellose sodium, dextrose monohydrate, dibasic calcium phosphate dihydrate, FD&C red #40, lecithin, magnesium stearate, maltodextrin, microcrystalline cellulose, silicon dioxide, sodium carboxymethylcellulose, sodium citrate dihydrate, titanium dioxide
Stop use and ask a doctor if ■ nervousness, dizziness, or sleeplessness occur ■ symptoms do not improve within 7 days or occur with fever	Questions or comments? 1-800-426-9391

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

CVP 44-453

SU PHEDRINE PE SINUS CONGESTION

phenylephrine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57243-953
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	44;453
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57243-953-44	1 in 1 CARTON	01/15/2025	
1		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/15/2025	

Labeler - Salado Sales, Inc. (009830555)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(57243-953) , pack(57243-953)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(57243-953)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(57243-953)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(57243-953)

Revised: 1/2025

Salado Sales, Inc.