

UNISHIELD EXTRA STRENGTH NON-ASPIRIN- acetaminophen tablet, film coated
Unishield

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Unishield Extra Strength Non-Aspirin

Drug Facts

Active ingredient (in each tablet)

Acetaminophen 500 mg.

Purpose

Pain reliever/fever reducer

Uses

temporarily relieves minor aches and pains due to:

- headache
- muscular aches
- backache
- minor pain of arthritis
- the common cold
- toothache
- premenstrual and menstrual cramps

temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

- liver disease

Ask a doctor or pharmacist before use if

- you are taking the blood thinning drug warfarin

Stop using and ask a doctor if

- pain gets worse or lasts more than for more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose Warning:

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not use more than directed (see overdose warning)**

Adults and children 12 years and over

- take 2 tablets every 6 hours while symptoms last.
- do not take more than 6 tablets in 24 hours, unless directed by a doctor
- do not use for more than 10 days unless directed by a doctor

Children under 12 years Ask a doctor

Other information

- store at room temperature 59°-86°F (15°-30°C)
- tamper-evident sealed packets
- do not use any opened or torn packets

Inactive ingredients

corn starch, hypromellose, maltodextrin*, microcrystalline cellulose*, polyethylene glycol, povidone, pregelatinized starch*, sodium starch glycolate, stearic acid, titanium dioxide*.

* may contain

Questions or comments? 800-480-5855

Unishield Extra Strength Non-Aspirin

Unishield

Extra Strength

Non-Aspirin

Pain Reliever/Fever Reducer

100 Tablets/2Tablets Per Packet

Acetaminophen 500 mg

Pull To Open

This Package is for Households Without Young Children.

- Relieves headaches, backaches, muscular aches and more
- Temporarily relieves fever

Compare active ingredients to:

Extra Strength Tylenol®

Registered Trademark of McNeil Consumer Healthcare

Tamper Evident Unit Dose Packets

Drug Facts
Active ingredient (in each tablet)
Acetaminophen 500 mg
Purpose
Pain reliever/fever reducer

Uses
temporarily relieves minor aches and pains due to:
■ the common cold ■ headache ■ backache ■ minor pain of arthritis
■ toothache ■ muscular aches ■ premenstrual and menstrual cramps
temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:
■ more than 4,000 mg in 24 hours, which is the maximum daily amount
■ with other drugs containing acetaminophen
■ 3 or more alcoholic drinks every day while using this product
Allergy alert: Acetaminophen may cause severe skin reactions.
Symptoms may include: ■ skin redness ■ blisters ■ rash
If a skin reaction occurs, stop use and seek medical help right away.

Do not use:
■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
■ if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have:
■ liver disease
Ask a doctor or pharmacist before use if:
■ you are taking the blood thinning drug warfarin

Retain carton for complete product information

UniShield
Extra Strength
Non-Aspirin
Pain Reliever/Fever Reducer
100 TABLETS / 2 TABLETS PER PACKET
Acetaminophen 500 mg
Pull To Open
THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.
Relieves headaches, backaches, muscular aches and more.
Temporarily relieves fever.
Compare active ingredient to:
Extra Strength Tylenol®
Registered Trademark of McNeil Consumer Healthcare
Tamper Evident Unit Dose Packets

Drug Facts (continued)
Stop using and ask a doctor if:
■ pain gets worse or lasts for more than 10 days
■ fever gets worse or lasts more than 3 days
■ new symptoms occur
■ redness or swelling is present
These could be signs of a serious condition.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.
Overdose Warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-232-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions
do not use more than directed (see overdose warning)
Adults and children (12 years and over):
■ take 2 tablets every 6 hours while symptoms last
■ do not take more than 6 tablets in 24 hours, unless directed by a doctor
■ do not use for more than 10 days unless directed by a doctor
Children under 12 years:
Ask a doctor

Other information
■ store at room temperature 59°-86°F (15°-30°C)
■ tamper-evident sealed packets
■ do not use any opened or torn packets

Drug Facts (continued)
Inactive ingredients
corn starch, hypromellose, maltodextrin*, microcrystalline cellulose*, polyethylene glycol, povidone, pregelatinized starch*, sodium starch glycolate, stearic acid, titanium dioxide*
* may contain
Questions or comments? 800-480-5855

Acetaminophen 500 mg
THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.
Relieves headaches, backaches, muscular aches and more.
Temporarily relieves fever.
Reorder #113333
Packaged for UniShield
San Fernando, CA 91340 USA
800-480-5855
www.unishieldusa.com

Retain carton for complete product information

Unishield Extra Strength Non-Aspirin Label

Unishield

Extra Strength

Non-Aspirin

Pain Reliever/Fever Reducer

100 Tablets/2Tablets Per Packet

Acetaminophen 500 mg

Pull To Open

This Package is for Households Without Young Children.

- Relieves headaches, backaches, muscular aches and more
- Temporarily relieves fever

Compare active ingredients to:

Extra Strength Tylenol®

Registered Trademark of McNeil Consumer Healthcare

Tamper Evident Unit Dose Packets



UNISHIELD EXTRA STRENGTH NON-ASPIRIN

acetaminophen tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49314-1753
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POVIDONE (UNII: FZ989GH94E)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
STARCH, CORN (UNII: O8232NY3SJ)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	FR;33
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49314-1753-3	50 in 1 BOX	03/01/2021	11/01/2023
1		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	03/01/2021	11/01/2023

UNISHIELD EXTRA STRENGTH NON-ASPIRIN

acetaminophen tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49314-1763
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
POVIDONE (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	AZ;235
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49314-1763-3	50 in 1 BOX	03/01/2021	
1		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	03/01/2021	

Labeler - Unishield (790677053)

Registrant - Unifirst First Aid Corporation (832947092)

Revised: 3/2023

Unishield