

UNISHIELD EXTRA STRENGTH NON-ASPIRIN- acetaminophen tablet
UNISHIELD EXTRA STRENGTH NON-ASPIRIN- acetaminophen tablet, film coated
UNISHIELD EXTRA STRENGTH NON ASPIRIN- acetaminophen tablet
Unishield

Unishield Extra Strength Non-Aspirin

Drug Facts

Active ingredient (in each tablet)

Acetaminophen 500 mg.

Purpose

Pain reliever/fever reducer

Uses

temporarily relieves minor aches and pains due to:

- headache
- muscular aches
- backache
- minor pain of arthritis
- the common cold
- toothache
- premenstrual and menstrual cramps

temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

■ liver disease

Ask a doctor or pharmacist before use if

■ you are taking the blood thinning drug warfarin

Stop using and ask a doctor if

■ pain gets worse or lasts more than for more than 10 days

■ fever gets worse or lasts more than 3 days

■ new symptoms occur

■ redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose Warning:

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

■ **do not use more than directed (see overdose warning)**

Adults and children 12 years and over

■ take 2 tablets every 6 hours while symptoms last.

■ do not take more than 6 tablets in 24 hours, unless directed by a doctor

■ do not use for more than 10 days unless directed by a doctor

Children under 12 years Ask a doctor

Other information

■ store at room temperature 59°-86°F (15°-30°C)

■ tamper-evident sealed packets

■ do not use any opened or torn packets

Inactive ingredients

corn starch*, hypromellose*, polyethylene glycol*, povidone (K-30)*, pregelatinized starch*, purified water*, sodium starch glycolate, stearic acid*, titanium dioxide*.

* may contain

Questions or comments? 800-480-5855

Unishield Extra Strength Non-Aspirin

Unishield

Extra Strength

Non-Aspirin

Pain Reliever/Fever Reducer

100 Tablets/2Tablets Per Packet

Acetaminophen 500 mg

Pull To Open

This Package is for Households Without Young Children.

- Relieves headaches, backaches, muscular aches and more
- Temporarily relieves fever


Compare active ingredients to:

Extra Strength Tylenol®

Registered Trademark of McNeil Consumer Healthcare

Tamper Evident Unit Dose Packets

Print Side Up .018 SBS
 Cavalier
 Oneup:Cavalier26
 Size:4+1/4" x 2+1/2" x 3+7/16"



UniShield Extra Strength Non-Aspirin Label

Unishield
 Extra Strength
 Non-Aspirin
 Pain Reliever/Fever Reducer
 100 Tablets/2 Tablets Per Packet
 Acetaminophen 500 mg
 Pull To Open
 This Package is for Households Without Young Children.

- Relieves headaches, backaches, muscular aches and more
- Temporarily relieves fever

Compare active ingredients to:
 Extra Strength Tylenol®
 Registered Trademark of McNeil Consumer Healthcare
 Tamper Evident Unit Dose Packets

<p>Drug Facts</p> <p>Active ingredient (in each tablet) Purpose Acetaminophen 500 mg Pain reliever/fever reducer</p> <p>Uses temporarily relieves minor aches and pains due to: the common cold ■ headache ■ backache ■ minor pain of arthritis toothache ■ muscular aches ■ premenstrual and menstrual cramps temporarily reduces fever.</p> <p>Warnings Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take: ■ more than 4,000 mg in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product</p> <p>Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ blisters ■ rash If a skin reaction occurs, stop use and seek medical help right away.</p> <p>Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product</p> <p>Ask a doctor before use if you have ■ liver disease</p> <p>Ask a doctor or pharmacist before use if ■ you are taking the blood thinning drug warfarin</p>	<p>UniShield Extra Strength Non-Aspirin Pain Reliever/Fever Reducer 100 TABLETS / 2 TABLETS PER PACKET Acetaminophen 500 mg</p> <p>Pull To Open</p> <p>THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.</p> <ul style="list-style-type: none"> • Relieves headaches, backaches, muscular aches and more • Temporarily relieves fever <p>Compare active ingredient to: Extra Strength Tylenol® <small>Registered Trademark of McNeil Consumer Healthcare</small></p>	<p>Drug Facts (continued)</p> <p>Stop using and ask a doctor if ■ pain gets worse or lasts for more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.</p> <p>Overdose Warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p> <p>Directions ■ do not use more than directed (see overdose warning)</p> <p>Adults and children (12 years and over) ■ take 2 tablets every 6 hours while symptoms last ■ do not take more than 6 tablets in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor</p> <p>Children under 12 years: Ask a doctor</p> <p>Other information ■ store at room temperature 59°-86°F (15°-32°C) ■ tamper-evident sealed packets ■ do not use any opened or torn packets</p>	<p>Drug Facts (continued)</p> <p>Inactive ingredients corn starch, hydroxyethylcellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide* *may contain</p> <p>Questions or comments? 800-480-5855</p> <p>Acetaminophen 500 mg</p> <p>THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.</p> <ul style="list-style-type: none"> • Relieves headaches, backaches, muscular aches and more • Temporarily relieves fever <p>Reorder #111333 Packaged by UniShield San Fernando, CA 91340-1524 (800) 480-5855 www.unishieldusa.com</p>
--	---	---	---

<p>Drug Facts</p> <p>Active ingredient (in each tablet) Purpose Acetaminophen 500 mg Pain reliever/fever reducer</p> <p>Uses temporarily relieves minor aches and pains due to: the common cold ■ headache ■ backache ■ minor pain of arthritis toothache ■ muscular aches ■ premenstrual and menstrual cramps temporarily reduces fever.</p> <p>Warnings Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take: ■ more than 4,000 mg in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product</p> <p>Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ blisters ■ rash If a skin reaction occurs, stop use and seek medical help right away.</p> <p>Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product</p> <p>Ask a doctor before use if you have ■ liver disease</p> <p>Ask a doctor or pharmacist before use if ■ you are taking the blood thinning drug warfarin</p>	<p>UniShield Extra Strength Non-Aspirin Pain Reliever/Fever Reducer 100 TABLETS / 2 TABLETS PER PACKET Acetaminophen 500 mg</p> <p>Pull To Open</p> <p>THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.</p> <ul style="list-style-type: none"> • Relieves headaches, backaches, muscular aches and more • Temporarily relieves fever <p>Compare active ingredient to: Extra Strength Tylenol® <small>Registered Trademark of McNeil Consumer Healthcare</small></p>	<p>Drug Facts (continued)</p> <p>Stop using and ask a doctor if ■ pain gets worse or lasts for more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.</p> <p>Overdose Warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p> <p>Directions ■ do not use more than directed (see overdose warning)</p> <p>Adults and children (12 years and over) ■ take 2 tablets every 6 hours while symptoms last ■ do not take more than 6 tablets in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor</p> <p>Children under 12 years: Ask a doctor</p> <p>Other information ■ store at room temperature 59°-86°F (15°-32°C) ■ tamper-evident sealed packets ■ do not use any opened or torn packets</p>	<p>Drug Facts (continued)</p> <p>Inactive ingredients corn starch, hydroxyethylcellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide* *may contain</p> <p>Questions or comments? 800-480-5855</p> <p>Acetaminophen 500 mg</p> <p>THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.</p> <ul style="list-style-type: none"> • Relieves headaches, backaches, muscular aches and more • Temporarily relieves fever <p>Reorder #111333 Packaged by UniShield San Fernando, CA 91340-1524 (800) 480-5855 www.unishieldusa.com</p>
--	---	---	---

UNISHIELD EXTRA STRENGTH NON-ASPIRIN			
acetaminophen tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49314-1773
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
STEARIC ACID (UNII: 4ELV7Z65AP)	
STARCH, CORN (UNII: O8232NY3SJ)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	

Product Characteristics

Color	white	Score	2 pieces
Shape	ROUND	Size	12mm
Flavor		Imprint Code	44;148
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49314-1773-3	50 in 1 BOX	06/01/2023	
1		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	06/01/2023	

UNISHIELD EXTRA STRENGTH NON-ASPIRIN

acetaminophen tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49314-1753
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg		
Inactive Ingredients				
Ingredient Name		Strength		
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
POVIDONE (UNII: FZ989GH94E)				
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)				
HYPROMELLOSES (UNII: 3NXW29V3WO)				
MALTODEXTRIN (UNII: 7CVR7L4A2D)				
STARCH, CORN (UNII: O8232NY3SJ)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	12mm	
Flavor		Imprint Code	FR;33	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49314-1753-3	50 in 1 BOX	03/01/2021	11/01/2023
1		2 in 1 PACKET; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M013	03/01/2021	11/01/2023	

UNISHIELD EXTRA STRENGTH NON-ASPIRIN			
acetaminophen tablet, film coated			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49314-1763
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
POVIDONE (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	AZ;235
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49314-1763-3	50 in 1 BOX	03/01/2021	
1		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	03/01/2021	

UNISHIELD EXTRA STRENGTH NON ASPIRIN

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49314-1783
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
STEARIC ACID (UNII: 4ELV7Z 65AP)	
STARCH, CORN (UNII: O8232NY3SJ)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POVIDONE K30 (UNII: U725QWY32X)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	G552
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49314-1783-3	50 in 1 BOX	10/01/2025	
1		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	10/01/2025	

Labeler - Unishield (790677053)

Registrant - Unifirst First Aid Corporation (832947092)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc,		832867837	manufacture(49314-1773)

Revised: 1/2026

Unishield