ALCO-SAN- alco-san liquid Mid-American Research Chemical Corp.

Hand Sanitizer PLD template II

Active Ingredient

Ethyl Alcohol 60%.....Antiseptic

purpose

Antiseptic

Uses

- Handwash to help decrease bacterial on the skin.
- Recommended for repeated use.

Warnings

- Flammable. Keep away from fire or flame.
- For external use only.

do not use

In the eyes

When Using

- Do not use in or near the eyes.
- If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists.
- If swallowed, seek medical assistance or consult a poison control center immediately.

Stop Use

- Stop use and ask a doctor if: Irritation develops. If condition persists for more than 72 hours consult a doctor.
- Keep out of reach of children.
- Keep out of reach of children.

Directions for Use

- Place a palmful (5 grams) of product in one hand,.
- Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes).
- Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist and rub into the skin until dry (approximately 30 seconds).

- Will air dry in 15 seconds.
- Store below 95 ° F.
- Close spout to avoid evaporation.

Water, triethanolamine, fragrance, acrylic polymer



ALCO-SAN Instant Hand Sanitizer Gel

Kills 99.9% of Most Common Germs Evaporates Quickly Leaves Hands Soft

WARNING: FLAMMABLE
KEEP OUT OF REACH OF CHILDREN
See Additional Cautions on Side Panel

NET CONTENTS: 4 FL. OZ.

NDC 64233-693-00

M-417

Drug Facts

Active ingredient

Purpose

Ethyl Alcohol 60%

.. Antiseptic

Uses

- · Handwash to help decrease bacteria on the skin.
- · Recommended for repeated use.

Warnings • Flammable. Keep away from fire or flame.
• For external use only.

Do not use . In the eyes.

When using this product • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately.

Stop use and ask a doctor if • Irritation develops. If condition persists for more than 72 hours consult a doctor. Keep out of reach of children.

Directions

Place a 'palmful' (5 grams) of product in one hand.

• Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes).

• Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds).

• Will air dry in 15 seconds.

Other information

Store below 95°F. • Close spout to avoid evaporation.

Inactive ingredients

Water, Triethanolamine, Fragrance, Acrylic Polymer.

R0720

600004725

Manufactured in USA for:
MID-AMERICAN RESEARCH CHEMICAL CORP.
P.O. BOX 927 • COLUMBUS, NE 68602-0927
800-228-8508

ALCO-SAN

alco-san liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:64233-693

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	67 mL in 100 mL

Inactive Ingredients	
Ingredient Name	Strength
CARBOMER 940 (UNII: 4Q93RCW27E)	
TROLAMINE (UNII: 903K93S3TK)	
WATER (UNII: 059QF0KO0R)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64233- 693-00	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/24/2020	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	07/24/2020	

Labeler - Mid-American Research Chemical Corp. (051254092)

Establishment				
Name	Address	ID/FEI	Business Operations	
QuestSpecialty Corporation		103840377	manufacture(64233-693)	

Revised: 12/2024 Mid-American Research Chemical Corp.