OMEPRAZOLE- omeprazole tablet, delayed release THIRTY MADISON INC

Thirty Madison Inc Omeprazole Drug Facts

Active ingredient (in each tablet)

Omeprazole 20 mg

Purpose

Acid reducer

Use

- treats frequent heartburn (occurs <u>2 or more</u> days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert: Do not use if you are allergic to omeprazole

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have:

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if:

• your heartburn continues or worsens

- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment

- swallow 1 tablet with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 tablet a day
- · do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew or crush tablets

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F) and protect from moisture

Inactive ingredients

carnauba wax, ferric oxide red, ferric oxide yellow, hypromellose, hypromellose acetate succinate, lactose monohydrate, monoethanolamine, propylene glycol, sodium lauryl sulfate, sodium starch glycolate, sodium stearate, sodium stearyl fumarate, talc, titanium dioxide, triethyl citrate

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to Prilosec OTC®

evens

Omeprazole

Delayed Release Tablets, 20 mg

Acid Reducer | 24 HR

Treats frequent heartburn!

See current drug facts

Actual size

Three 14-day courses of treatment

May take 1 to 4 days for full effect

42 tablets

Compare to Prilosec OTC®*

evens

Omeprazole

Delayed Release Tablets, 20 mg Acid Reducer | **24 HR**

Treats frequent heartburn!

See current drug facts



Actual size

Three 14-day courses of treatment May take 1 to 4 days for full effect 42 tablets



*This product is not manufactured or distributed by AstraZeneca AB, owner of the registered trademark Prilosec OTC®.




915D7 TH C1

Tips for managing heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- · Do not eat before bedtime
- · Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- · If overweight, lose weight
- Quitsmoking

Made in Israel Distributed by: Thirty Madison, Inc. New York, NY 10001



OMEPRAZOLE

Product Information

omeprazole tablet, delayed release

| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:71713-301 |
|--------------|----------------|--------------------|---------------|

Route of Administration ORAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|----------|
| OMEPRAZOLE (LINII: KG604840X9) (OMEPRAZOLE - LINII: KG604840X9) | OMEPRAZOLE | 20 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| CARNAUBA WAX (UNII: R12CBM0EIZ) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| FERRIC OXIDE YELLOW (UNII: EX43802MRT) | |
| HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO) | |
| LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X) | |
| MONOETHANOLAMINE (UNII: 5KV86114PT) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| SODIUM LAURYL SULFATE (UNII: 368GB5141J) | |
| SODIUM STEARATE (UNII: QU7E2XA9TG) | |
| SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI) | |
| TALC (UNII: 7SEV7J4R1U) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| TRIETHYL CITRATE (UNII: 8Z96QXD6UM) | |

| Product Characteristics | | | |
|-------------------------|-------|--------------|----------|
| Color | BROWN | Score | no score |
| Shape | OVAL | Size | 12mm |
| Flavor | | Imprint Code | 20 |
| Contains | | | |

| P | Packaging | | | | |
|---|----------------------|---|-------------------------|-----------------------|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| 1 | NDC:71713-301- 01 | 3 in 1 CARTON | 01/11/2022 | | |
| 1 | | 14 in 1 BOTTLE; Type 0: Not a Combination Product | | | |

| Marketing I | Marketing Information | | | |
|-----------------------|---|-------------------------|-----------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| NDA | NDA022032 | 01/11/2022 | | |
| | | | | |

Labeler - THIRTY MADISON INC (080774087)

Revised: 1/2022 THIRTY MADISON INC