

ALKA-SELTZER KIDS TUMMY RELIEFCHEWS- calcium carbonate and dimethicone tablet, chewable
Bayer HealthCare LLC.

Alka-Seltzer Kids Tummy ReliefChews UI 1611515

Drug Facts

Active ingredients and purpose

Active ingredients (in each chewable tablet) Purpose

Calcium carbonate 750 mg.....Antacid

Simethicone 80 mg.....Antigas

Uses for the relief of:

- acid indigestion ● heartburn ● sour stomach
- upset stomach associated with these symptoms
- bloating, pressure, or stuffed feeling commonly referred to as gas

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

- adults and children 12 years and over do not take more than 6 chewable tablets in a 24-hour period
- children 6 to under 12 years do not take more than 4 chewable tablets in a 24-hour period
- if pregnant, do not take more than 6 chewable tablets in 24 hours
- do not use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a physician

If pregnant or breast-feeding, inform your doctor that you are using this product.

Keep out of reach of children.

Directions

adults and children 12 years and over	<ul style="list-style-type: none">• fully chew then swallow 1 or 2 chewable tablets as symptoms occur, or as directed by a doctor.• do not take more than 6 chewable tablets in a 24-hour period
children 6 years to under 12 years	<ul style="list-style-type: none">• under adult supervision, fully chew then swallow 1 chewable tablet as symptoms occur, or as directed by a doctor.• do not take more than 4 chewable tablets in a 24-hour period
children under 6 years	consult a doctor

- if pregnant, do not take more than 6 chewable tablets in 24 hours

Other information

- **each chewable tablet contains:** calcium 300 mg
- store at room temperature. Avoid excessive heat above 40°C (104°F).
- close cap tightly after use

Inactive ingredients acacia, carmine, carnauba wax, citric acid, corn starch, corn syrup, FD&C red No.40 aluminum lake, flavors, hydrogenated coconut oil, hydrogenated vegetable oil, lecithin, maltodextrin, modified starch, potassium hydroxide, pregelatinized modified starch, propylene glycol, shellac, sodium benzoate, sorbic acid, sorbitol, sucrose, titanium dioxide, triacetin, water, white wax

Questions or comments? 1-800-986-0369 (Mon – Fri 9AM – 5PM EST)

Package label 28 count

Works

Amazingly

Fast!

Alka-Seltzer® Kids

Tummy ReliefChews®

Calcium Carbonate/Antacid

Simethicone/Antigas

•6 Symptom Relief•

•Upset Stomach

•Gas • Bloating


•Acid Indigestion

•Heartburn

•Upset Stomach

FRUIT PUNCH

28 CHEWABLE TABLETS




0 16500 59281 5

Paraben FREE

Do not use if printed safety seal bearing "SEALED for YOUR PROTECTION" under cap is torn or missing.

Bayer
Bayer, the Bayer Cross, Alka-Seltzer and ReliefChews are registered trademarks of Bayer.
Dist. by: Bayer HealthCare LLC, Whippany, NJ 07981

Drug Facts (continued)	Directions	Warnings	Other information
<p>Active ingredients (in each chewable tablet) Calcium carbonate 750 mg Simethicone 80 mg</p> <p>Antacid Antigas</p> <p>Uses for the relief of: <ul style="list-style-type: none"> ● acid indigestion ● heartburn ● sour stomach </p> <p>● upset stomach ● bloating ● associated with these symptoms ● pressure, or stuffed feeling commonly referred to as gas</p> <p>Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.</p> <p>When using this product <ul style="list-style-type: none"> ● adults and children 12 years and over do not take more than 6 chewable tablets in a 24-hour period ● children 6 to under 12 years do not take more than 4 chewable tablets in a 24-hour period ● if pregnant, do not take more than 6 chewable tablets in 24 hours </p> <p>If pregnant or breast-feeding, inform your doctor that you are using this product. Keep out of reach of children.</p>	<p>● fully chew then swallow 1 or 2 chewable tablets as symptoms occur, or as directed by a doctor.</p> <ul style="list-style-type: none"> ● do not take more than 6 chewable tablets in a 24-hour period <p>● under adult supervision, fully chew then swallow 1 chewable tablet as symptoms occur, or as directed by a doctor.</p> <ul style="list-style-type: none"> ● do not take more than 4 chewable tablets in a 24-hour period <p>● consult a doctor</p> <ul style="list-style-type: none"> ● children under 6 years ● if pregnant, do not take more than 6 chewable tablets in 24 hours 	<p>● if pregnant, do not take more than 6 chewable tablets in 24 hours</p> <p>Other information ● each chewable tablet contains calcium 300 mg</p> <ul style="list-style-type: none"> ● Store at room temperature. Avoid excessive heat above 40°C (104°F). ● Close cap tightly after use. <p>Inactive ingredients acacia, cammie, carnauba wax, citric acid, corn starch, corn syrup, FD&C red No. 40 aluminum lake, flavors, hydrogenated coconut oil, hydrogenated vegetable oil, lecithin, maltodextrin, modified starch, potassium hydroxide, pregelatinized modified starch, propylene glycol, shellac, sodium benzoate, sorbic acid, sorbitol, sucrose, titanium dioxide, triacetin, water, white wax</p> <p>Questions? 1-800-986-0369</p>	<p>● each chewable tablet contains calcium 300 mg</p> <ul style="list-style-type: none"> ● Store at room temperature. Avoid excessive heat above 40°C (104°F). ● Close cap tightly after use. <p>Inactive ingredients acacia, cammie, carnauba wax, citric acid, corn starch, corn syrup, FD&C red No. 40 aluminum lake, flavors, hydrogenated coconut oil, hydrogenated vegetable oil, lecithin, maltodextrin, modified starch, potassium hydroxide, pregelatinized modified starch, propylene glycol, shellac, sodium benzoate, sorbic acid, sorbitol, sucrose, titanium dioxide, triacetin, water, white wax</p> <p>Questions? 1-800-986-0369</p>



works amazingly fast!

Alka-Seltzer®
Calcium Carbonate/Antacid
Simethicone/Antigas

Kids

TUMMY RELIEFCHEWS®
• 6 SYMPTOM RELIEF •

- Upset Stomach
- Gas
- Bloating
- Acid Indigestion
- Heartburn
- Sour Stomach

FRUIT PUNCH

28 CHEWABLE TABLETS

ALKA-SELTZER KIDS TUMMY RELIEFCHEWS

calcium carbonate and dimethicone tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0280-0051
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	750 mg
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	80 mg

Inactive Ingredients

Ingredient Name	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	
SORBITOL (UNII: 506T60A25R)	
MODIFIED CORN STARCH (1-OCTENYL SUCCINIC ANHYDRIDE) (UNII: 461P5CJN6T)	
WATER (UNII: 059QF0KO0R)	
WHITE WAX (UNII: 7G1J5DA97F)	
SHELLAC (UNII: 46N107B71O)	
ACACIA (UNII: 5C5403N26O)	
CORN SYRUP (UNII: 9G5L16BK6N)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	

METHYLPARABEN (UNII: A2I8C7HI9T)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HYDROGENATED COCONUT OIL (UNII: JY81OXM1OM)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
SORBIC ACID (UNII: X045WJ989B)	

Product Characteristics

Color	pink	Score	no score
Shape	ROUND	Size	18mm
Flavor	FRUIT PUNCH	Imprint Code	HG
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0280-0051-01	28 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/01/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	03/01/2021	

Labeler - Bayer HealthCare LLC. (112117283)

Revised: 12/2023

Bayer HealthCare LLC.