# SINUS SEVERE- acetaminophen, guaifenesin, and phenylephrine hydrochloride tablet, coated Harris Teeter

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### HTE - 1119 - 2019-1011

#### **Drug Facts**

Active ingredients (in each caplet)	Purpose
Acetaminophen 325 mg	Pain reliever/fever
Acetaninophen 323 mg	reducer
Guaifenesin 200 mg	Expectorant
Phenylephrine HCl 5 mg	Nasal decongestant

#### Uses

- temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies, and the common cold:
  - sinus congestion and pressure
  - headache
  - nasal congestion
  - minor aches and pains
- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive
- temporarily reduces fever

## **Warnings**

#### Liver warning

This product contains acetaminophen. The maximum daily dose of this product is 10 caplets (3,250 mg acetaminophen) in 24 hours. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

### Allergy alert

acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

• if you have ever had an allergic reaction to this product or any of its ingredients

## Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

# Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

# When using this product do not exceed recommended dosage

# Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

### Keep out of reach of children.

#### **Overdose** warning

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

# do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul> <li>take 2 caplets every 4 hours</li> <li>swallow whole – do not crush, chew, or dissolve</li> <li>do not take more than 10 caplets in 24 hours</li> </ul>
children under 12 years	■ ask a doctor

#### Other information

- store between 20-25°C (68-77°F) in a dry place
- retain carton for complete product information

# **Inactive ingredients**

acesulfame potassium, colloidal silicon dioxide, croscarmellose sodium, crospovidone, flavor, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, propylene glycol, stearic acid, talc, titanium dioxide

### Questions or comments?

1-844-705-4384

#### PRINCIPAL DISPLAY PANEL

Harris Teeter

Sinus Severe

Compare to the Active Ingredients in Tylenol(R) Sinus Severe

Sins Severe

Daytime, Non-Drowsy

Acetaminophen, Phenylephrine HCl, Guaifenesin

PAIN RELIEVER/FEVER REDUCER, NASAL DECONGESTANT, EXPECTORANT

Relieves

Sinus Headache

Sinus Pressure & Nasal Congestion

Mucus & Chest Congestion

For Adults

24 COOL TASTE CAPLETS

Actual Size

- chronic bronchitis, or emphysema
- persistent or chronic cough such as occurs with smoking, asthma. ■ trouble urinating due to an enlarged prostate gland
  - diabetes thyroid disease
  - heart disease Ask a doctor before use if you have
  - high blood pressure
- if you have ever had an allergic reaction to this product or any of its ingredients MAOI, ask a doctor or pharmacist before taking this product. MAOI drug. If you do not know if your prescription drug contains an conditions, or Parkinson's disease), or for 2 weeks after stopping the
  - (MAOI) (certain drugs for depression, psychiatric, or emotional it you are now taking a prescription monoamine oxidase inhibitor acetaminophen, ask a doctor or pharmacist.
  - nonprescription). If you are not sure whether a drug contains ■ with any other drug containing acetaminophen (prescription or

It a skin reaction occurs, stop use and seek medical help right away. Symptoms may include: 

skin reddening 

blisters 

rash Allergy alert: acetaminophen may cause severe skin reactions.

- 3 or more alcoholic drinks every day while using this product ■ with other drugs containing acetaminophen
  - more than 4,000 mg of acetaminophen in 24 hours
- hours. Severe liver damage may occur if you take daily dose of this product is 10 caplets (3,250 mg acetaminophen) in 24 Liver warning: This product contains acetaminophen. The maximum Warnings

**Drug Facts** (continued)

<b>A</b>	12 years
<ul> <li>ask a doctor</li> </ul>	children under
■ do not take more than 10 caplets in 24 hours	years and over
<ul> <li>swallow whole – do not crush, chew, or dissolve</li> </ul>	children 12
■ take 2 caplets every 4 hours	adults and

■ do not take more than directed (see overdose warning) Directions

nonce any signs or symptoms.

attention is critical for adults as well as for children even if you do not Poison Control Center right away (1-800-222-1222). Quick medical Overdose warning: In case of overdose, get medical help or contact a Keep out of reach of children.

If pregnant or breast-feeding, ask a health professional before use. These could be signs of a serious condition.

- cough comes back or occurs with rash or headache that lasts new symptoms occur ■ redness or swelling is present ■ fever gets worse or lasts more than 3 days 7 days
- pain, nasai congestion, or cough gets worse or lasts more than ■ nervousness, dizziness, or sleeplessness occur

Stop use and ask a doctor if When using this product do not exceed recommended dosage

thinning drug wartarin Ask a doctor or pharmacist before use if you are taking the blood cough that occurs with too much phlegm (mucus)

**Drug Facts** (continued)

USes at temporarily relieves these symptoms associated with

Phenylephrine HCl 5 mg. Guaifenesin 200 mg.

Expectorant Active ingredients (in each caplet) Purpose

■ temporarily reduces fever

■ ussal congestion siuns coudestion and bressure ■ реадасле

condus more productive helps loosen phiegm (mucus) and thin bronchial secretions to make winor aches and pains

hay fever or other upper respiratory allergies, and the common cold:

**Drug Facts** (continued)

Compare to the

# Sinus Severe

# **Daytime, Non-Drowsy**

Acetaminophen, Phenylephrine HCI, Guaifenesin

PAIN RELIEVER / FEVER REDUCER NASAL DECONGESTANT, EXPECTORANT

Relieves

- Sinus Headache
- Sinus Pressure & Nasal Congestion
- Mucus & Chest Congestion
- For Adults

**24** COOL TASTE CAPLETS

Actual Size

†This product is not manufactured or distributed by McMeil Consumer Healthcare, distributor of Tylenol® Sinus Severe.

Syourplus guarantee

PROUDLY DISTRIBUTED BY: HARRIS TEETER, LLC MATTHEWS, NC 28105

USE IF BLISTER UNITS TORN OR BROKEN

NOT ( 8

silicon dioxide, croscarmellose sodium, crospovidone, flavor, acesulfame potassium, colloidal thactive ingredients

> ■ retain carton for complete product information Other information
>
> a store between 20-25°C (68-77°F) in a dry place

> > **Drug Facts** (continued)

propylene glycol, stearic acid, talc, titanium dioxide polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, magnesium stearate, maltodextrin, microcrystalline cellulose,

1-844-705-4384 Questions or comments?

**Drug Facts** (continued)

SINUS SEVERE





acetaminophen, guaifenesin, and phenylephrine hydrochloride tablet, coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72036-119
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINO PHEN (UNII: 36209 ITL9 D) (ACETAMINO PHEN - UNII: 36209 ITL9 D)	ACETAMINOPHEN	325 mg	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg	
<b>PHENYLEPHRINE HYDRO CHLO RIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg	

Inactive Ingredients	
Ingredient Name	Strength
ACESULFAME POTASSIUM (UNII: 23OV73Q5G9)	
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28 OL1HH48)	
CROSPO VIDO NE, UNSPECIFIED (UNII: 2S7830E561)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTO DEXTRIN (UNII: 7CVR7L4A2D)	
CELLULOSE, MICRO CRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
PO VIDO NE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	

Product Characteristics			
Color	white	Score	no score
Shape	OVAL	Size	19 mm
Flavor	MINT	Imprint Code	AAA;1119
Contains			

P	Packaging				
#	Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
1	NDC:72036-119-05	2 in 1 CARTON	08/16/2016		
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	08/16/2016	

# Labeler - Harris Teeter (047279351)

Revised: 10/2019 Harris Teeter