

RE-LIEVED LIDOCAINE PATCH- lidocaine patch 4% patch Transfer Technology

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Re-Lieved Lidocaine 4% Patch

Active Ingredients

Lidocaine 4%

Menthol 1%

Purpose

Topical Analgesic

Use

For the temporary relief of pain.

Warnings

For external use only. The adhesoin properties of this patch may cause an extended period of redness. Please visit www.re-lieved.com for more information.

Do not use

If you are allergic to Lidocaine. On open wounds or on damaged, broken or irritated skin. Remove immidiately if you sense a burning sensation after application.

When using this product

- Do not use other topical products
- Do not allow contact with eyes or mucous membranes
- Keep away from excessive heat. Do not apply heating pad to area of use
- Apply only to clean, dry and untreated skin
- Use only as directed. Read and follow all directions and warnings on this label

Ask your doctor or pharmacist before use if you are

using blood thinning medication, steroids, or non-steroidal anti-inflammatory druns (NSAIDs), or if you have sensitive skin.

Stop use or ask a doctor if

- Condition worsens
- Symptoms persist for more than 7 days

If pregnant or breast feeding

ask a physician before use.

Keep out of reach of children

If put in mouth, get medical help or contact a poison control center right away. Dispose of used product away from children and pets.

Directions adults/children 12 years or older

- Clean and dry affected area
- Peel patch off plastic liner and place on affected area for no more than 12 hours
- Wash hands after applying patch.
- Under age 12, consult a physician before use
- For easier removal of the patch, apply rubbing alcohol or baby oil to adhesive edge while gently peeling

Other information

- store at room temperature
- Do not exceed 100 ° Fahrenheit, 38 ° Celsius

Inactive Ingredients

Acrylic adhesive, Polyethylene fabric

Re-Lieved Lidocaine-Menthol

NDC# 71662-001-06

Re-Lieved

THE PATCH THAT **STICKS!**
MAXIMUM STRENGTH LIDOCAINE PLUS MENTHOL

4% Lidocaine
1% Menthol

ALUMINUM FREE

Pain Relief

Fabric patch easily contours to area in pain and STICKS

UP TO 12 HOURS

- Desensitizes Aggravated Nerves
- Fast Acting
- Easy to apply and STAYS ON area in pain
- Targets more pain receptors

Box of 6
3" x 6" (7.6cm x 15.2cm)
Includes Clear Liner

Made in USA

Unique fabric design • Stretches and contours to body • Superior adhesive

Re-Lieved

MAXIMUM STRENGTH LIDOCAINE PLUS MENTHOL

Drug Facts	
Active ingredient Lidocaine 4% Menthol 1%	Purpose Topical Anesthetic Topical Analgesic
Use For the temporary relief of pain	
Warnings For external use only. The adhesion properties of this patch may cause an extended period of redness. Please visit www.re-lieved.com for more information.	
Do not use If you are allergic to Lidocaine. On open wounds or on damaged, broken or irritated skin. Remove immediately if you sense a burning sensation after application.	
Ask your doctor or pharmacist before use if you are using blood thinning medication, steroids, or non-steroidal anti-inflammatory drugs (NSAIDs), or if you have sensitive skin.	
When using this product <ul style="list-style-type: none">• Do not use other topical products.• Do not allow contact with eyes or mucous membranes.• Keep away from excessive heat. Do not apply heating pad to area of use.• Apply only to clean, dry and untreated skin.• Use only as directed. Read and follow all directions and warnings on this label.	
Stop use or ask a doctor if <ul style="list-style-type: none">• Condition worsens• Symptoms persist for more than 7 days	
If pregnant or breast feeding, ask a physician before use. Keep out of reach of children. If put in mouth, get medical help or contact a poison control center right away. Dispose of used product away from children and pets.	
Directions adults/children 12 years or older <ul style="list-style-type: none">• Clean and dry affected area.• Peel patch off plastic liner and place patch on affected area for no more than 12 hours.• Wash hands after applying patch.• Under age 12, consult a physician before use.• For easier removal of the patch, apply rubbing alcohol or baby oil to adhesive edge while gently peeling.	
Other information • store at room temperature • Do not exceed 100° Fahrenheit, 38° Celsius	
Inactive ingredients Acrylic adhesive, Polyethylene fabric	

PLEASE READ AND UNDERSTAND THE ABOVE DRUG FACTS BEFORE USING
Other essential packaging

Wear up to 12 hours then remove
Transfer Technology, Inc.
www.Re-Lieved.com
800-826-0782

Made in USA

Medicated Pain Relieving Patch with Lidocaine and Menthol

Relieves pain for ARTHRITIS, Muscles and Joints

Manufactured in the USA by Transfer Technology, Inc.
800-826-0782

RE-LIEVED LIDOCAINE PATCH

lidocaine patch 4% patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71662-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL, (+)- (UNII: C6B10E8P3W) (MENTHOL, (+)- - UNII:C6B10E8P3W)	MENTHOL, (+)-	1 mg in 100 mg
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 mg in 100 mg

Inactive Ingredients

Ingredient Name	Strength
ACRYLIC ACID/ETHYLENE COPOLYMER (600 MPA.S) (UNII: 1PEZ3NLY6I)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71662-001-06	5 mg in 1 POUCH; Type 0: Not a Combination Product	02/01/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	02/01/2021	

Labeler - Transfer Technology (037968132)**Registrant** - Transfer Technology (037968132)**Establishment**

Name	Address	ID/FEI	Business Operations
Transfer Technology		037968132	manufacture(71662-001)

Revised: 1/2021

Transfer Technology