

**MENSTRUAL COMPLETE- acetaminophen, caffeine, pyrilamine maleate tablet, film coated**

**Discount Drug Mart**

-----

**Drug Mart 44-390**

***Active ingredients (in each caplet)***

Acetaminophen 500 mg

Caffeine 60 mg

Pyrilamine maleate 15 mg

***Purpose***

Pain reliever

Diuretic

Antihistamine

***Uses***

for the temporary relief of these symptoms associated with menstrual periods:

- bloating
- headache
- muscle aches
- cramps
- backache
- fatigue
- water-weight gain

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

### **Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma

### **Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

### **When using this product**

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- excitability may occur, especially in children
- use caution when driving a motor vehicle or operating machinery
- limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart rate. The recommended dose of this product contains about as much caffeine as a cup of coffee.

### **Stop use and ask a doctor if**

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### ***Directions***

- **do not take more than directed**
- adults and children 12 years and over:
  - take 2 caplets with water
  - repeat every 6 hours, as needed

- do not exceed 6 caplets per day
- children under 12 years: ask a doctor

### ***Other information***

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

### ***Inactive ingredients***

corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

### ***Questions or comments?***

**1-800-426-9391**

### ***Principal display panel***

NDC 53943-390-10

**DISCOUNT  
drug  
mart  
FOOD MARKET  
AN EMPLOYEE OWNERSHIP COMPANY**

*MAY CONTAIN  
ANTI-THEFT  
DEVICE*

### ***Menstrual Complete***

**Acetaminophen/Caffeine/Pyrilamine maleate**  
Pain Reliever/Diuretic/Antihistamine

***MULTI-SYMPTOM RELIEF***  
*of Cramps, Bloating, Fatigue,  
Backache & Headache*

*Actual  
Size*

**40**  
CAPLETS

*\*Compare to the active ingredients in **MIDOL® COMPLETE***

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY  
SEAL UNDER CAP IS BROKEN OR MISSING**

\*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Midol® Complete. 50844 REV0623A39010

DISTRIBUTED BY: DRUG MART - FOOD FAIR  
211 COMMERCE DRIVE, MEDINA, OH 44256  
**[www.discount-drugmart.com](http://www.discount-drugmart.com)**

**SATISFACTION GUARANTEED**

IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO:  
DISCOUNT DRUG MART  
211 COMMERCE DRIVE, MEDINA, OHIO 44256

**Drug Facts**

**Active ingredients**  
(in each caplet)  
Acetaminophen 500 mg, Caffeine 60 mg, Pyrilamine maleate 15 mg, and other drugs containing acetaminophen

**Uses**  
for the temporary relief of these symptoms associated with menstrual periods:  
■ bloating ■ headache ■ muscle aches  
■ cramps ■ backache ■ fatigue  
■ water-weight gain

**Warnings**  
Liver warnings: This product contains acetaminophen. Severe liver damage may occur if you take  
■ more than 4,000 mg of acetaminophen in 24 hours  
■ with other drugs containing acetaminophen  
■ 3 or more alcoholic drinks every day while using this product  
**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:  
■ skin redness ■ hives ■ rash  
If a skin reaction occurs, stop use and seek medical help right away.

**Drug Facts (continued)**



NDC 53943-390-10

MAY CONTAIN  
**ANTI-THEFT  
DEVICE**

# Menstrual Complete

Acetaminophen/Caffeine/Pyrimidine maleate  
Pain Reliever/Diuretic/Antihistamine

**MULTI-SYMPTOM RELIEF**  
of Cramps, Bloating, Fatigue,  
Backache & Headache



Actual Size

\*Compare to the active ingredients in MIDOL® COMPLETE

**40**  
CAPLETS

DISTRIBUTED BY: DRUG MART - FOOD FAIR  
2111 COMMERCE DRIVE, MEDINA, OH 44256  
www.discount-drugmart.com

**SATISFACTION GUARANTEED**  
IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO:  
DISCOUNT DRUG MART  
2111 COMMERCE DRIVE, MEDINA, OHIO 44256



TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

no print / no varnish area  
lot no. & exp. date

**Drug Facts (continued)**

Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**  
■ do not take more than directed  
■ adults and children 12 years and over:  
■ take 2 caplets with water  
■ repeat every 6 hours, as needed  
■ do not exceed 6 caplets per day  
■ children under 12 years: ask a doctor

**Other information**  
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

**Drug Facts (continued)**

■ see end flap for expiration date and lot number

**Inactive ingredients**  
corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, "lactein"

**Questions or comments?**  
1-800-426-9391

**Other information**  
\*This product is not manufactured or distributed by Bayer Healthcare LLC, owner of the registered trademark Midol® Complete. 50844 REV0623A39010

B-0380-390-10  
REV0623A39010

**Drug Facts (continued)**

Do not use  
■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
■ if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**  
■ difficulty in urination due to enlargement of the prostate gland ■ liver disease  
■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma

**Ask a doctor or pharmacist before use if you are**  
■ taking the blood thinning drug warfarin  
■ taking sedatives or tranquilizers

**When using this product**  
■ taking sedatives or tranquilizers  
■ drowsiness may occur  
■ avoid alcoholic beverages  
■ alcohol, sedatives, and tranquilizers may increase drowsiness

**Stop use and ask a doctor if**  
■ new symptoms occur  
■ redness or swelling is present  
■ pain gets worse or lasts more than 10 days  
■ fever gets worse or lasts more than 3 days  
These could be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use.**  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**

■ use caution when driving a motor vehicle or operating machinery  
■ limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally, rapid heart rate. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Drug Mart 44-390

## MENSTRUAL COMPLETE

acetaminophen, caffeine, pyrilamine maleate tablet, film coated

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:53943-390
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
<b>CAFFEINE</b> (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	60 mg
<b>PYRILAMINE MALEATE</b> (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>CROSPVIDONE, UNSPECIFIED</b> (UNII: 2S7830E561)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6130)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRIACETIN</b> (UNII: XHX3C3X673)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	44;390
<b>Contains</b>			

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:53943-390-10	1 in 1 CARTON	01/07/2020	
1		40 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
---------------------------	---	-----------------------------	---------------------------

OTC Monograph Drug	M013	01/07/2020	
--------------------	------	------------	--

**Labeler -** Discount Drug Mart (047741335)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(53943-390)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(53943-390) , pack(53943-390)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(53943-390)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(53943-390)

Revised: 2/2026

Discount Drug Mart