

**VITACILINA NEOMYCIN SULFATE FIRST AID ANTIBIOTIC- neomycin sulfate ointment**

**Compania Internacional de Comercio, S.A.P.I de C.V.**

-----  
**VITACILINA NEOMYCIN SULFATE OINTMENT FIRST AID ANTIBIOTIC**

***Drug Facts***

***Active ingredient (in each gram)***

Neomycin sulfate 5 mg (neomycin 3.5 mg)

***Purpose***

First aid antibiotic

**Uses**

First aid to help prevent infection in minor cuts, scrapes, and burns.

**Warnings**

**For external use only**

**Do not use**

- in the eyes • over large areas of the body • if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

**Ask a doctor before use if you have**

- deep or puncture wounds • animal bites • serious burns

**Stop use and ask a doctor if**

- the condition persists or gets worse • a rash or other allergic reaction develops

**Keep out of the reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Clean the affected area • Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily • May be covered with a sterile bandage

### **Other information**

store at room temperature

### **Inactive ingredients**

lanolin, methylparaben, petrolatum, propylparaben, vitamin A palmitate

### **Package Labeling: (54312-019-35)**

**NEOMYCIN SULFATE OINTMENT**  
FIRST AID ANTIBIOTIC

**VITACILINA®**

**NET WT 0.5 OZ (14 g)**

**THIS UNIT NOT LABELED FOR RETAIL SALE. THIS UNIT IS PACKAGED IN AN OUTER CONTAINER. PLEASE SEE OUTER CONTAINER FOR COMPLETE DRUG FACTS INFORMATION.**

**ACTIVE INGREDIENT:** NEOMYCIN SULFATE 5 mg (NEOMYCIN 3.5 mg)

**PURPOSE:** FIRST AID ANTIBIOTIC

**USE:** FIRST AID TO HELP PREVENT INFECTION IN MINOR CUTS, SCRAPES, AND BURNS

**WARNINGS: FOR EXTERNAL USE ONLY. DO NOT USE:** IN THE EYES; OVER LARGE AREAS OF THE BODY; IF YOU ARE ALLERGIC TO ANY OF THE INGREDIENTS: LONGER THAN 1 WEEK UNLESS DIRECTED BY A DOCTOR. **ASK A DOCTOR BEFORE USE IF YOU HAVE:** DEEP OR PUNCTURE WOUNDS; ANIMAL BITES; SERIOUS BURNS. **STOP USE AND ASK A DOCTOR IF:** THE CONDITION PERSIST OR GETS WORSE; A RASH OR OTHER ALLERGIC REACTION DEVELOPS.

**KEEP OUT OF REACH OF CHILDREN.** IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

**INACTIVE INGREDIENTS:** LANOLIN, METHYLPARABEN, PETROLATUM, PROPYLPARABEN, VITAMIN A PALMITATE.

**DISTRIBUTED BY** TAISHO PHARMACEUTICAL CALIFORNIA, INC.


**MADE IN MEXICO.**

**TO REPORT A SERIOUS ADVERSE EVENT CONTACT** 3528 TORRANCE BLVD. SUITE #320 TORRANCE, CA 90503

30523-V4

Lot. No.  
Expiration Date.







## NEOMYCIN SULFATE OINTMENT

FIRST AID ANTIBIOTIC

NDC 54312-019-35

# VITACILINA®

**NET WT 0.5 OZ (14 g)**

**THIS UNIT NOT LABELED FOR RETAIL SALE. THIS UNIT IS PACKAGED IN AN OUTER CONTAINER. PLEASE SEE OUTER CONTAINER FOR COMPLETE DRUG FACTS INFORMATION.**

**ACTIVE INGREDIENT:** NEOMYCIN SULFATE 5 mg (NEOMYCIN 3.5 mg)

**PURPOSE:** FIRST AID ANTIBIOTIC

**USE:** FIRST AID TO HELP PREVENT INFECTION IN MINOR CUTS, SCRAPES, AND BURNS

**WARNINGS: FOR EXTERNAL USE ONLY. DO NOT USE:** IN THE EYES; OVER LARGE AREAS OF THE BODY; IF YOU ARE ALLERGIC TO ANY OF THE INGREDIENTS: LONGER THAN 1 WEEK UNLESS DIRECTED BY A DOCTOR. **ASK A DOCTOR BEFORE USE IF YOU HAVE:** DEEP OR PUNCTURE WOUNDS; ANIMAL BITES; SERIOUS BURNS. **STOP USE AND ASK A DOCTOR IF:** THE CONDITION PERSIST OR GETS WORSE; A RASH OR OTHER ALLERGIC REACTION DEVELOPS.

**KEEP OUT OF REACH OF CHILDREN.** IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

**INACTIVE INGREDIENTS:** LANOLIN, METHYLPARABEN, PETROLATUM, PROPYLPARABEN, VITAMIN A PALMITATE.

**MANUFACTURED BY:** COMPAÑÍA INTERNACIONAL DE COMERCIO, S.A.P.I. DE C.V., MONZÓN No. 184, COL. CERRO DE LA ESTRELLA, IZTAPALAPA, 09860, MEXICO CITY, MEXICO. **DISTRIBUTED BY:** MIDWAY IMPORTING, INC., 1807 BRITTMORE ROAD, HOUSTON, TX 77043 **MADE IN MEXICO**

30523-V05

Lot No.:  
Exp. Date:

**Package Labeling: (54312-019-31)**



NEOMYCIN SULFATE OINTMENT  
FIRST AID ANTIBIOTIC

**VITACILINA®**

NET WT 1 OZ (28 g)

THIS UNIT NOT LABELED FOR RETAIL SALE. THIS UNIT IS PACKAGED IN AN OUTER CONTAINER. PLEASE SEE OUTER CONTAINER FOR COMPLETE DRUG FACTS INFORMATION.

**ACTIVE INGREDIENT:** NEOMYCIN SULFATE 5 mg (NEOMYCIN 3.5 mg) **PURPOSE:** FIRST-AID ANTIBIOTIC

**USE:** FIRST AID TO HELP PREVENT INFECTION IN MINOR CUTS, SCRAPES, AND BURNS

**WARNINGS: FOR EXTERNAL USE ONLY. DO NOT USE:** IN THE EYES; OVER LARGE AREAS OF THE BODY; IF YOU ARE ALLERGIC TO ANY OF THE INGREDIENTS; LONGER THAN 1 WEEK UNLESS DIRECTED BY A DOCTOR. **ASK A DOCTOR BEFORE USE IF YOU HAVE:** DEEP OR PUNCTURE WOUNDS; ANIMAL BITES; SERIOUS BURNS. **STOP USE AND ASK A DOCTOR IF:** THE CONDITION PERSIST OR GETS WORSE; A RASH OR OTHER ALLERGIC REACTION DEVELOPS. **KEEP OUT OF REACH OF CHILDREN.** IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

**INACTIVE INGREDIENTS:** LANOLIN, METHYLPARABEN, PETROLATUM, PROPYLPARABEN, VITAMIN A PALMITATE.

**DISTRIBUTED BY** Taisho Pharmaceutical California Inc. 3528 Torrance Blvd, Suite #320 Torrance, CA 90503 U.S.A.  
**MADE IN MEXICO**

30524-V4

Lot No.  
Expiration  
Date.

**Drug Facts (continued)**

**Stop use and ask a doctor if** ■ the condition persists or gets worse ■ a rash or other allergic reaction develops.

**Keep out of reach of children:** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Clean the affected area ■ Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ May be covered with a sterile bandage.

**Inactive ingredients**  
lanolin, methylparaben, petrolatum, propylparaben, vitamin A palmitate.

NET WT 1 OZ (28 g)

**VITACILINA®**

NDC 54312-019-31

NEOMYCIN SULFATE OINTMENT  
FIRST AID ANTIBIOTIC

VITACILINA



NET WT 1 OZ (28 g)

**VITACILINA®**

NEOMYCIN SULFATE OINTMENT  
FIRST AID ANTIBIOTIC

30104-V07

**Drug Facts**

**Active ingredient (in each gram)**

Neomycin sulfate 5 mg (neomycin 3.5 mg)

**Use** First aid to help prevent infection in minor cuts, scrapes, and burns.

**Warnings**

For external use only.

**Do not use**

■ in the eyes ■ over large areas of the body ■ if you are allergic to any of the ingredients ■ longer than 1 week unless directed by a doctor

**Ask a doctor before use if you have**

■ deep or puncture wounds ■ animal bites ■ serious burns.

**Purpose**

First aid antibiotic.



3 48875 01931 5

MANUFACTURED BY: COMPAÑIA INTERNACIONAL DE COMERCIO, S.A.P.I. DE C.V., MONZON No. 154, COL. CERRO DE LA ESTRELLA, IZAPALAPA, 09860, MEXICO CITY, MEXICO.  
DISTRIBUTED BY: MIDWAY IMPORTING, INC., 1807 BRITTMORE ROAD, HOUSTON, TX 77043  
MADE IN MEXICO



NEOMYCIN SULFATE OINTMENT  
FIRST AID ANTIBIOTIC

NDC 54312-019-31

**VITACILINA®**

NET WT 1 OZ (28 g)

THIS UNIT NOT LABELED FOR RETAIL SALE. THIS UNIT IS PACKAGED IN AN OUTER CONTAINER. PLEASE SEE OUTER CONTAINER FOR COMPLETE DRUG FACTS INFORMATION.

**ACTIVE INGREDIENT:** NEOMYCIN SULFATE 5 mg (NEOMYCIN 3.5 mg) **PURPOSE:** FIRST-AID ANTIBIOTIC

**USE:** FIRST AID TO HELP PREVENT INFECTION IN MINOR CUTS, SCRAPES, AND BURNS

**WARNINGS: FOR EXTERNAL USE ONLY. DO NOT USE:** IN THE EYES; OVER LARGE AREAS OF THE BODY; IF YOU ARE ALLERGIC TO ANY OF THE INGREDIENTS; LONGER THAN 1 WEEK UNLESS DIRECTED BY A DOCTOR. **ASK A DOCTOR BEFORE USE IF YOU HAVE:** DEEP OR PUNCTURE WOUNDS; ANIMAL BITES; SERIOUS BURNS. **STOP USE AND ASK A DOCTOR IF:** THE CONDITION PERSISTS OR GETS WORSE; A RASH OR OTHER ALLERGIC REACTION DEVELOPS. **KEEP OUT OF REACH OF CHILDREN.** IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

**INACTIVE INGREDIENTS:** LANOLIN, METHYLPARABEN, PETROLATUM, PROPYLPARABEN, VITAMIN A PALMITATE.

**MANUFACTURED BY:** COMPAÑÍA INTERNACIONAL DE COMERCIO, S.A.P.I. DE C.V., MONZÓN No. 184, COL. CERRO DE LA ESTRELLA, IZTAPALAPA, 09860, MEXICO CITY, MEXICO.

**DISTRIBUTED BY:** MIDWAY IMPORTING, INC., 1807 BRITTMORE ROAD, HOUSTON, TX 77043

**MADE IN MEXICO**

30524-V06

Lot No.:  
Exp. Date:

**Drug Facts (continued)**

**Stop use and ask a doctor if** ☐ the condition persists or gets worse ☐ a rash or other allergic reaction develops.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ☐ Clean the affected area ☐ Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ☐ May be covered with a sterile bandage.

**Inactive ingredients**

lanolin, methylparaben, petrolatum, propylparaben, vitamin A palmitate.

NET WT 1 OZ (28 g)

**VITACILINA®**

NEOMYCIN SULFATE OINTMENT  
FIRST AID ANTIBIOTIC

NDC 54312-019-35

NET WT 1 OZ (28 g)

**VITACILINA®**

NEOMYCIN SULFATE OINTMENT  
FIRST AID ANTIBIOTIC

**Drug Facts**

**Active ingredient (in each gram)**

Neomycin sulfate 5 mg (neomycin 3.5 mg).....First aid antibiotic.

**Use** First aid to help prevent infection in minor cuts, scrapes, and burns.

**Warnings**

For external use only.

**Do not use**

☐ in the eyes ☐ over large areas of the body ☐ if you are allergic to any of the ingredients ☐ longer than 1 week unless directed by a doctor.

**Ask a doctor before use if you have** ☐ deep or puncture wounds ☐ animal bites ☐ serious burns.

**Purpose**

First aid antibiotic.



**DISTRIBUTED BY** Taisho  
Pharmaceutical California Inc.  
3528 Torrance Blvd, Suite #320  
Torrance, CA 90503 U.S.A.  
**MADE IN MEXICO**

30104-V04

Lot No.:  
Exp. Date:

**VITACILINA NEOMYCIN SULFATE FIRST AID ANTIBIOTIC**  
neomycin sulfate ointment

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54312-019
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
LANOLIN (UNII: 7EV65EAW6H)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PETROLATUM (UNII: 4T6H12BN9U)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54312-019-35	1 in 1 CARTON	07/30/2016	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:54312-019-31	1 in 1 CARTON	07/30/2016	
2		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	07/30/2016	

**Labeler** - Compania Internacional de Comercio, S.A.P.I de C.V. (822165213)

## Establishment

Name	Address	ID/FEI	Business Operations
Compania Internacional de Comercio, S.A.P.I de C.V.		822165213	manufacture(54312-019)