

ALUMIER MD MOISTURE MATTE BROAD SPECTRUM SPF 40 SUNSCREEN

AMBER- zinc oxide, titanium dioxide lotion

ALUMIER MD MOISTURE MATTE BROAD SPECTRUM SPF 40 SUNSCREEN SAND-

zinc oxide, titanium dioxide lotion

ALUMIER MD MOISTURE MATTE BROAD SPECTRUM SPF 40 SUNSCREEN

IVORY- zinc oxide, titanium dioxide lotion

Alumier Labs

Alumier MD Moisture Matte Broad Spectrum SPF 40 Sunscreen

Drug Facts

Active ingredients

Amber Shade:

Titanium Dioxide 8.3%

Zinc Oxide 9%

Ivory and Sand Shades:

Titanium Dioxide 7.8%

Zinc Oxide 9%

Purpose

Sunscreen

Use

- Helps prevent sunburn.

Warnings

For external use only.

When using this product

- do not use on damaged or broken skin
- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if you develop severe irritation, burning or itching of the skin, hives, swelling of eyes and mouth, blistering or difficulty breathing.

Keep out of reach of children.

If swallowed, call a Poison Control Center or get medical help right away.

Directions

- Apply liberally/generously (and evenly) 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- For use on children less than 6 months of age, consult a health care practitioner.
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses.
 - use a water resistant sunscreen if swimming or sweating.

Other information

- Do not use if security seal is broken or missing.
- You may report a serious adverse reaction event from using this product to: Alumier Labs Inc., 550 Cochituate Road, Suite 25, Framingham MA 01701

Inactive ingredients

Cyclopentasiloxane, Water/Aqua/Eau, Squalane, PEG-10 Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Glycerin, Argania Spinosa Kernel Oil, Butylene Glycol, Distearidimonium Hectorite, Tocopheryl Acetate, Hexyl Laurate, Polymethylsilsesquioxane, Polyglyceryl-4 Isostearate, Caffeine, Sodium Chloride, Polygonum Aviculare Extract, Sodium Hyaluronate, Lecithin (Syn. Phosphatidylcholine), Silybin, Bisabolol, Phenethyl Alcohol, Stearic Acid, Alumina, Mica, Polyester-1, Silica Dimethyl Silylate, Iron Oxides (CI 77491), Iron Oxides (CI 77492), Iron Oxides (CI 77499), Ethylhexylglycerin, Phenoxyethanol.

Company Information

Distributed in the USA by Alumier Labs Inc.,

550 Cochituate Road, Suite 25

Framingham, MA 01701

Product Packaging - Amber

Alumier[®]

ALUMIER EUROPE LTD.
5 ST. FREDERICK STREET
VALLETTA VLT 1470, MALTA

WWW.ALUMIERMD.COM

EUROPE • UNITED STATES • CANADA
UNITED KINGDOM

DISTRIBUTED IN CANADA BY/
DISTRIBUÉ AU CANADA PAR :
ALUMIER LABS INC.,
436 LIMESTONE CRESCENT
TORONTO, ON, M3J 2S4

DISTRIBUTED IN THE USA BY/
DISTRIBUÉ AUX ÉTATS-UNIS PAR :
ALUMIER LABS INC.,
550 COCHITUATE ROAD, SUITE 25
FRAMINGHAM, MA 01701

MANUFACTURED IN CANADA UNDER
LICENSE FROM ALUMIER EUROPE LTD.

FABRIQUÉ AU CANADA SOUS LICENCE
OCTROYÉE PAR ALUMIER EUROPE LTD.



Drug Facts

Active ingredients

Titanium Dioxide 8.3%.....Zinc Oxide 9%
Purpose.....Sunscreen

Use

■ Helps prevent sunburn.

Warnings

For external use only.
■ Do not use on damaged or broken skin.
■ When using this product keep out of eyes.
Rinse with water to remove. ■ Stop use and ask
a doctor if rash occurs. ■ Keep out of reach of
children. If swallowed, get medical help or contact
a Poison Control Center right away.

Directions

■ Apply liberally and evenly 15 minutes before
sun exposure. ■ Reapply at least every 2 hours.
■ For use on children less than 6 months of age,
consult a health care practitioner. ■ Sun
Protection Measures: Spending time in the sun
increases your risk of skin cancer and early skin
aging. To decrease this risk, regularly use a
sunscreen with a Broad Spectrum SPF value of 15
or higher and other sun protection measures
including: - limit time in the sun, especially from
10 a.m.-2 p.m. - wear long-sleeved shirts, pants,
hats and sunglasses. ■ Use a water resistant
sunscreen if swimming or sweating.

Other information

■ Do not use if security seal is broken or missing.
■ Store in a cool, dry place at room temperature
(15-30°C).
■ Protect the product in this container from
excessive heat and direct sun.
■ You may report a serious adverse reaction
event from using this product to: Alumier Labs
Inc., 550 Cochituate Road, Suite 25, Framingham,
MA 01701

Inactive ingredients / Ingédients inactif

Cyclopentasiloxane, Water/Aqua/Eau, Squalane,
PEG-10 Dimethicone, Cetyl PEG/PPG-10/1
Dimethicone, Glycerin, Argania Spinosa Kernel Oil,
Butylene Glycol, Disteardimonium Heclortite,
Tocopheryl Acetate, Hexyl Laurate,
Polymethylsilsesquioxane, Polyglyceryl-4
Isostearate, Caffeine, Sodium Chloride, Polygonum
Aviculare Extract, Sodium Hyaluronate, Lecithin
(Syn. Phosphatidylcholine), Silybin, Bisabolol,
Phenethyl Alcohol, Stearic Acid, Alumina, Mica,
Polyester-1, Silica Dimethyl Silylate, Iron Oxides
(CI 77491), Iron Oxides (CI 77492), Iron Oxides,
(CI 77499), Ethylhexylglycerin, Phenoxyethanol.

NON IRRITATING

1900811

Alumier^{MD}

Moisture Matte

Broad Spectrum SPF 40
Crème hydratante mate
FPS 40 à large spectre

TINTED SUNSCREEN LOTION
FOR A MATTE FINISH
LOTION SOLAIRE TEINTÉE
POUR UN FINI MAT

AMBER / AMBRE

NPN 80063444

60 mL / 2 fl oz e

Notice

Ingédients actifs

Dioxyde de titane 8,3 %.....Oxyde de zinc 9 %

Utilisation.....Crème solaire

Usage

■ protège contre les coups de soleil

Avertissements

Usage externe
uniquement.
■ Ne pas utiliser sur les peaux endommagées
ou abîmées. ■ Quand on utilise ce produit
éviter le contact avec les yeux ; en cas de
contact, rincer abondamment à l'eau. ■ Arrêtez
l'utilisation et demandez à un docteur si vous
développez de l'urticaire, un gonflement des
yeux ou de la bouche, des cloques ou si vous
avez des difficultés à respirer. ■ Garder hors de
portée des enfants. En cas d'ingestion,
contacter un centre antipoison ou appeler un
médecin immédiatement.

Conseils d'utilisation

■ appliquer abondamment (et régulièrement)
15 minutes avant l'exposition au soleil
■ appliquer de nouveau au moins toutes les 2
heures ■ pour une utilisation sur des enfants
de moins de 6 mois, consulter un professionnel
de la santé ■ Mesures de Protection Solaire :
L'exposition au soleil augmente le risque de
cancer et de vieillissement précoce de la peau.
Pour diminuer ce risque, utiliser régulièrement
une crème solaire large spectre d'une valeur
FPS de 15 ou plus, et d'autres mesures de
protection solaire, telles que : - limiter la durée
d'exposition au soleil, en particulier entre 10 h
et 14 h - porter des hauts à manches longues,
des pantalons, des chapeaux et des lunettes de
soleil. ■ utiliser une crème solaire résistante à
l'eau en cas de baignade ou de transpiration

Autres Information

■ Ne pas utiliser si le sceau de sécurité est
endommagé ou manquant. ■ Conserver dans
un endroit frais et sec à température ambiante.
■ Protégez le produit dans ce contenant de
chaleur excessive et lumière directe du soleil.
■ Vous pouvez signaler toute réaction
indésirable liée à l'utilisation de ce produit à :
Alumier Labs Inc., 550 Cochituate Road, Suite
25, Framingham, MA 01701

NON IRRITANT

Product Packaging - Ivory

Alumier[®]

ALUMIER EUROPE LTD.
5 ST. FREDERICK STREET
VALLETTA VLT 1470, MALTA

WWW.ALUMIERMD.COM

EUROPE • UNITED STATES • CANADA
UNITED KINGDOM

DISTRIBUTED IN CANADA BY
DISTRIBUÉ AU CANADA PAR :
ALUMIER LABS INC.,
436 LIMESTONE CRESCENT
TORONTO, ON, M3J 2S4

DISTRIBUTED IN THE USA BY
DISTRIBUÉ AUX ÉTATS-UNIS PAR :
ALUMIER LABS INC.,
550 COCHITUATE ROAD, SUITE 25
FRAMINGHAM, MA 01701

MANUFACTURED IN CANADA UNDER
LICENSE FROM ALUMIER EUROPE LTD.

FABRIQUÉ AU CANADA SOUS LICENCE
OCTROYÉE PAR ALUMIER EUROPE LTD.



Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 7.8%	Sunscreen
Zinc Oxide 9%	Sunscreen

Use ■ helps prevent sunburn

Warnings

■ For external use only.

When using this product

- do not use on damaged or broken skin
- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if you develop severe irritation, burning or itching of the skin, hives, swelling of eyes and mouth, blistering or difficulty breathing.

Keep out of reach of children. If swallowed, call a Poison Control Centre or get medical help right away.

Directions

- apply liberally/generously (and evenly) 15 minutes before sun exposure
- reapply at least every 2 hours
- for use on children less than 6 months of age, consult a health care practitioner
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m.-2 p.m. - wear long-sleeved shirts, pants, hats and sunglasses
- use a water resistant sunscreen if swimming or sweating

Other information

- Do not use if security seal is broken or missing.
- You may report a serious adverse reaction event from using this product to: Alumier Labs Inc., 550 Cochituate Road, Suite 25, Framingham, MA 01701

Inactive Ingredients/Ingrédients inactifs

1900809 - Cyclopentasiloxane, Water/Aqua/Eau, Squalane, Peg-10 Dimethicone, Cetyl Ppg/ppg-10/1 Dimethicone, Glycerin, Argania Spinosa Kernel Oil, Butylene Glycol, Distearidimonium Hectorite, Tocopheryl Acetate, Hexyl Laurate, Polymethylsilsesquioxane, Polyglyceryl-4 lauryletherate, Caffeine, Sodium Chloride, Polygonum Aviculare Extract, Sodium Hyaluronate, Lecithin (Syn. Phosphatidylcholine), Silybin, Bisabolol, Phenethyl Alcohol, Stearic Acid Alumina, Mica, Polyester-1, Silica Dimethyl Silylate, Iron Oxides (CI 77491), Iron Oxides (CI 77492), Iron Oxides (CI 77499), Ethylhexylglycerin, Phenoxethanol.

NON IRRITATING

Alumier^{MD}

Moisture Matte

Broad Spectrum SPF 40

Crème hydratante mate
FPS 40 à large spectre

TINTED SUNSCREEN LOTION
FOR A MATTE FINISH
LOTION SOLAIRE TEINTÉE
POUR UN FINI MAT

IVORY / IVOIRE

NPN 80064098

60 mL / 2 fl oz e

Notice

Ingrédients actifs	Utilisation
Dioxyde de titane 7,8 %	Crème solaire
Oxyde de zinc 9 %	Crème solaire

Usage ■ protège contre les coups de soleil

Avertissements

■ Usage externe uniquement.

Quand on utilise ce produit

- ne pas utiliser sur les peaux endommagées ou abîmées
- éviter le contact avec les yeux ; en cas de contact, rincer abondamment à l'eau

Arrêtez l'utilisation et demandez à un docteur si vous développez de l'urticaire, un gonflement des yeux ou de la bouche, des cloques ou si vous avez des difficultés à respirer.

Garder hors de portée des enfants. En cas d'ingestion, contacter un centre antipoison ou appeler un médecin immédiatement.

Conseils d'utilisation

- appliquer abondamment (et régulièrement) 15 minutes avant l'exposition au soleil
- appliquer de nouveau au moins toutes les 2 heures
- pour une utilisation sur des enfants de moins de 6 mois, consulter un professionnel de la santé
- **Mesures de Protection Solaire :** L'exposition au soleil augmente le risque de cancer et de vieillissement précoce de la peau. Pour diminuer ce risque, utiliser régulièrement une crème solaire large spectre d'une valeur FPS de 15 ou plus, et d'autres mesures de protection solaire, telles que: - limiter la durée d'exposition au soleil, en particulier entre 10 h et 14 h - porter des hauts à manches longues, des pantalons, des chapeaux et des lunettes de soleil.
- utiliser une crème solaire résistante à l'eau en cas de baignade ou de transpiration

Autres information

- Ne pas utiliser si le sceau de sécurité est endommagé ou manquant.
- Vous pouvez signaler toute réaction indésirable liée à l'utilisation de ce produit à : Alumier Labs Inc., 550 Cochituate Road, Suite 25, Framingham, MA 01701

NON IRRITANT



Product Packaging - Sand

Alumier MD

ALUMIER EUROPE LTD.
5 ST. FREDERICK STREET
VALLETTA VLT 1470, MALTA

WWW.ALUMIERMD.COM

EUROPE • UNITED STATES • CANADA
UNITED KINGDOM

DISTRIBUTED IN CANADA BY:
DISTRIBUÉ AU CANADA PAR :
ALUMIER LABS INC.,
436 LIMESTONE CRESCENT
TORONTO, ON, M3J 2S4

DISTRIBUTED IN THE USA BY:
DISTRIBUÉ AUX ÉTATS-UNIS PAR :
ALUMIER LABS INC.,
550 COCHITUATE ROAD, SUITE 25
FRAMINGHAM, MA 01701

MANUFACTURED IN CANADA UNDER
LICENSE FROM ALUMIER EUROPE LTD.
FABRIQUÉ AU CANADA SOUS LICENCE
OCTROYÉE PAR ALUMIER EUROPE LTD.

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 7.8%	Sunscreen
Zinc Oxide 9%	Sunscreen

Use ■ helps prevent sunburn

Warnings
■ For external use only.

When using this product
■ do not use on damaged or broken skin
■ keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if you develop severe irritation, burning or itching of the skin, hives, swelling of eyes and mouth, blistering or difficulty breathing.

Keep out of reach of children. If swallowed, call a Poison Control Centre or get medical help right away.

Directions
■ apply liberally/generously (and evenly) 15 minutes before sun exposure
■ reapply at least every 2 hours
■ for use on children less than 6 months of age, consult a health care practitioner
■ **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m.-2 p.m. - wear long-sleeved shirts, pants, hats and sunglasses
■ use a water resistant sunscreen if swimming or sweating

Other Information
■ Do not use if security seal on box is broken or missing.
■ You may report a serious adverse reaction event from using this product to: Alumier Labs Inc. 550 Cochituate Road, Suite 25, Framingham, MA 01701.

Inactive Ingredients/Ingrédients inactifs
Cyclopentasiloxane, Water/Aqua/Eau, Squalane, Peg-10 Dimethicone, Cetyl Peg/PPG-10/1 Dimethicone, Glycerin, Argania Spinosa Kernel Oil, Butylene Glycol, Distearidimonium Hectorite, Tocopheryl Acetate, Hexyl Laurate, Polymethylsilsesquioxane, Polyglyceryl-4 Isostearate, Caffeine, Sodium Chloride, Polygonum Aviculare Extract, Sodium Hyaluronate, Lecithin (Syn. Phosphatidylcholine), Silybin, Bisabolol, Phenethyl Alcohol, Stearic Acid, Alumina, Mica, Polyester-1, Silica Dimethyl Silylate, Iron Oxides (CI 77491), Iron Oxides (CI 77492), Iron Oxides (CI 77499), Ethylhexylglycerin, Phenoxethanol.

NON IRRITATING

Alumier MD

Moisture Matte

Broad Spectrum SPF 40
Hydratante mate FPS 40
à large spectre

TINTED SUNSCREEN LOTION
FOR A MATTE FINISH
LOTION SOLAIRE TEINTÉE
POUR UN FINI MAT

SAND / SABLE

NPN 80064098

60 mL / 2 fl oz e

Notice

Ingrédients actifs	Utilisation
Dioxyde de titane 7,8 %	Crème solaire
Oxyde de zinc 9 %	Crème solaire

Usage ■ protège contre les coups de soleil

Avertissements
■ Usage externe uniquement.

Quand on utilise ce produit
■ ne pas utiliser sur les peaux endommagées ou abîmées
■ éviter le contact avec les yeux ; en cas de contact, rincer abondamment à l'eau

Arrêtez l'utilisation et demandez à un docteur si vous développez de l'urticaire, un gonflement des yeux ou de la bouche, des cloques ou si vous avez des difficultés à respirer.

Garder hors de portée des enfants. En cas d'ingestion, contacter un centre antipoison ou appeler un médecin immédiatement.

Conseils d'utilisation
■ appliquer abondamment (et régulièrement) 15 minutes avant l'exposition au soleil
■ appliquer de nouveau au moins toutes les 2 heures
■ pour une utilisation sur des enfants de moins de 6 mois, consulter un professionnel de la santé
■ **Mesures de Protection Solaire :** L'exposition au soleil augmente le risque de cancer et de vieillissement précoce de la peau. Pour diminuer ce risque, utiliser régulièrement une crème solaire large spectre d'une valeur FPS de 15 ou plus, et d'autres mesures de protection solaire, telles que : - limiter la durée d'exposition au soleil, en particulier entre 10 h et 14 h - porter des hauts à manches longues, des pantalons, des chapeaux et des lunettes de soleil.
■ utiliser une crème solaire résistante à l'eau en cas de baignade ou de transpiration

Autres Information
■ Ne pas utiliser si le sceau de sécurité sur la boîte est endommagé ou manquant.
■ Vous pouvez signaler toute réaction indésirable liée à l'utilisation de ce produit à : Alumier Labs Inc., 550 Cochituate Road, Suite 25, Framingham, MA 01701.

NON IRRITANT

ALUMIER MD MOISTURE MATTE BROAD SPECTRUM SPF 40 SUNSCREEN AMBER

zinc oxide, titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69473-014
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	90 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	83 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SQUALANE (UNII: GW89575KF9)	

DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
POLYGONUM AVICULARE TOP (UNII: ZCD6009IUF)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
ARGAN OIL (UNII: 4V59G5UW9X)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
GLYCERIN (UNII: PDC6A3C0OX)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)
STEARIC ACID (UNII: 4ELV7Z65AP)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
SILIBININ (UNII: 4RKY41TBTF)
LEVOMENOL (UNII: 24WE03BX2T)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
CAFFEINE (UNII: 3G6A5W338E)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
ALUMINUM OXIDE (UNII: LMI26O6933)
MICA (UNII: V8A1AW0880)
FERRIC OXIDE RED (UNII: 1K09F3G675)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69473-014-01	1 in 1 CARTON	02/04/2021	
1		60 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:69473-014-02	8 mL in 1 TUBE; Type 0: Not a Combination Product	02/04/2021	03/31/2022

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/04/2021	

ALUMIER MD MOISTURE MATTE BROAD SPECTRUM SPF 40 SUNSCREEN SAND

zinc oxide, titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69473-016
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	90 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	78 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SQUALANE (UNII: GW89575KF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
POLYGONUM AVICULARE TOP (UNII: ZCD6009IUF)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V15VM0)	
ARGAN OIL (UNII: 4V59G5UW9X)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
SILIBININ (UNII: 4RKY41TBTF)	
LEVOMENOL (UNII: 24WE03BX2T)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAFFEINE (UNII: 3G6A5W338E)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69473-016-01	1 in 1 CARTON	02/04/2021	
1		60 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:69473-016-02	8 mL in 1 TUBE; Type 0: Not a Combination Product	02/04/2021	03/31/2022

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/04/2021	

ALUMIER MD MOISTURE MATTE BROAD SPECTRUM SPF 40 SUNSCREEN IVORY

zinc oxide, titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69473-015
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	90 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	78 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SQUALANE (UNII: GW89575KF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
POLYGONUM AVICULARE TOP (UNII: ZCD6009IUF)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ARGAN OIL (UNII: 4V59G5UW9X)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	

LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)
STEARIC ACID (UNII: 4ELV7Z65AP)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
SILIBININ (UNII: 4RKY41TBTF)
LEVOMENOL (UNII: 24WE03BX2T)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
CAFFEINE (UNII: 3G6A5W338E)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
ALUMINUM OXIDE (UNII: LMI26O6933)
MICA (UNII: V8A1AW0880)
FERRIC OXIDE RED (UNII: 1K09F3G675)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69473-015-01	1 in 1 CARTON	02/04/2021	
1		60 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:69473-015-02	8 mL in 1 TUBE; Type 0: Not a Combination Product	02/04/2021	03/31/2022

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/04/2021	

Labeler - Alumier Labs (079603173)