

**AVOBENZONE, HOMOSALATE, OCTISALATE- avobenzone, homosalate, octisalate spray
Old East Main Co.**

**Studio Selection D41.000/D41AA
Sport Sunscreen Spray SPF 30**

Active Ingredients

Avobenzone 3%

Homosalate 10%

Octisalate 5%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable

- Flammable: keep away from fire or flame.
- After application, wait until product dries before approaching a source of heat or flame, or before smoking

Do not use

on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, seek immediate medical attention or call a Poison Control Center right away.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- apply to all skin exposed to the sun
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area and avoid inhalation
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.–2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

alcohol denat., diethylhexyl 2,6-naphthalate, acrylates/octylacrylamide copolymer, diisopropyl adipate, neopentyl glycol diheptanoate, butyloctyl salicylate, fragrance, amyl cinnamal, hydroxycitronellal, linalool, tocopheryl acetate

Disclaimers

May stain or damage some fabrics or surfaces

*This product is not manufactured or distributed by Beiersdorf AG, distributor of Coppertone[®] Sunscreen Spray Sport Broad Spectrum SPF 30.

Adverse Reaction

DISTRIBUTED BY OLD EAST MAIN CO.

100 MISSION RIDGE

GOODLETTSVILLE, TN 37072
 100% Satisfaction Guaranteed!
 (888) 309-9030

Principal display panel

STUDIO SELECTION[®]

SUN

Sport

Sunscreen Spray

BROAD SPECTRUM SPF 30

Compare to Coppertone[®] Sunscreen Spray Sport Broad Spectrum SPF 30*

- Water-Resistant (80 Minutes)
- UVA/UVB sunscreen

SPF 30

Octinoxate & Oxybenzone Free

NET WT 5.5 OZ (156 g)

Drug Facts	
Active ingredients	Purpose
Azobenzene 3%	Sunscreen
Homosalate 10%	Sunscreen
Octisalate 5%	Sunscreen
Uses	
Helps prevent sunburn. Used as directed with other sun protection measures. (See Warnings, decreases the risk of skin cancer and early skin aging caused by the sun.)	
Warnings	
For external use only.	
Immediately keep away from fire or flame. After application, wait until product dries before approaching a source of heat or flame, or before smoking.	
Do not use on damaged or broken skin.	
When using this product, keep out of eyes. Rinse with water to remove. Avoids contact with eyes, nose, mouth, or mucous membranes. Do not puncture or incise skin. Do not use at temperatures above 137°F.	
Stop use and ask a doctor if rash occurs.	
Keep out of reach of children. Avoid use if pregnant, get medical help or contact a Poison Control Center right away.	
Directions	
Spray liberally and spread evenly to hand 15 minutes before sun exposure.	
Apply to all skin exposed to the sun. Hold container 4 to 6 inches from the skin to apply.	
Do not spray directly into face. Spray on hands first, then apply to face.	
Do not apply in windy conditions. Use in a well-ventilated area and avoid inhalation.	
Reapply after 80 minutes of swimming or sweating, immediately after towel drying, and at least every 2 hours.	
Sun Protection Information. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:	
• Limit time in the sun, especially between 10 a.m. and 4 p.m.	
• Wear long-sleeved shirts, pants, hats and sunglasses.	
• Children under 6 months of age: Ask a doctor.	
Other information	
Protect the product in its container from excessive heat and direct sun.	
Inactive ingredients alcohol, distilled water, glycerin, polyethylene glycol, dimethylsiloxane, polybutene-1, polybutene-2, polybutene-3, polybutene-4, polybutene-5, polybutene-6, polybutene-7, polybutene-8, polybutene-9, polybutene-10, polybutene-11, polybutene-12, polybutene-13, polybutene-14, polybutene-15, polybutene-16, polybutene-17, polybutene-18, polybutene-19, polybutene-20, polybutene-21, polybutene-22, polybutene-23, polybutene-24, polybutene-25, polybutene-26, polybutene-27, polybutene-28, polybutene-29, polybutene-30, polybutene-31, polybutene-32, polybutene-33, polybutene-34, polybutene-35, polybutene-36, polybutene-37, polybutene-38, polybutene-39, polybutene-40, polybutene-41, polybutene-42, polybutene-43, polybutene-44, polybutene-45, polybutene-46, polybutene-47, polybutene-48, polybutene-49, polybutene-50, polybutene-51, polybutene-52, polybutene-53, polybutene-54, polybutene-55, polybutene-56, polybutene-57, polybutene-58, polybutene-59, polybutene-60, polybutene-61, polybutene-62, polybutene-63, polybutene-64, polybutene-65, polybutene-66, polybutene-67, polybutene-68, polybutene-69, polybutene-70, polybutene-71, polybutene-72, polybutene-73, polybutene-74, polybutene-75, polybutene-76, polybutene-77, polybutene-78, polybutene-79, polybutene-80, polybutene-81, polybutene-82, polybutene-83, polybutene-84, polybutene-85, polybutene-86, polybutene-87, polybutene-88, polybutene-89, polybutene-90, polybutene-91, polybutene-92, polybutene-93, polybutene-94, polybutene-95, polybutene-96, polybutene-97, polybutene-98, polybutene-99, polybutene-100.	
May stain or damage some fabrics or surfaces.	
*This product is not manufactured or distributed by Sunmaster, Inc., distributor of Coppertone [®] Sunscreen Spray Sport Broad Spectrum SPF 30.	
DISTRIBUTED BY OLD EAST MAN CO. 100 HIGHLAND BLVD. GOODLETTSVILLE, TN 37072	
100% Satisfaction Guaranteed or your \$25-2000.	

AVOBENZONE, HOMOSALATE, OCTISALATE
 avobenzene, homosalate, octisalate spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:75712-941
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: I0DQJ7YGXM)	
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (40000 MW) (UNII: 7LL6SY9YFV)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
.ALPHA.-AMYL CINNAMALDEHYDE (UNII: WC51CA3418)	
HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:75712-941-14	156 g in 1 CAN; Type 0: Not a Combination Product	09/12/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/05/2023	

Labeler - Old East Main Co. (006946172)

Registrant - Nice-Pak Products, LLC (119091520)

Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(75712-941)

