

COPPERTONE DEFEND AND CLEAR- octinoxate, octisalate, zinc oxide lotion
Beiersdorf Inc

D&C Clear Zinc Face SPF 50

Drug Facts

Active ingredients

Octinoxate 7.5%, Octisalate 4.5%, Zinc Oxide 9.7%

Purpose

Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well before use
- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces

Inactive ingredients

water, dicaprylyl ether, glycerin, polyester-27,styrene/acrylates copolymer, trilaureth-4phosphate,cetearylalcohol,beeswax,dimethicone, ammonium acryloyldimethyltaurate/VP copolymer, benzyl alcohol,glyceryl stearate, triethoxycaprylylsilane, chlorphenesin, disodium EDTA

Questions?

1-866-288-3330

CoppertoneSunscreen Lotion

Clear Zince FACE

with Zinc Oxide

Defend & Care

LightweightNo White Residue

Free ofoxybenzone, dyes & PABA

Water Resistant (80 Minutes)

Broad Spectrum SPF 50

3 FL OZ (88 mL)

Coppertone Defend & Care™ helps protect skin against the rays – in a breakthrough zinc oxide-based lotion that rubs in clear with no white residue. Its proven sun protection in a lightweight formula helps maintain vibrant, healthy-looking skin.



Clear Zinc Face Sunscreen sun's most damaging UVA/UVB protection in a lightweight formula helps maintain vibrant, healthy-looking skin.

Drug Facts	
Active Ingredients	Purpose
Octinoxate 7.5%, Octisalate 4.5%, Zinc Oxide 9.7%	Sunscreen
Use ■ helps prevent sunburn	
Warnings	
For external use only	
Do not use on damaged or broken skin	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ shake well before use ■ apply liberally 15 minutes before sun exposure ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours	
■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor	
Other information ■ protect this product from excessive heat and direct sun ■ may stain or damage some fabrics or surfaces	
Inactive ingredients water, dicaprylyl ether, glycerin, polyester-27, styrene/acrylates copolymer, tri-laureth-4 phosphate, cetearyl alcohol, beeswax, dimethicone, ammonium acryloyldimethyltaurate/vp copolymer, benzyl alcohol, glyceryl stearate, triethoxycaprylylsilane, chlorphenesin, disodium EDTA	
Questions? 1-866-288-3330	

Beiersdorf
 Beiersdorf Inc. Wilton, CT 06897
 ©=reg. TM. of Beiersdorf AG,
 Germany P0026779



Clear Zinc
FACE
 WITH ZINC OXIDE
Defend & Care

Lightweight
 No White Residue



FREE OF oxybenzone, dyes & PABA

WATER RESISTANT (80 MINUTES)
BROAD SPECTRUM SPF 50

3 FL OZ (88 mL)

COPPERTONE DEFEND AND CLEAR

octinoxate, octisalate, zinc oxide lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66800-3641
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength

OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9.7 g in 100 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER (UNII: W59H9296ZG)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
WATER (UNII: 059QF0KO0R)	
STYRENE/ACRYLAMIDE COPOLYMER (MW 500000) (UNII: 5Z4DPO246A)	
TRILAURETH-4 PHOSPHATE (UNII: M96W2OLL2V)	
SYNTHETIC BEESWAX (UNII: 08MNR5YE2R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
MAGNESIUM DISODIUM EDTA (UNII: NDT563S5VZ)	
GLYCERIN (UNII: PDC6A3C0OX)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
POLYESTER-7 (UNII: 0841698D2F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-3641-3	88 g in 1 TUBE; Type 0: Not a Combination Product	11/02/2020	
2	NDC:66800-3641-6	177 g in 1 TUBE; Type 0: Not a Combination Product	11/02/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/02/2020	

Labeler - Beiersdorf Inc (001177906)