# WAL TUSSIN DM ADULT COUGH AND CHEST CONGESTION- dextromethorphan hbr, guaifenes in solution Walgreen Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### Walgreen Co. Wal-Tussin® DM Drug Facts

### Active ingredients (in each 10 mL)

Dextromethorphan HBr, USP 20 mg Guaifenesin, USP 200 mg

### **Purposes**

Cough suppressant

Expectorant

### Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

### **Warnings**

### Do not use

If you are now taking a prescription monoamine inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

### Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

### If pregnant or breast-feeding,

ask a health professional before use.

### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose	
adults and children	10 mL	
12 years and over	every 4 hours	
children under 12 years	do not use	

### Other information

- Phenylketonurics: Contains Phenylalanine 30 mg per 10 mL
- store at 20-25°C (68-77°F). Do not refrigerate.

### **Inactive ingredients**

aspartame, benzoic acid, flavor, glycerin, hydroxyethyl cellulose, menthol, polyethylene glycol, purified water

### Questions or comments?

1-800-719-9260

### **Principal Display Panel**

 $Compare \ to \ Robitus sin^{\circledR} \ Sugar-Free \ Cough + Chest \ Congestion \ DM \ active \ ingredients$ 

**ADULT - NON-DROWSY** 

Dye-Free

Wal-Tussin® DM

**COUGH & CHEST CONGESTION** 

DEXTROMETHORPHAN HBr / COUGH SUPPRESSANT

GUAIFENESIN / EXPECTORANT

**DYE & SUGAR FREE** 

ALCOHOL FREE

Relieves cough, chest congestion & mucus

Specially formulated for diabetics

12 years & older

**CHERRY & MENTHOL FLAVOR** 

4 FL OZ (118 mL)



## Walgreens

Compare to Robitussin® Sugar-Free Cough + Chest Congestion DM active ingredients†

# Dye-Free al-Tussin

COUGH & CHEST CONGESTION

COUGH SUPPRESSANT GUAIFENESIN / EXPECTORANT

### DYE & SUGAR FREE

### ALCOHOL FREE

COUGH & CHEST CONGESTION

DEXTROMETHORPHAN HBr / COUGH SUPPRESSANT GUAIFENESIN / EXPECTORANT

- Relieves cough, chest congestion & mucus
- Specially formulated for diabetics

4 FL 0Z (118 mL)

### DYE & SUGAR FREE

### ALCOHOL FREE

- Relieves cough, chest congestion & mucus
- Specially formulated for diabetics

4 FL 0Z (118 mL)

## Drug Facts

Purposes

Walgreens

DO NO 1 DZE 11: PRINTE D NEC KBAN D IS BR ONEN OR MISSIN G

Md\_nissuT-laW

..Cough suppressant

### Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold

  helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tub

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. this product.

Ask a doctor before use if you have

- Ask a doctor before use if you have a cough that occurs with too much phlegm (mucus) a cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

of a serious contaion.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### Directions

- DIFECTIONS

  do not take more than 6 doses in any
  24-hour period

  measure only with dosing cup provided

  keep dosing cup with product

  m.L. = milliliter

  this adult product is not intended for use in
  children under 12 years of age

### Drug Facts (continued)

age	dose	
adults and children 12 years and over	10 mL every 4 hours	
children under 12 years	do not use	

### Other information

- Phenylketonurics: Contains
  Phenylalanine 30 mg per 10 mL
   store at 20-25°C (68-77°F).
  Do not refringeret Do not refrigerate.

Inactive ingredients aspartame, benzoic acid, flavor, glycerin, hydroxyethyl cellulose, menthol, polyethylene glycol, purified water

Questions or comments? 1-800-719-9260



DOSAGE CUP PROVIDED



www,StopMedicineAbuse.org

DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED walgreens.com ©2017 Walgreen Co.



ORG0917-F



LOT NO.

EXP.

: 57826 94 C14

# WAL TUSSIN DM ADULT COUGH AND CHEST CONGESTION

dextromethorphan hbr, guaifenesin solution

### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0363-0578

**Route of Administration** 

ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9 D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL	

Inactive Ingredients		
Ingredient Name	Strength	
ASPARTAME (UNII: Z0H242BBR1)		
BENZOIC ACID (UNII: 8 SKN0 B0 MIM)		
GLYCERIN (UNII: PDC6A3C0OX)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
WATER (UNII: 059QF0KO0R)		
MENTHOL, UNSPECIFIED FORM (UNII: L7T10 EIP3A)		

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:0363-0578-26	1 in 1 CARTON	07/29/1994	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:0363-0578-34	1 in 1 CARTON	02/23/1995	
2		237 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part341	07/29/1994		

# Labeler - Walgreen Company (008965063)

Revised: 12/2019 Walgreen Company