

METHYL SALICYLATE- methyl salicylate patch
Alexso, Inc

Methyl Salicylate Patch

Drug Facts

Active ingredient

Purpose

Methyl Salicylate 10%Topical analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints, such as simple backache, lumbago, arthritis, neuralgia, strains, bruises, and sprains.

Warnings

For external use only. Use only as directed or as directed by a health care professional.

Read all warnings and directions before use.

Discontinue use at least one hour prior to bath, shower, or swimming; do not use immediately after bath, shower, or swimming.

Do not use:

- On wounds, cuts, damaged or infected skin
- On eyes, mouth, genitals, or any other mucous membranes

Keep out of reach of children.

Consult physician for children under 18.

When using this product

- Avoid contact with the eyes
- You may experience a burning sensation. The intensity of this reaction varies among individuals and may be severe. With regular use, this sensation generally disappears after several days.
- Avoid contact with the eyes, lips, nose and mucous membranes
- Do not tightly wrap or bandage the treated area
- Do not apply heat to the treated area immediately before or after use

Stop use and ask a doctor if

- allergic reaction occurs
- condition worsens or does not improve within 7 days
- symptoms clear up and return within a few days
- redness, irritation, swelling, pain or other symptoms begin or increase

Directions**Adults and children 18 years of age and older:**

Apply 1 patch to the affected area of intact skin up to 3 times a day. Do not leave patch on for more than 8 hours at a time.

- Clean and dry the affected area.
- Open pouch and remove one patch.
- Remove any protective film and apply directly to affected area of pain. Apply immediately after removal from the protective envelope.
- Wash hands with soap and water after handling the patches.
- Reseal pouch containing unused patches after each use. Do not store patch outside the sealed envelope.
- Fold used patches so that the adhesive side sticks to itself and safely discard used patches or pieces of cut patches where children and pets cannot get to them.

Children under 18 years: Ask a physician

Other information

- May be applied under occlusive dressing.
- Store at 20-25°C (68-77°F); excursions permitted to 15-30°C (59-86°F). See USP Controlled Room Temperature.

Inactive ingredients

Polysorbate 80, Glycerin, Sodium Cellulose Glycolate, Sodium Polyacrylate, Vitamin E, EDTA Disodium Salt, Kaolin, Water, Methylparaben

Methyl Salicylate 10% Patch

NDC: 50488-2010-1


10 Patches

Manufactured for:
Alexso, Inc
Los Angeles, CA 90064

PRINCIPAL DISPLAY PANEL

Methyl Salicylate 10% Patch

Topical Analgesic
NDC 50488-2010-1
10 Patches



METHYL SALICYLATE

methyl salicylate patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50488-2010
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	10 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
GLYCERIN (UNII: PDC6A3C0OX)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
KAOLIN (UNII: 24H4NWX5CO)	

WATER (UNII: 059QF0KO0R)				
METHYLPARABEN (UNII: A2I8C7HI9T)				
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50488-2010-1	2 in 1 BOX	02/11/2021	
1		5 in 1 POUCH		
1		100 g in 1 PATCH; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		505G(a)(3)	02/11/2021	

Labeler - Alexso, Inc (963338061)

Revised: 12/2024

Alexso, Inc