

**DERM INSTITUTE DAILY DEFENSE PROTECTION SUNSCREEN BROAD SPECTRUM SPF50- titanium dioxide, zinc oxide lotion**  
**Beautcella Inc.**

-----  
**Derm Institute Daily Defense Protection Sunscreen Broad Spectrum SPF50+**

**Drug Facts**

**Active ingredients**

Titanium Dioxide 8.85%

Zinc Oxide 1.91%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn.
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only.**

**Do not use**

on damaged or broken skin.

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor**

if rash occurs.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Use in the a.m. after serum and before foundation or makeup
- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours

- use a water-resistant sunscreen if swimming or sweating
- children under 6 months of age: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses

### **Other information**

Protect the product in this container from excessive heat and direct sun.

### **Questions?**

212-708-3998

### **Inactive ingredients**

Water (Aqua), Isononyl Isononanoate, Butylene Glycol, Caprylic/Capric Triglyceride, Cetyl Ethylhexanoate, Propanediol, Sodium Chloride, Diethylhexyl Carmonate, Stearic Acid, Alumina, Distearidimonium Hectorite, Polyhydroxystearic Acid, Iron Oxides (CI 77492), Phenoxyethanol, Bacopa Monnieri Extract, Lavandula Angustifolia (Lavender) Oil, Polyglyceryl-6 Polyricinoleate, Glycerin, Butyrospermum Parkii (Shea) Butter, Acetyl Tyrosine, Tocopheryl Acetate, Urea, Allantoin, o-Cymen-5-ol, Iron Oxides (CI 77491), Proline, Ethylhexylglycerin, Iron Oxides (CI 77499), Melaleuca Alternifolia (Tea Tree) Leaf Oil, Hydrolyzed Vegetable Protein, Adenosine Triphosphate, Hydroxyethylcellulose, Xanthophylls, PEG-12 Glyceryl Laurate, Rosmarinus Officininalis (Rosemary) Leaf Oil, PEG-35 Castor Oil, PVP, Lecithin, Alteromonas Ferment Extract, Magnesium Ascorbyl Phosphate, Silybum Marianum Extract, Potassium Sorbate, Caprylyl Glycol, Disodium EDTA, Tocopherol, Xanthan Gum, Ergothioneine, Chondrus Crispus Extract

### **Company Information**

Distributed by: Beautcella Inc. New York, NY 10021 USA

[www.DiSkincare.com](http://www.DiSkincare.com)

### **Product Packaging**

D

DERM INSTITUTE

DAILY DEFENSE  
PROTECTION

PROTECTION DÉFENSE QUOTIDIENNE

SUNSCREEN BROAD SPECTRUM

SPF50+ PA++++

0.85fl.oz. e 25ml

Distributed by:  
BEAUTCELLA INC.  
New York, NY 10021, USA  
www.DiSkinCare.com  
RP, MSL, BLS 5NB, UK / STE 5335,  
27 UPPER PEMBROKE ST, DUBLIN, IE

Made in USA



8 59763 00633 6

**Drug Facts** (continued)

**[Inactive ingredients]**

Water (Aqua), Iscoryl, Isocyanate, Butylene Glycol, Caprylic/Capric Triglyceride, Cetyl Ethylhexanoate, Propylparaben, Sodium Chloride, Diethylhexyl Carbonate, Stearic Acid, Alumina, Distearidimonium Hectorite, Polyhydroxyesteric Acid, Iron Oxides (CI 77492), Phenoxyethanol, Baobab Monolaurate, Lavandula Angustifolia (Lavender) Oil, Polyglyceryl-6 Polyristoinoate, Glycerin, Butyrospermum Parkii (Shea) Butter, Acetyl Tyrosine, Tocopheryl Acetate, Urea, Allantoin, e-Cymen-5-ol, Iron Oxides (CI 77491), Prolin, Ethylhexylglycerin, Iron Oxides (CI 77498), Melaleuca Alternifolia (Tea Tree) Leaf Oil, Hydrolyzed Vegetable Protein, Adenosine Triphosphate, Hydroxyethylcellulose, Xanthophylls, PEG-12 Glyceryl Laurate, Rosmarinus Officinalis (Rosemary) Leaf Oil, PEG-33 Castor Oil, PVP, Lecithin, Altracomense Ferment Extract, Magnesium Ascorbyl Phosphate, Silybum Marianum Extract, Potassium Sorbate, Caprylyl Glycol, Disodium EDTA, Tocopherol, Xanthan Gum, Ergothioneine, Chondrus Crispus Extract



6mm

defends UVA & UVB  
protects against air pollution  
illuminates and hydrates skin



/ protection solaire contre UVA & UVB  
/ protège contre la pollution atmosphérique  
/ illumine la peau et l'hydrate

This powerful moisturizer sunscreen enriches with superb anti-oxidant complex, long-lasting hydrators and broad spectrum SPF50+ protection plus anti pollution technology. Advanced anti oxidant complex helps fight the appearance of free radical damage. Broad spectrum SPF50+ plus anti-pollution technology protects skin from harmful rays UVA/UVB and environmental pollution.

**Drug Facts**

Active ingredients		Purpose
Titanium Dioxide	2.85%	Sunscreen
Zinc Oxide	1.91%	Sunscreen

**Uses**

- helps prevent sunburn.
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only.**  
**Do not use** on damaged or broken skin.  
**When using this product** keep out of eyes. Rinse with water to remove.  
**Stop use and ask a doctor** if rash occurs.  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Use in the a.m. after serum and before foundation or makeup
- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water-resistance sunscreen if swimming or sweating
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

Protect the product in this container from excessive heat and direct sun.

**Questions?** 212-708-3998

mm

[www.DiSkincare.com](http://www.DiSkincare.com)

# DERM INSTITUTE DAILY DEFENSE PROTECTION SUNSCREEN BROAD SPECTRUM SPF50

titanium dioxide, zinc oxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:81521-001
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	88.5 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	19.1 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)	
<b>ADENOSINE TRIPHOSPHATE</b> (UNII: 8L70Q75FXE)	
<b>PROLINE</b> (UNII: 9DLQ4CIU6V)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>TEA TREE OIL</b> (UNII: VIF565UC2G)	
<b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)	
<b>POLYOXYL 35 CASTOR OIL</b> (UNII: 6D4M1DAL6O)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>UREA</b> (UNII: 8W8T17847W)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>ACETYL L-TYROSINE</b> (UNII: DA8G610ZO5)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>DIETHYLHEXYL CARBONATE</b> (UNII: YCD500OZ6L)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>CETYL ETHYLHEXANOATE</b> (UNII: 134647WMX4)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ISONONYL ISONONANOATE</b> (UNII: S4V5BS6GCX)	
<b>O-CYMEN-5-OL</b> (UNII: H41B6Q1I9L)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>CHONDRUS CRISPUS CARRAGEENAN</b> (UNII: UE856F2T78)	
<b>LUTEIN</b> (UNII: X72A60C9MT)	
<b>ROSEMARY OIL</b> (UNII: 8LGU7VM393)	
<b>BACOPA MONNIERI WHOLE</b> (UNII: DUB5K84ELI)	
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>ALLANTOIN</b> (UNII: 344S277G0Z)	

<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>POVIDONE</b> (UNII: FZ989GH94E)
<b>ERGOTHIONEINE</b> (UNII: BDZ3DQM98W)
<b>MAGNESIUM ASCORBYL PHOSPHATE</b> (UNII: 0R822556M5)
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>PEG-12 GLYCERYL LAURATE</b> (UNII: J07WW42G15)
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>MILK THISTLE</b> (UNII: U946SH95EE)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81521-001-01	1 in 1 CARTON	05/01/2021	
1		25 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/01/2021	

**Labeler** - Beautcella Inc. (928453625)

Revised: 12/2024

Beautcella Inc.