

**S12 AIRBORNE- alfalfa, allium sativum, arsenicum iodatum, barley, betula pubescens, brown rice, corn grain, euphrasia officinalis, feather mix, hair mix, histaminum, house dust mite, lolium perenne, oat, perfoliate honeysuckle, phleum pratense, pollen mix, rye, sabadilla, silicea, skin mix, solidago virgaurea, taraxacum officinale, terebinthina, wheat solution/ drops Apex Energetics Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**S12**

<b>Active Ingredients</b>	
Agrostis Gigantea Pollen	4C 6C 9C 12C 15C 30C
Alfalfa Top	4C 6C 9C 12C 15C 30C
Allium Sativum	4C 6C 9C 12C 15C 30C
Amaranthus Palmeri Pollen	4C 6C 9C 12C 15C 30C
Amaranthus Retroflexus Pollen	4C 6C 9C 12C 15C 30C
Ambrosia Artemisiifolia Pollen	4C 6C 9C 12C 15C 30C
Ambrosia Trifida Pollen	4C 6C 9C 12C 15C 30C
American House Dust Mite	4C 6C 9C 12C 15C 30C
Anthoxanthum Odoratum Pollen	4C 6C 9C 12C 15C 30C
Arsenicum Iodatum	4C 6C 9C 12C 15C 30C
Artemisia Vulgaris Pollen	4C 6C 9C 12C 15C 30C
Barley	4C 6C 9C 12C 15C 30C
Betula Lenta Pollen	4C 6C 9C 12C 15C 30C
Betula Occidentalis Pollen	4C 6C 9C 12C 15C 30C
Betula Pubescens Flower Bud	4C 6C 9C 12C 15C 30C
Bos Taurus Skin	4C 6C 9C 12C 15C 30C
Brown Rice	4C 6C 9C 12C 15C 30C
Canis Lupus Familiaris Skin	4C 6C 9C 12C 15C 30C
Capra Hircus Hair	4C 6C 9C 12C 15C 30C
Capra Hircus Skin	4C 6C 9C 12C 15C 30C
Chenopodium Album Pollen	4C 6C 9C 12C 15C 30C
Chicken Feather	4C 6C 9C 12C 15C 30C
Corn Grain	4C 6C 9C 12C 15C 30C
Dactylis Glomerata Pollen	4C 6C 9C 12C 15C 30C
Duck Feather	4C 6C 9C 12C 15C 30C
Dysphania Ambrosioides Pollen	4C 6C 9C 12C 15C 30C
Equus Caballus Skin	4C 6C 9C 12C 15C 30C
Euphrasia Officinalis	4C 6C 9C 12C 15C 30C
European House Dust Mite	4C 6C 9C 12C 15C 30C
Felis Catus Hair	4C 6C 9C 12C 15C 30C
Festuca Pratensis Pollen	4C 6C 9C 12C 15C 30C
Goose Feather	4C 6C 9C 12C 15C 30C
Histaminum Hydrochloricum	4C 6C 9C 12C 15C 30C

Iva Annuua Pollen	4C 6C 9C 12C 15C 30C
Leucanthemum Vulgare Pollen	4C 6C 9C 12C 15C 30C
Lolium Perenne Top	4C 6C 9C 12C 15C 30C
Oat	4C 6C 9C 12C 15C 30C
Perennial Ryegrass Pollen	4C 6C 9C 12C 15C 30C
Perfoliate Honeysuckle Flower	4C 6C 9C 12C 15C 30C
Phleum Pratense Pollen	4C 6C 9C 12C 15C 30C
Phleum Pratense Top	4C 6C 9C 12C 15C 30C
Poa Pratensis Pollen	4C 6C 9C 12C 15C 30C
Rye	4C 6C 9C 12C 15C 30C
Sabadilla	4C 6C 9C 12C 15C 30C
Sheep Hair	4C 6C 9C 12C 15C 30C
Silicea	4C 6C 9C 12C 15C 30C
Solidago Virgaurea	4C 6C 9C 12C 15C 30C
Taraxacum Officinale	4C 6C 9C 12C 15C 30C
Taraxacum Officinale Pollen	4C 6C 9C 12C 15C 30C
Terebinthina	4C 6C 9C 12C 15C 30C
Wheat	4C 6C 9C 12C 15C 30C
Xanthium Strumarium Pollen	4C 6C 9C 12C 15C 30C

**Uses:**

For temporary relief of minor:

congestion\*

coughing\*

itchiness\*

wheezing\*

sinus discomfort\*

\*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

**Warnings:**

**If pregnant or breastfeeding, ask a health professional before use.**

Do not use if clear seal over the cap is broken or missing.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Stop use and ask a doctor if** congestion, coughing, itchiness, wheezing, sinus discomfort, or other symptoms do not improve within 7 days or are accompanied by fever.

**Directions:**

Adults & children ages 12 years and over: Take 10 drops under the tongue 1-3 times a

day, or as directed by your healthcare professional. Consult a physician for use in children under 12 years of age.

**Inactive Ingredients**

alcohol (20% by volume), distilled water

Distributed by Apex Energetics, Inc. Questions?

16592 Hale Ave., Irvine, CA 92606, USA

FUTUREPLEX® S12

ALLERTOx®

AIRBORNE™

Homeopathic Formula

Congestion\*

Coughing\*

Itchiness\*

2 fl oz (60 mL)

Alcohol 20% by Volume

**Drug Facts (continued)**

**Uses:** For temporary relief of minor:  
 • congestion\* • coughing\* • itchiness\*  
 • wheezing\* • sinus discomfort\*

**Warnings:** If pregnant or breastfeeding, ask a health professional before use. Do not use if clear seal over the cap is broken or missing. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. **Stop use and ask a doctor if** congestion, coughing, itchiness, wheezing, sinus discomfort, or other symptoms do not improve within 7 days or are accompanied by fever.

**Directions:** Adults & children ages 12 years and over: Take 10 drops under the tongue 1-3 times a day, or as directed by your healthcare professional. Consult a physician for use in children under 12 years of age.

**Inactive Ingredients** alcohol (20% by volume), distilled water

\*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Distributed by Apex Energetics, Inc.  
 Questions?  
 16592 Hale Ave., Irvine, CA 92606, USA

LOT  
 © 2021 Apex Energetics



FUTUREPLEX® S12  
 ALLERTOx®



AIRBORNE™

Homeopathic Formula

Congestion\*  
 Coughing\* • Itchiness\*

2 fl oz (60 mL)

Alcohol 20% by Volume

**Drug Facts**

**Active Ingredients**

Agrostis Gigantea Pollen	4C 6C 9C 12C 15C 30C	Equus Caballus Skin	4C 6C 9C 12C 15C 30C
Alfalfa Top	4C 6C 9C 12C 15C 30C	Euphrasia Officinalis	4C 6C 9C 12C 15C 30C
Allium Sativum	4C 6C 9C 12C 15C 30C	European House Dust Mite	4C 6C 9C 12C 15C 30C
Amaranthus Palmeri Pollen	4C 6C 9C 12C 15C 30C	Felis Catus Hair	4C 6C 9C 12C 15C 30C
Amaranthus Retroflexus Pollen	4C 6C 9C 12C 15C 30C	Festuca Pratensis Pollen	4C 6C 9C 12C 15C 30C
Ambrosia Artemisiifolia Pollen	4C 6C 9C 12C 15C 30C	Goose Feather	4C 6C 9C 12C 15C 30C
Ambrosia Trifida Pollen	4C 6C 9C 12C 15C 30C	Histaminum Hydrochloricum	4C 6C 9C 12C 15C 30C
American House Dust Mite	4C 6C 9C 12C 15C 30C	Iva Annua Pollen	4C 6C 9C 12C 15C 30C
Anthoxanthum Odoratum Pollen	4C 6C 9C 12C 15C 30C	Leucanthemum Vulgare Pollen	4C 6C 9C 12C 15C 30C
Arsenicum Iodatum	4C 6C 9C 12C 15C 30C	Lolium Perenne Top	4C 6C 9C 12C 15C 30C
Artemisia Vulgaris Pollen	4C 6C 9C 12C 15C 30C	Oat	4C 6C 9C 12C 15C 30C
Barley	4C 6C 9C 12C 15C 30C	Perennial Ryegrass Pollen	4C 6C 9C 12C 15C 30C
Betula Lenta Pollen	4C 6C 9C 12C 15C 30C	Perfoliate Honeysuckle Flower	4C 6C 9C 12C 15C 30C
Betula Occidentalis Pollen	4C 6C 9C 12C 15C 30C	Phleum Pratense Pollen	4C 6C 9C 12C 15C 30C
Betula Pubescens Flower Bud	4C 6C 9C 12C 15C 30C	Phleum Pratense Top	4C 6C 9C 12C 15C 30C
Bos Taurus Skin	4C 6C 9C 12C 15C 30C	Poa Pratensis Pollen	4C 6C 9C 12C 15C 30C
Brown Rice	4C 6C 9C 12C 15C 30C	Rye	4C 6C 9C 12C 15C 30C
Canis Lupus Familiaris Skin	4C 6C 9C 12C 15C 30C	Sabadilla	4C 6C 9C 12C 15C 30C
Capra Hircus Hair	4C 6C 9C 12C 15C 30C	Sheep Hair	4C 6C 9C 12C 15C 30C
Capra Hircus Skin	4C 6C 9C 12C 15C 30C	Silicea	4C 6C 9C 12C 15C 30C
Chenopodium Album Pollen	4C 6C 9C 12C 15C 30C	Solidago Virgaurea	4C 6C 9C 12C 15C 30C
Chicken Feather	4C 6C 9C 12C 15C 30C	Taraxacum Officinale	4C 6C 9C 12C 15C 30C
Corn Grain	4C 6C 9C 12C 15C 30C	Taraxacum Officinale Pollen	4C 6C 9C 12C 15C 30C
Dactylis Glomerata Pollen	4C 6C 9C 12C 15C 30C	Terebinthina	4C 6C 9C 12C 15C 30C
Duck Feather	4C 6C 9C 12C 15C 30C	Wheat	4C 6C 9C 12C 15C 30C
Dysphania Ambrosioides Pollen	4C 6C 9C 12C 15C 30C	Xanthium Strumarium Pollen	4C 6C 9C 12C 15C 30C

S1221-0316

**S12 AIRBORNE**

alfalfa, allium sativum, arsenicum iodatum, barley, betula pubescens, brown rice, corn grain, euphrasia officinalis, feather mix, hair mix, histaminum, house dust mite, lolium perenne, oat, perfoliate honeysuckle, phleum pratense, pollen mix, rye, sabadilla, silicea, skin mix, solidago virgaurea, taraxacum officinale, terebinthina, wheat solution/ drops

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63479-1912
---------------------	----------------	---------------------------	----------------

## Route of Administration

SUBLINGUAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ALFALFA TOP</b> (UNII: SQI2NBY9KR) (ALFALFA TOP - UNII:SQI2NBY9KR)	ALFALFA TOP	30 [hp_C] in 1 mL
<b>AMARANTHUS PALMERI POLLEN</b> (UNII: 1GH3WW23KH) (AMARANTHUS PALMERI POLLEN - UNII:1GH3WW23KH)	AMARANTHUS PALMERI POLLEN	30 [hp_C] in 1 mL
<b>AMBROSIA ARTEMISIIFOLIA POLLEN</b> (UNII: K20Y81ACO3) (AMBROSIA ARTEMISIIFOLIA POLLEN - UNII:K20Y81ACO3)	AMBROSIA ARTEMISIIFOLIA POLLEN	30 [hp_C] in 1 mL
<b>BARLEY</b> (UNII: 5PWM7YLI7R) (BARLEY - UNII:5PWM7YLI7R)	BARLEY	30 [hp_C] in 1 mL
<b>BETULA PUBESCENS FLOWER BUD</b> (UNII: 32JS91VU1G) (BETULA PUBESCENS FLOWER BUD - UNII:32JS91VU1G)	BETULA PUBESCENS FLOWER BUD	30 [hp_C] in 1 mL
<b>HISTAMINE DIHYDROCHLORIDE</b> (UNII: 3POA0Q644U) (HISTAMINE - UNII:820484N8I3)	HISTAMINE DIHYDROCHLORIDE	30 [hp_C] in 1 mL
<b>RYE</b> (UNII: 0R4AQI398X) (RYE - UNII:0R4AQI398X)	RYE	30 [hp_C] in 1 mL
<b>SHEEP WOOL</b> (UNII: 503LYG631H) (SHEEP WOOL - UNII:503LYG631H)	SHEEP WOOL	30 [hp_C] in 1 mL
<b>IVA ANNUA POLLEN</b> (UNII: Y2U5S5PF22) (IVA ANNUA POLLEN - UNII:Y2U5S5PF22)	IVA ANNUA POLLEN	30 [hp_C] in 1 mL
<b>LOLIUM PERENNE TOP</b> (UNII: 9ZUC5NG0RD) (LOLIUM PERENNE TOP - UNII:9ZUC5NG0RD)	LOLIUM PERENNE TOP	30 [hp_C] in 1 mL
<b>LONICERA CAPRIFOLIUM FLOWER</b> (UNII: 5N1WD9784U) (LONICERA CAPRIFOLIUM FLOWER - UNII:5N1WD9784U)	LONICERA CAPRIFOLIUM FLOWER	30 [hp_C] in 1 mL
<b>LOLIUM PERENNE POLLEN</b> (UNII: 4T81LB52R0) (LOLIUM PERENNE POLLEN - UNII:4T81LB52R0)	LOLIUM PERENNE POLLEN	30 [hp_C] in 1 mL
<b>TARAXACUM OFFICINALE</b> (UNII: 39981FM375) (TARAXACUM OFFICINALE - UNII:39981FM375)	TARAXACUM OFFICINALE	30 [hp_C] in 1 mL
<b>DERMATOPHAGOIDES PTERONYSSINUS</b> (UNII: 57L1Z5378K) (DERMATOPHAGOIDES PTERONYSSINUS - UNII:57L1Z5378K)	DERMATOPHAGOIDES PTERONYSSINUS	30 [hp_C] in 1 mL
<b>FESTUCA PRATENSIS POLLEN</b> (UNII: A0WFQ8P6N1) (FESTUCA PRATENSIS POLLEN - UNII:A0WFQ8P6N1)	FESTUCA PRATENSIS POLLEN	30 [hp_C] in 1 mL
<b>LEUCANTHEMUM VULGARE POLLEN</b> (UNII: H9E0IX4MOX) (LEUCANTHEMUM VULGARE POLLEN - UNII:H9E0IX4MOX)	LEUCANTHEMUM VULGARE POLLEN	30 [hp_C] in 1 mL
<b>BETULA LENTA POLLEN</b> (UNII: JQ5HI5004M) (BETULA LENTA POLLEN - UNII:JQ5HI5004M)	BETULA LENTA POLLEN	30 [hp_C] in 1 mL
<b>CAPRA HIRCUS HAIR</b> (UNII: 16M9MK8C4W) (CAPRA HIRCUS HAIR - UNII:16M9MK8C4W)	CAPRA HIRCUS HAIR	30 [hp_C] in 1 mL
<b>WHEAT</b> (UNII: 4J2I0SN84Y) (WHEAT - UNII:4J2I0SN84Y)	WHEAT	30 [hp_C] in 1 mL
<b>AMARANTHUS RETROFLEXUS POLLEN</b> (UNII: 73B14PX5FW) (AMARANTHUS RETROFLEXUS POLLEN - UNII:73B14PX5FW)	AMARANTHUS RETROFLEXUS POLLEN	30 [hp_C] in 1 mL
<b>DERMATOPHAGOIDES FARINAE</b> (UNII: PR9U2YPF3Q) (DERMATOPHAGOIDES FARINAE - UNII:PR9U2YPF3Q)	DERMATOPHAGOIDES FARINAE	30 [hp_C] in 1 mL
<b>PHLEUM PRATENSE POLLEN</b> (UNII: 65M88RW2EG) (PHLEUM PRATENSE POLLEN - UNII:65M88RW2EG)	PHLEUM PRATENSE POLLEN	30 [hp_C] in 1 mL
<b>SCHOENOCAULON OFFICINALE SEED</b> (UNII: 6NAF1689IO) (SCHOENOCAULON OFFICINALE SEED - UNII:6NAF1689IO)	SCHOENOCAULON OFFICINALE SEED	30 [hp_C] in 1 mL
<b>ANTHOXANTHUM ODORATUM POLLEN</b> (UNII: 2KIK19R45Y) (ANTHOXANTHUM ODORATUM POLLEN - UNII:2KIK19R45Y)	ANTHOXANTHUM ODORATUM POLLEN	30 [hp_C] in 1 mL
<b>BOS TAURUS SKIN</b> (UNII: 7J12CD6O9L) (BOS TAURUS SKIN - UNII:7J12CD6O9L)	BOS TAURUS SKIN	30 [hp_C] in 1 mL
<b>CANIS LUPUS FAMILIARIS SKIN</b> (UNII: X2W7CLE97T) (CANIS LUPUS FAMILIARIS SKIN - UNII:X2W7CLE97T)	CANIS LUPUS FAMILIARIS SKIN	30 [hp_C] in 1 mL
<b>CAPRA HIRCUS SKIN</b> (UNII: JLG9853E2P) (CAPRA HIRCUS SKIN -	CAPRA HIRCUS SKIN	30 [hp_C]

UNII:JLG9853E2P)	CAPRA HIRCUS SKIN	in 1 mL
<b>GARLIC</b> (UNII: V1V998DC17) (GARLIC - UNII:V1V998DC17)	GARLIC	30 [hp_C] in 1 mL
<b>XANTHIUM STRUMARIUM POLLEN</b> (UNII: 2QOF601J1M) (XANTHIUM STRUMARIUM POLLEN - UNII:2QOF601J1M)	XANTHIUM STRUMARIUM POLLEN	30 [hp_C] in 1 mL
<b>FELIS CATUS HAIR</b> (UNII: 1564HD0N96) (FELIS CATUS HAIR - UNII:1564HD0N96)	FELIS CATUS HAIR	30 [hp_C] in 1 mL
<b>OAT</b> (UNII: Z6J799EAJK) (OAT - UNII:Z6J799EAJK)	OAT	30 [hp_C] in 1 mL
<b>PHLEUM PRATENSE TOP</b> (UNII: S7PW24BX20) (PHLEUM PRATENSE TOP - UNII:S7PW24BX20)	PHLEUM PRATENSE TOP	30 [hp_C] in 1 mL
<b>BROWN RICE</b> (UNII: 659G217HPG) (BROWN RICE - UNII:659G217HPG)	BROWN RICE	30 [hp_C] in 1 mL
<b>TURPENTINE OIL</b> (UNII: C5H0QJ6V7F) (TURPENTINE OIL - UNII:C5H0QJ6V7F)	TURPENTINE OIL	30 [hp_C] in 1 mL
<b>CHENOPODIUM ALBUM POLLEN</b> (UNII: 098LKX5NCN) (CHENOPODIUM ALBUM POLLEN - UNII:098LKX5NCN)	CHENOPODIUM ALBUM POLLEN	30 [hp_C] in 1 mL
<b>ANSER ANSER FEATHER</b> (UNII: 15XI414745) (ANSER ANSER FEATHER - UNII:15XI414745)	ANSER ANSER FEATHER	30 [hp_C] in 1 mL
<b>ARSENIC TRIIODIDE</b> (UNII: 3029988O2T) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIIODIDE	30 [hp_C] in 1 mL
<b>ARTEMISIA VULGARIS POLLEN</b> (UNII: ANT994T71D) (ARTEMISIA VULGARIS POLLEN - UNII:ANT994T71D)	ARTEMISIA VULGARIS POLLEN	30 [hp_C] in 1 mL
<b>BETULA OCCIDENTALIS POLLEN</b> (UNII: R889N2L976) (BETULA OCCIDENTALIS POLLEN - UNII:R889N2L976)	BETULA OCCIDENTALIS POLLEN	30 [hp_C] in 1 mL
<b>DACTYLIS GLOMERATA POLLEN</b> (UNII: 83N78IDA7P) (DACTYLIS GLOMERATA POLLEN - UNII:83N78IDA7P)	DACTYLIS GLOMERATA POLLEN	30 [hp_C] in 1 mL
<b>GALLUS GALLUS FEATHER</b> (UNII: 1FCM16V0FV) (GALLUS GALLUS FEATHER - UNII:1FCM16V0FV)	GALLUS GALLUS FEATHER	30 [hp_C] in 1 mL
<b>POA PRATENSIS POLLEN</b> (UNII: SCB8J7LS3T) (POA PRATENSIS POLLEN - UNII:SCB8J7LS3T)	POA PRATENSIS POLLEN	30 [hp_C] in 1 mL
<b>CORN GRAIN</b> (UNII: C1Z9U7094Z) (CORN GRAIN - UNII:C1Z9U7094Z)	CORN GRAIN	30 [hp_C] in 1 mL
<b>ANAS PLATYRHYNCHOS FEATHER</b> (UNII: 83B65P4796) (ANAS PLATYRHYNCHOS FEATHER - UNII:83B65P4796)	ANAS PLATYRHYNCHOS FEATHER	30 [hp_C] in 1 mL
<b>DYSPHANIA AMBROSIOIDES POLLEN</b> (UNII: WB701MW2H) (DYSPHANIA AMBROSIOIDES POLLEN - UNII:WB701MW2H)	DYSPHANIA AMBROSIOIDES POLLEN	30 [hp_C] in 1 mL
<b>EQUUS CABALLUS SKIN</b> (UNII: 88VZV9HGT4) (EQUUS CABALLUS SKIN - UNII:88VZV9HGT4)	EQUUS CABALLUS SKIN	30 [hp_C] in 1 mL
<b>EUPHRASIA STRICTA</b> (UNII: C9642I91WL) (EUPHRASIA STRICTA - UNII:C9642I91WL)	EUPHRASIA STRICTA	30 [hp_C] in 1 mL
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	30 [hp_C] in 1 mL
<b>SOLIDAGO VIRGAUREA FLOWERING TOP</b> (UNII: 5405K23S50) (SOLIDAGO VIRGAUREA FLOWERING TOP - UNII:5405K23S50)	SOLIDAGO VIRGAUREA FLOWERING TOP	30 [hp_C] in 1 mL
<b>TARAXACUM OFFICINALE POLLEN</b> (UNII: WQ3S5294XY) (TARAXACUM OFFICINALE POLLEN - UNII:WQ3S5294XY)	TARAXACUM OFFICINALE POLLEN	30 [hp_C] in 1 mL
<b>AGROSTIS GIGANTEA POLLEN</b> (UNII: HU8V6E7HOA) (AGROSTIS GIGANTEA POLLEN - UNII:HU8V6E7HOA)	AGROSTIS GIGANTEA POLLEN	30 [hp_C] in 1 mL
<b>AMBROSIA TRIFIDA POLLEN</b> (UNII: KU1V1898XX) (AMBROSIA TRIFIDA POLLEN - UNII:KU1V1898XX)	AMBROSIA TRIFIDA POLLEN	30 [hp_C] in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63479-1912-1	60 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/06/2021	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/15/1993	

**Labeler** - Apex Energetics Inc. (195816384)

Revised: 1/2024

Apex Energetics Inc.