

AKIN- guaifenesin solution
Southern Sales & Service, Inc.

Akin Expectorant Formula

Drug Facts

(in each 5ml tsp.) Active ingredient

Guaifenesin USP 100 mg

Purpose

Expectorant

Uses

helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Warnings

Do not take this product for persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema, or where cough is accompanied by excessive phlegm(mucus) unless directed by a doctor."

Stop use

and ask a doctor if

cough persists for more than 1 week, tends to recur, or is accompanied by a fever, rash or persistent headache, consult a doctor. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of the reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Do not take more than 6 doses in any 24-hour period.

adults and children 12 years and over	10 to 20 ml (2 to 4 teaspoonfuls every 4 hours or as directed by doctor)
children under 12 years	do not use

Other information

- store at room temperature
- 15°-30°C (59°-86°F)
- Do not use if seal under cap is torn, broken or missing. **TAMPER-EVIDENT:**

Inactive ingredients

Propylene glycol, glycerine, citric acid, sucralose, sodium citrate, potassium sorbate, methylparaben, propylparaben, cherry flavor, menthol, FD &C Red # 40, caramel color, purified water.

Akin Expectorant Formula 118 ml

<p>Drug Facts</p> <p>Active ingredient (in each 5ml tsp.) Guaifenesin USP 100 mg.....Expectorant</p> <p>PurposeExpectorant</p> <p>Uses • helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive</p> <p>Warnings Do not take this product for persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema, or where cough is accompanied by excessive phlegm(mucus) unless directed by a doctor.</p> <p>Stop use and ask a doctor if • cough persists for more than 1 week, tends to recur, or is accompanied by a fever, rash or persistent headache, consult doctor. A persistent cough may be a sign of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p>	<p style="text-align: center;">NDC# 69822-200-02</p> <p style="text-align: center;">AKIN</p> <p style="text-align: center;">Expectorant Formula</p> <p style="text-align: center;">Guaifenesin</p> <p style="text-align: center;">Sugar Free Alcohol Free</p> <p style="text-align: center;">• Expectorant</p> <p style="text-align: center;">Cherry Flavor 4 FL OZ (118 ml)</p> <p style="text-align: center;">Adult</p>	<p>Directions Do not take more than 6 doses in any 24 hours period</p> <table border="1"> <tr> <td>Adults and children 12 years and over</td> <td>10 to 20 ml (2 to 4 teaspoonfuls every 4 hours or as directed by doctor)</td> </tr> <tr> <td>children under 12 years</td> <td>do not use</td> </tr> </table> <p>Other information • store at room temperature • 15°- 30°C (59°-86°F) • TAMPER-EVIDENT: Do not use if seal under cap is torn, broken or missing.</p> <p>Inactive ingredients Propylene glycol, glycerine, citric acid, sucralose, sodium citrate, potassium sorbate, methylparaben, propylparaben, cherry flavor, menthol, FD&C Red#40, caramel color, purified water.</p> <p>Lot: _____ Exp.: _____</p>	Adults and children 12 years and over	10 to 20 ml (2 to 4 teaspoonfuls every 4 hours or as directed by doctor)	children under 12 years	do not use	 <p>8 50011 55788 4</p> <p>DISTRIBUTED BY: Southern Sales Services Inc. Pembroke Pines, FL 33332 Questions or Comments? Call 1800.213.9370 southernsalesgrp.com</p>
Adults and children 12 years and over	10 to 20 ml (2 to 4 teaspoonfuls every 4 hours or as directed by doctor)						
children under 12 years	do not use						

AKIN

guaifenesin solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69822-200
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL
---	-------------	----------------

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
GLYCERIN (UNII: PDC6A3C0OX)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
MENTHOL (UNII: L7T10EIP3A)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	brown (Caramel Color)	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69822-200-02	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/04/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/04/2015	

Labeler - Southern Sales & Service, Inc. (013114906)

Registrant - Southern Sales & Service, Inc. (013114906)

Revised: 11/2023

Southern Sales & Service, Inc.