

**DURALGINA- acetaminophen tablet**  
**Menper Distributors Inc.**

-----  
**Duralgina**

**Active Ingredient (in each tablet)**

Acetaminophen 325 mg

**Purpose**

Pain reliever/Fever reducer

**Uses**

For the temporary relief of minor aches and pains associated with

- headache
- muscular aches
- minor arthritis pain
- menstrual cramps
- common cold
- temporarily reduces fever
- backaches
- toothaches

**Warnings:**

**Liver warning:**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 12 tablets in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day.

**Do not use:**

- with any other drug containing acetaminophen (prescription or non-prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- If you are allergic to acetaminophen or any of the inactive ingredients in the product.

**Ask a doctor before use if you have liver disease**

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin**

**Stop using this product and ask a doctor if:**

- Pain gets worse or lasts more than 10 days
- Fever gets worse or lasts more than 3 days
- New symptoms occur
- Redness or swelling is persistent
- These could be signs of a serious condition

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.


**Directions:**

- Do not take more than directed (see overdose warning)

Adults and children 12 years and over	Take 2 tablets every 4-6 hours as needed. Do not take more than 12 tablets in 24 hours, unless directed by a doctor
Children ages 6-11	Take 1 tablet every 4-6 hours as needed. Do not take more than 6 tablets in 24 hours, unless directed by a doctor
Under 6 years of age	Ask a doctor

**Inactive ingredients** Magnesium stearate, povidone, silicone dioxide, sodium carboxymethyl, starch, stearic acid

Questions: Call 1-800-560-5223 M-F 9AM - 4PM Eastern



<b>DURALGINA</b>			
acetaminophen tablet			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:53145-013
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
	ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

## Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POVIDONE (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

## Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	555
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53145-013-71	30 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2017	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/01/2017	

**Labeler** - Menper Distributors Inc. (101947166)

**Registrant** - Menper Distributors Inc. (101947166)

## Establishment

Name	Address	ID/FEI	Business Operations
DRLZ		031125329	manufacture(53145-013)

Revised: 7/2025

Menper Distributors Inc.