

## **MILK OF MAGNESIA ORIGINAL- magnesium hydroxide liquid**

**Geri-Care Pharmaceuticals, Corp**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**gc mom**

### **Active ingredient (in each 15 mL tablespoonful)**

Magnesium hydroxide 1200 mg

### **Purpose**

Saline laxative

### **Uses**

- relieves occasional constipation (irregularity)
- usually produces bowel movement in 1/2 to 6 hours

### **Warnings**

#### **Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

#### **Ask a doctor or pharmacist before use if you are**

taking a prescription drug.

This product may interact with certain prescription drugs.

#### **Stop use and ask a doctor if**

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

#### **If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

### **Directions**

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose

adults and children 12 years and older	2 to 4 tablespoonfuls
--	-----------------------

children 6 to 11 years	1 to 2 tablespoonfuls
children under 6 years	ask a doctor

### Other information

- each 15 mL tablespoonful contains: magnesium 500 mg
- store at room temperature and avoid freezing
- close cap tightly after use

### Inactive ingredients

purified water, sodium hypochlorite

### package Label



**Original**  
**Milk of**  
**Magnesia**

**SALINE LAXATIVE**

- Original Flavor
- Effective Overnight Relief

**16 FL OZ (1PT) (473 mL)**

**Compare to the Active Ingredient of Phillips'® Milk of Magnesia\***

**Drug Facts** TAMPER EVIDENT: Do not use if imprinted neckband is missing or broken.

Active Ingredient (In each 15 mL. tablespoonful)	Purpose
Magnesium hydroxide 1200 mg	Saline laxative

**Use**

- relieves occasional constipation (irregularity)
- usually produces bowel movement in ½ to 6 hours

**Warnings**

**Ask a doctor before use if you have**

- a magnesium-restricted diet
- kidney disease
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

**Ask a doctor or pharmacist before use if you are taking a prescription drug.**  
This product may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding, ask a health professional before use.**  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose

adults and children 12 years and older	2 to 4 tablespoonfuls
children 6 to 11 years	1 to 2 tablespoonfuls
children under 6 years	ask a doctor

**Other Information** • each 15 mL. tablespoonful contains: magnesium 500 mg  
• store at room temperature and avoid freezing • close cap tightly after use

**Inactive Ingredients** purified water, sodium hypochlorite

Distributed by  
Geri-Care Pharmaceuticals  
1650 63rd Street  
Brooklyn, NY 11204 910-19111-5 Rev 0718

\*This product is not manufactured or distributed by the owner of the registered trademark Phillips'® Milk of Magnesia.



## MILK OF MAGNESIA ORIGINAL

magnesium hydroxide liquid

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:57896-649

<b>Route of Administration</b>		ORAL		
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
MAGNESIUM HYDRO XIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDRO XIDE ION - UNII:9159UV381P)		MAGNESIUM HYDROXIDE	1200 mg in 15 mL	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
WATER (UNII: 059QF0KO0R)				
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:57896-649-12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2011	
2	NDC:57896-649-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2011	
3	NDC:57896-649-28	3785 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2015	
4	NDC:57896-649-26	769 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2011	
<b>Marketing Information</b>				
<b>Marketing Category</b>		<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final		part334	01/01/2000	

**Labeler** - Geri-Care Pharmaceuticals, Corp (611196254)

**Registrant** - GCP Laboratories (965480861)

Establishment			
Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(57896-649) , pack(57896-649)