### OXYGEN- oxygen gas American Oxygen Company, Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

#### **OXYGEN COMPRESSED USP LABEL**

OXYGEN COMPRESSED USP UN1072 OXYGEN-2

WARNING: FOR EMERGENCY USE ONLY WHEN ADMINISTERED BY PROPERLY TRAINED PERSONNEL FOR OXYGEN DEFICIENCY AND RESUSCITATION. FOR ALL OTHER MEDICAL APPLICATIONS RX ONLY. UNINTERRUPTED USE OF HIGH CONCENTRATIONS OF OXYGEN OVER A LONG DURATION WITHOUT MONITORING ITS EFFECT ON OXYGEN CONTENT OF ARTERIAL BLOOD MAY BE HARMFUL. USE ONLY WITH PRESSURE REDUCING EQUIPMENT AND APPARATUS DESIGNED FOR OXYGEN. DO NOT ATTEMPT TO USE ON PATIENTS WHO HAVE STOPPED BREATHING UNLESS USED IN CONJUNCTION WITH RESUSCITATIVE EQUIPMENT. PRODUCED BY AIR LIQUEFACTION.

WARNING: HIGH PRESSURE GAS VIGOROUSLY ACCELERATES COMBUSTION. KEEP OIL AND GREASE AWAY. OPEN VALVE SLOWLY. STORE AND USE WITH ADEQUATE VENTILATION. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE AND RATED FOR CYLINDER PRESSURE. USE A BACK FLOW PREVENTATIVE DEVICE IN THE PIPING. CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. CYLINDER TEMPERATURE SHOULD NOT EXCEED 52 C (125 F) USE IN ACCORDANCE WITH THE MATERIAL SAFETY DATA SHEET (MSDS) CAS 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.



res

### OXYGEN REFRIGERATED LIQUID USP LABEL

OXYGEN REFRIGERATED LIQUID USP UN1073 CONTENTS\_\_\_\_\_ LITERS ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. WARNING: DO NOT CHANGE OR FORCE FIT CONNECTIONS. EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE. KEEP OIL, GREASE AND COMBUSTIBLES AWAY. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN

SERVICE. STORE AND USE WITH ADEQUATE VENTILATION. DO NOT GET LIQUID IN EYES, ON SKIN OR CLOTHING. FOR LIQUID WITHDRAWAL, WEAR FACE SHIELD AND GLOVES. DO NOT DROP. USE SUITABLE HAND TRUCK FOR CONTAINER MOVEMENT. AVOID SPILLS. DO NOT WALK OR ROLL EQUIPMENT OVER SPILLS CONTAINER TEMPERATURE SHOULD NOT EXCEED 52C (125 F) CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. USE A BACK FLOW PREVENTATIVE DEVICE IN THE PIPING. USE IN ACCORDANCE WITH THE MATERIAL SAFETY DATA SHEET (MSDS)

FIRST AID: IN CASE OF FROSTBITE OBTAIN MEDICAL TREATMENT IMMEDIATELY.

WARNING: FOR EMERGENCY USE ONLY WHEN ADMINISTERED BY PROPERLY TRAINED PERSONNEL FOR OXYGEN DEFICIENCY AND RESUSCITATION. FOR ALL OTHER MEDICAL APPLICATIONS Rx ONLY. UNINTERRUPTED USE OF HIGH CONCENTRATIONS OF OXYGEN OVER A LONG DURATION WITHOUT MONITORING ITS EFFECT ON OXYGEN CONTENT OF ARTERIAL BLOOD MAY BE HARMFUL. USE ONLY WITH PRESSURE REDUCING EQUIPMENT AND APPARATUS DESIGNED FOR OXYGEN. DO NOT ATTEMPT TO USE ON PATIENTS WHO HAVE STOPPED BREATHING, UNLESS USED IN CONJUNCTION WITH RESUSCITATIVE EQUIPMENT. PRODUCED BY AIR LIQUEFACTION. DO NOT REMOVE THIS PRODUCT LABEL.

## OXYGEN, REFRIGERATED LIQUID

USP



#### UN1073

### 1 ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. 1

CONTENTS	
LOT #:	
	a to the state of

WARNING:

For emergency use only when administered by properly trained personnel for exygen deficiency and resuscitation. For all other medical applications,  $R_{\rm c}$  only.

Uninterrupted use of high concentrations of exygen over a long duration, without monitoring its effect on exygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for exygen. On not altempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

WARNING: EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIGLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IONITION OR IMPACT CAN CAUSE SEVERE FROSTBITE.

CAN CAUSE SEVERE PROSPORE.

Keep oil, grease, and combustibles away.

Use only with equipment cleaned for exygen service.

Store and use with adequate ventilation.

Do not get Equid in eyes, on skin, or cichning.

For Haude withdrawal, wear face shield and gloves.

Do not drop. Use sulfable hand truck for container movement.

Avoid spills. Do not walk on or roll equipment over spills.

Cylinder temperature should not exceed 52°C (125°F).

Close valve alter each use and when empty.

Use in accordance with the Material Safety Data Sheet (MSDS).

FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

### AMERICAN OXYGEN CO., INC.

609 E. SECOND STREET ROSWELL, NM 88201-7301 (505) 623-1774

47136

res

### **OXYGEN**

oxygen gas

<b>Product Information</b>	

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:54384-1072
Route of Administration	RESPIRATORY (INHALATION)		

I	Active Ingredient/Active Moiety			
I	Ingredient Name	Basis of Strength	Strength	
I	<b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L	

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:54384- 1072-1	170 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1972		
2	NDC:54384- 1072-2	255 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1972		
3	NDC:54384- 1072-3	425 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1972		
4	NDC:54384- 1072-4	680 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1972		
5	NDC:54384- 1072-5	7054 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1972		
6	NDC:54384- 1072-6	8499 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1972		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1972	

## **OXYGEN**

oxygen gas

<b>Product Information</b>			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:54384-1073
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L		

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:54384- 1073-7	40 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1972		
2	NDC:54384- 1073-8	160 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1972		
3	NDC:54384- 1073-9	190 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1972		

# **Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1972	

## Labeler - American Oxygen Company, Inc (068978154)

## Registrant - American Oxygen Company, Inc (068978154)

Establishment				
Name	Address	ID/FEI	Business Operations	
American Oxygen Company, Inc		068978154	manufacture(54384-1072, 54384-1073)	

Revised: 10/2023 American Oxygen Company, Inc