# ALLERGY RELIEF DIPHENHYDRAMINE HCL 25MG SOFTGEL- diphenhydramine hydrochloride capsule, liquid filled NUVICARE LLC

-----

# Allergy Relief Diphenhydramine HCl 25mg SoftGel

## **Active Ingredient (In Each Softgel)**

Diphenhydramine HCl 25mg

### **Purpose**

**Antihistamine** 

#### Uses

■temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■runny nose ■sneezing ■itchy, watery eyes ■itching of the nose or throat ■temporarily relieves these symptoms due to the common cold: ■runny nose ■sneezing

### Warnings

#### Do not use:

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin.

# Ask a doctor before use if you have

- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis.

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

# When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### **Directions:**

- Take every 4 to 6 hours, or as directed by a doctor
- Do not take more than 6 doses in 24 hours.
- Adults and children 12 years and over: 1 to 2 softgels
- Children 6 years to under 12 years: 1 softgel
- Children under 6 years: Do not use

#### Other Information:


■ Store between 20º-25°C (68º-77°F). Avoid high humidity. Protect from moisture and light.

# Inactive Ingredients:

Polyethylene Glycol 400, Propylene Glycol, Gelatin, Glycerin, Sorbitol Sorbitan Solution, Purified Water

#### **Questions Or Comments?**

Call 1 (718) 337-8733 or email:support@nuvicare.com



when driving a motor vehicle or operating machinery

■ excitability may occur, especially in children.

If pregnant or breast-feeling, ask a health professional before use.

Keep out of reach of children, in case of overdose, get madra help or confact a Poison Control Center (1-800-222-1222) right away.

Directions

■ Take every 4 to 6 hours, or as die-cled by a doctor and on the more than 6 doses in 24 hours.

■ Adults and children 12 years; and over 1 to 2 sofigels of millen byears to under 12 years; and over 1 to 2 sofigels of millen byears to under 12 years; and only the humdity. Potect from mosture and light.

Inactive information

■ Store between 202-25°C (689-77P). Avoid high humdity. Potect from mosture and light.

Children under 6 years: Do not use a Children under 6 years. Do not use a Children under 6 years. Do not use a Children under 6 years. Sofitole Sobieth.

Glyc-en, Sorbida Sobietin Solution, Purited Water Questions or Comments?

Call 1 (718) 337-873 or email: support@nuvicane.com

This products not annulvaned or distributed by Moskel Consumer Heathors e, owner of the required to demank 8 Ekk/6 KFU.

Dye-free liquicset.\*

# **ALLERGY RELIEF DIPHENHYDRAMINE HCL 25MG SOFTGEL**

diphenhydramine hydrochloride capsule, liquid filled

# Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:84324-029 Route of Administration ORAL

ı	Active Ingredient/Active Moiety		
ı	Ingredient Name	Basis of Strength	Strength
	<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients		
Ingredient Name	Strength	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)		

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
Gelatin (UNII: 2G86QN327L)	
Glycerin (UNII: PDC6A3C0OX)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	
Sorbitan (UNII: 6092ICV9RU)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics			
Color	white (Clear Transparent)	Score	no score
Shape	OVAL (Oblong)	Size	16mm
Flavor		Imprint Code	SD12
Contains			

F	Packaging			
#	# Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84324-029-	60 in 1 BOTTLE; Type 0: Not a Combination Product	06/24/2025	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/24/2025	

# Labeler - NUVICARE LLC (119257565)

Revised: 6/2025 NUVICARE LLC