

MUCUS RELIEF- guaifenesin tablet
Geri-Care Pharmaceuticals, Corp

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

gc 794

Active ingredient (in each tablet)

Guaifenesin 400 mg

Purpose

Expectorant

Uses

helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive to rid the bronchial passageways of bothersome mucus

Warnings

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by excessive phlegm (mucus)

Stop use and ask a doctor if

- cough lasts more than 7 days or comes back
- cough occurs with fever, rash or persistent headache
- these could be signs of a serious illness.

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take with full glass of water
- do not exceed recommended dose

adults and children 12 years of age and over	1 tablet, every 4 hours, while symptoms persist • do not exceed 6 doses in 24 hours
children under 12 years of age	do not use

Other information

- Tamper Evident: do not use if imprinted safety seal under cap is broken or missing.
- store at controlled room temperature 20 °-25°C (68°-77°F)

Inactive ingredients

cellulose, magnesium stearate, maltodextrin, povidone, silica, sodium starch glycolate, stearic acid.

package Label

NDC 57896-794-01

GERICARE

Mucus Relief

Guaifenesin 400 mg

expectorant

- relieves chest congestion
- thins and loosens mucus

100 tablets

400 mg each

Drug Facts Active ingredient (in each tablet) Guaifenesin 400 mg.....Expectorant Purpose Uses • helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive to rid the bronchial passageways of bothersome mucus Warnings Ask a doctor before use if you have • persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema • cough accompanied by excessive phlegm (mucus) Stop use and ask a doctor if • cough lasts more than 7 days or comes back • cough occurs with fever, rash or persistent headache • these could be signs of a serious illness. If pregnant or breast feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	NDC 57896-794-01  Mucus Relief Guaifenesin 400 mg EXPECTORANT • Relieves Chest Congestion • Thins and Loosens Mucus 100 Tablets 400 mg each	Drug Facts (continued) Directions • take with full glass of water • do not exceed recommended dose <table border="1"><tr><td>Adults and Children 12 years of age and over</td><td>1 tablet, every 4 hours, while symptoms persist • do not exceed 6 doses in 24 hours</td></tr><tr><td>Children under 12 years of age</td><td>do not use</td></tr></table> Other information • Tamper Evident: do not use if imprinted safety seal under cap is broken or missing. • store at controlled room temperature 20 °-25°C (68°-77°F) Inactive ingredients: cellulose, magnesium stearate, maltodextrin, povidone, silica, sodium starch glycolate, stearic acid. Dist. By: Geri-Care Pharmaceuticals Corp., 1650 63rd Street, Brooklyn, NY 11204 REV 1212AT  3 57896 79401 9	Adults and Children 12 years of age and over	1 tablet, every 4 hours, while symptoms persist • do not exceed 6 doses in 24 hours	Children under 12 years of age	do not use
Adults and Children 12 years of age and over	1 tablet, every 4 hours, while symptoms persist • do not exceed 6 doses in 24 hours					
Children under 12 years of age	do not use					

MUCUS RELIEF

guaifenesin tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57896-794
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg

Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
POVIDONE (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white	Score	2 pieces
Shape	ROUND	Size	12mm
Flavor		Imprint Code	TCL272
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-794-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2012	
2	NDC:57896-794-03	30 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2012	
3	NDC:57896-794-06	60 in 1 BOTTLE; Type 0: Not a Combination Product	09/01/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	01/01/2004	

Labeler - Geri-Care Pharmaceuticals, Corp (611196254)

Registrant - Geri-Care Pharmaceuticals, Corp (611196254)