NASAL DECONGESTANT PE MAXIMUM STRENGTH- phenylephrine hcl tablet, film coated WinCo Foods. LLC

Winco 44-453-Delisted

Active ingredient (in each tablet)

Phenylephrine HCl 10 mg

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- diabetes
- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
- children under 12 years: ask a doctor

Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

croscarmellose sodium, dextrose monohydrate, dibasic calcium phosphate dihydrate, FD&C red #40, lecithin, magnesium stearate, maltodextrin, microcrystalline cellulose, silicon dioxide, sodium carboxymethylcellulose, sodium citrate dihydrate, titanium dioxide

Questions?

Call **800-824-1706** Monday - Friday 9am - 4pm MST

Principal Display Panel

WinCo® FOODS

MAXIMUM STRENGTH

Nasal

Decongestant PE

*Compare to the active ingredient in SUDAFED PE® Sinus Congestion

Non-Drowsy

Relieves: Sinus Pressure & Nasal Congestion

PHENYLEPHRINE HCl 10 mg/ NASAL DECONGESTANT

18

Tablets

DISTRIBUTED BY:

WINCO FOODS, LLC, BOISE, ID 83704

*This product is not manufactured or distributed by JOHNSON & JOHNSON CORPORATION, distributor of SUDAFED PE® Sinus Congestion.

50844 REV0820C45344 WF2208

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

100% SATISFACTION GUARANTEE

Comments & Questions? 800-824-1706

Comments & Questions? 800-824-1706 20844 REV0820C45344 WF2208 100% SATISFACTION GUARANTEE JOHNSON CORPORATION, distributor of SUDAFED PE® Sinus SHOWS ANY SIGNS OF TAMPERING OR IF BLISTER UNIT IS TORN, BROKEN OR NOZMHOL vd betudistined or distributed by JOHNSON & TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED DISTRIBUTED BY: WINCO FOODS, LLC, BOISE, ID 83704 ■ symptoms do not improve within 7 days or occur with lever TSM mq4 - ms9 ■ uetvonsuess, dizziness, or sleeplessness occur Questions? Call 800-824-1706 Monday - Friday Stop use and ask a doctor if When using this product do not exceed recommended dosage. citrate dihydrate, titanium dioxide ■ difficulty in unination due to enlargement of the prostate gland cellulose, silicon dioxide, sodium carboxymethylcellulose, sodium ■ thyroid disease ■ high blood pressure lecithin, magnesium stearate, maltodextrin, microcrystalline monohydrate, dibasic calcium phosphate dihydrate, FD&C red #40, ■ diabetes a heart disease Inactive ingredients croscarmellose sodium, dextrose Ask a doctor before use if you have before taking this product. see end flap for expiration date and lot number prescription drug contains an MAOI, ask a doctor or pharmacist Decongestant . after stopping the MAOI drug. If you do not know if your ■ store at 25°C (77°F); excursions permitted between 15°-30°C or emotional conditions, or Parkinson's disease), or for 2 weeks OPENED OR BLISTER IS TORN OR BROKEN oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS Do not use if you are now taking a prescription monoamine Other information children under 12 years: ask a doctor temporarily relieves sinus congestion and pressure hours. Do not take more than 6 tablets in 24 hours. ot #/Exp date hay fever or other upper respiratory allergies ■ adults and children 12 years and over: take 1 tablet every 4 fembousuily relieves nasal congestion due to the common cold, Directions help or contact a Poison Control Center right away. Phenylephrine HCI 10 mg nasai decongestant Keep out of reach of children. In case of overdose, get medical Active ingredient (in each tablet) Purpose If pregnant or breast-feeding, ask a health professional before use Orug Facts (continued) Drug Facts KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION REV0820C45344 MAXIMUM STRENGTH B-2150-453-44 **Nasal Decongestant PE** 18 TABLETS *Compare to the active ingredient in SUDAFED PE® Sinus Congestion WinCo Non-Drowsy MAXIMUM STRENGTH Relieves: Sinus Pressure Nasal & Nasal Congestion Decongestant PE

Winco 44-453

NASAL DECONGESTANT PE MAXIMUM STRENGTH

PHENYLEPHRINE HCI 10 mg/
NASAL DECONGESTANT

phenylephrine hcl tablet, film coated

Product Information

NDC:67091-207 **HUMAN OTC DRUG Product Type Item Code (Source)**

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE -

UNII:1WS297W6MV)

PHENYLEPHRINE **HYDROCHLORIDE**

10 mg

Inactive Ingredients

Ingredient Name	Strength			
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)				
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)				
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
MALTODEXTRIN (UNII: 7CVR7L4A2D)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
l				

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)

CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K6790BS311)

TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	44;453
Contains			

Packaging

	9 9				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:67091- 207-18	1 in 1 CARTON	01/14/2005	11/15/2026	
1		18 in 1 BLISTER PACK; Type 0: Not a Combination Product			
2	NDC:67091- 207-72	3 in 1 CARTON	01/14/2005	03/12/2026	
2		24 in 1 BLISTER PACK; Type 0: Not a Combination Product			

Marketing Information

Application Number or Monograph Marketing Start Marketing End Marketing

Category	Citation	Date	Date
OTC Monograph Drug	M012	01/14/2005	11/15/2026

Labeler - WinCo Foods, LLC (056098817)

Establishment				
Name	Address	ID/FEI	Business Operations	
LNK International, Inc.		832867837	manufacture(67091-207) , pack(67091-207)	

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(67091-207)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(67091-207)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(67091-207)

Revised: 1/2025 WinCo Foods, LLC