

TINACTIN- tolnaftate aerosol, spray

Bayer HealthCare LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Tinactin ®

Drug Facts

Active ingredient

Tolnaftate 1 %

Purpose

Antifungal

Uses

- proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis)
- helps prevent most athlete's foot with daily use
- for effective relief of itching, burning, and cracking

Warnings

For external use only

Flammable: Do not use while smoking or near heat or flame

Avoid contact with the eyes

When using this product

- use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 4 weeks

Do not use on children under 2 years of age unless directed by a doctor.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks; if condition persists longer, ask a doctor

- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails

Other information

store between 20° to 25°C (68° to 77°F)

Inactive ingredients

alcohol denat. (29% v/v), butylated hydroxytoluene, isobutane, PPG-12-buteth-16

Questions?

1-866-360-3266

PRINCIPAL DISPLAY PANEL - 150g Can Label

NDC 11523-0165-3

TOUGH ACTIN'

Tinactin®

ANTIFUNGAL

tolnaftate

Cures and

prevents most

athlete's foot

LIQUID SPRAY

cools the burn

Relieves itching & burning

NET WT 150g (5.3 oz)

TYPE LIMIT

TOUGH ACTIN'
Tinactin
 tolnaftate ANTIFUNGAL[®]

**CURES AND PREVENTS
 MOST ATHLETE'S FOOT**

**Relieves itching
 & burning**

LIQUID SPRAY
 cools the burn



NET WT 150g (5.3 oz)

Drug Facts

Active ingredient Tolnaftate 1% **Purpose** Antifungal

Uses ■ proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis)
 ■ helps prevent most athlete's foot with daily use ■ for effective relief of itching, burning and cracking

Warnings**For external use only**

Flammable: Do not use while smoking or near heat or flame

Do not use on children under 2 years of age unless directed by a doctor.

When using this product

■ avoid contact with the eyes
 ■ use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.
 ■ contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

Stop use and ask a doctor if ■ irritation occurs ■ there is no improvement within 4 weeks

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ wash affected area and dry thoroughly
 ■ shake can well and spray a thin layer over affected area twice daily (morning and night)
 ■ supervise children in the use of this product
 ■ for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
 ■ use daily for 4 weeks; if condition persists longer, ask a doctor
 ■ to prevent athlete's foot, apply once or twice daily (morning and/or night)
 ■ this product is not effective on the scalp or nails

Other information store between 20° to 25°C (68° to 77°F)

Inactive Ingredients butylated hydroxytoluene, isobutane, PPG-12-buteth-16, SD alcohol 40-B (29% v/v)

Questions? 1-866-360-3226

Visit us at www.tinactin.com

Bayer, the Bayer Cross, Tinactin, Tough Actin' and the Tinactin flame are registered trademarks of Bayer.

© 2015 Bayer.

Dist by: Bayer HealthCare LLC
 Whippany, NJ 07981
 Product of Ireland.



26827-08



TYPE LIMIT

BOTTOM COLOR LIMIT

TINACTIN

tolnaftate aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11523-0165
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength

BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ISOBUTANE (UNII: BXR49TP611)	
PPG-12-BUTETH-16 (UNII: 58CG7042J1)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11523-0165-3	150 g in 1 CAN; Type 0: Not a Combination Product	09/23/1993	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333C	09/23/1993	

Labeler - Bayer HealthCare LLC (112117283)

Revised: 5/2019

Bayer HealthCare LLC