

ZHUSHI HAND SANITIZER GEL- zhushi hand sanitizer gel gel
Shandong Zhushi Pharmaceutical Group Co., Ltd

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Directions

1. Hygienic hands: Take an appropriate amount of hand disinfectant on the palm of the hand, rub your hands together to spread evenly on each part for 1.0 min.
2. Surgical hands: After surgical hand washing, take an appropriate amount of hand disinfectant and apply evenly to each part of the hands, forearms and the lower 1/3 of the upper arm, and rub it carefully until the disinfectant is dry. the hands, forearms and lower thirds of the upper arms.

Uses

Hand disinfection. Decreases bacteria on the skin, surface of objects.

ethanol alcohol

N-propanol

Keep out of reach of children.

Antimicrobial

1. Disinfectant for external use, not oral
2. Keep out of reach of children.
3. Avoid using with antagonistic drugs.
4. Use with caution if allergic.
5. Keep away from fire and high temperature objects.
6. It is not suitable for the surface disinfection of fat-soluble objects or air disinfection.

1. Tighten the bottle cap and store it after opening it for use.
2. Use within the validity period.
3. The product should be protected from light, sealed, and moisture-proof, and stored in a cool, dry place.



HAND SANITIZER GEL

Drug Facts

【Product Name】 ZHUSHI Hand Sanitizer Gel
 【Specifications】 500mL/bottle 【Form】 Gel
 【Active Ingredients】 Ethanol Alcohol 64% (V/V),N-propyl Alcohol 10% (V/V).....Antimicrobial
 【Purpose】
 【Uses】 Hand disinfection. Decreases bacteria on the skin, surface of objects.
 【Killing Microorganisms Category】 It has a destroy effect on Pseudomonas aeruginosa, E.coli K12, Staphylococcus aureus, Enterococcus hirae, Poliovirus, Adenovirus, Murine Norovirus.



Sterilization Antibacterial Disinfection

500mL/bottle



Shandong Zhushi Pharmaceutical Group Co., Ltd

【Warnings】
 1.Disinfectant for external use, not oral
 2.Keep out of reach of children.
 3.Avoid using with antagonistic drugs.
 4.Use with caution if allergic.
 5.Keep away from fire and high temperature objects.
 6.It is not suitable for the surface disinfection of fat-soluble objects or air disinfection.
 【Directions】
 1.Hygienic hands: Take an appropriate amount of hand disinfectant on the palm of the hand, rub your hands together to spread evenly on each part for 1.0 min.
 2. Surgical hands: After surgical hand washing, take an appropriate amount of hand disinfectant and apply evenly to each part of the hands, forearms and the lower 1/3 of the upper arm, and rub it carefully until the disinfectant is dry.the hands, forearms and lower thirds of the upper arms.
 【Other Informations】
 1.Tighten the bottle cap and store it after opening it for use.
 2.Use within the validity period.
 3.The product should be protected from light, sealed, and moisture-proof, and stored in a cool, dry place.
 【Inactive Ingredients】 Carbomer 980, Triethanolamine, Purified water
 【Manufacturer】 Shandong Zhushi Pharmaceutical Group Co., Ltd
 【Company Address】 No.6 Shande Road,Shan County, Heze City, Shandong, China
 【Production Address】 No.7 Changshou Road, Dongcheng Food and Drug Industrial Park, Shan County, Heze City, Shandong, China
 【Contact】 0530-4265777
 【Postal Code】 274300
 【Production Date】 See the packing
 【Shelf Life】 Two years

ZHUSHI HAND SANITIZER GEL

zhushi hand sanitizer gel gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:56040-011
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	320 mL in 500 mL
PROPYL ALCOHOL (UNII: 96F264O9SV) (PROPYL ALCOHOL - UNII:96F264O9SV)	PROPYL ALCOHOL	100 g in 500 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:56040-011-01	500 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/18/2021	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	02/18/2021	

Labeler - Shandong Zhushi Pharmaceutical Group Co., Ltd (560400484)

Establishment			
Name	Address	ID/FEI	Business Operations
Shandong Zhushi Pharmaceutical Group Co., Ltd		560400484	manufacture(56040-011)

Revised: 3/2022

Shandong Zhushi Pharmaceutical Group Co., Ltd