

**CELLAPY HAIRCELL MESO TONIC- panthenol, salyclic acid, menthol liquid
Gm Holdings Co., Ltd**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Cellapy Haircell Meso Tonic

**Salicylic Acid (0.1%)
Panthenol (0.1%)
Menthol (0.1%)**

**antiseborrheic
hair tonic**

Keep out of reach of children

☐ Do not swallow. In case of accidental ingestion, get medical help or contact a Poison Control Center right away

Helps prevent hair loss and thicken hair. Keeps scalp clean, healthy and smooth.

Warnings

For external use only

Do not use on damaged or broken scalp

When using this product

☐ Avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water.

Stop use and ask doctor if rash or irritation on scalp develops and lasts.

Store at room temperature

Directions

After shampoo and dry hair with cold air or towel. Then, apply the applicator on scalp evenly. Wait until it is absorbed. (Use 1-2 times a day)

Water, Human Adipocyte Conditioned Media Extract, Alcohol, Propylene Glycol, Pyrrolidinyl Diaminopyrimidine Oxide, Allantoin, sh-oligopeptide-2, sh-polypeptide-1, sh-polypeptide-9, sh-polypeptide-13, sh-polypeptide-3, sh-polypeptide-62, sh-polypeptide-4, sh-polypeptide-8, sh-polypeptide-59, Caffeoyl Decapeptide-17, Copper Tripeptide-1, Caffeoyl Heptapeptide-11, Hexapeptide-56, Tripeptide-1, Nicotinamide Adenine Dinucleotide (NAD), Thiamine Diphosphate, Disodium Flavine Adenine Dinucleotide, Retinol, Pyridoxine, Thiamine Nitrate, Tocopherol, Riboflavin, Inositol, Niacinamide, Cyanocobalamin, menadione, Calcium Pantothenate, Ascorbic Acid, Folic Acid, Aminobutyric Acid, Aspartic Acid, Glutamic Acid, Alanine, Arginine, Asparagine, Glycine, Cystine, Glutamine, Isoleucine, Hydroxyproline, Histidine, Methionine, Leucine, Lysine, Proline, Ornithine, Phenylalanine, Threonine, serine, valine, Taurine, Tryptophan, Tyrosine, Calcium Chloride, Magnesium Sulfate, Potassium Chloride, Sodium Phosphate, Adenosine Cyclic Phosphate, Guanosine, Cytosine, Thymine, Glutathione, Laminaria Digitata Extract, Undaria Pinnatifida Extract, Butylene Glycol, Sophora Angustifolia Root Extract, Citrus Paradisi (Grapefruit) Fruit Extract, Ginkgo Biloba Nut Extract, Biotin, Panax Ginseng Root Extract, Houttuynia cordata Extract, Aloe Barbadosis Leaf Juice,

Caffeine, Dipotassium Glycyrrhizate, Pyridoxine HCl, Citrus Paradisi (Grapefruit) Peel Oil, Pelargonium Graveolens Flower Oil, Cedrus Atlantica Bark Oil, Anthemis Nobilis Flower Oil, Citrus Aurantium Dulcis (Orange) Flower Oil, Rose Flower Oil, Citric acid, Sodium Citrate, PEG-40 Hydrogenated Castor Oil, Caprylyl Glycol, 1,2-Hexanediol, Illicium Verum (Anise) Fruit Extract

Cellapy Haircell Meso Tonic



셀라피 헤어셀 메조 토닉

줄기세포배양액화장품 (리포솜 5% 함유)

줄기세포배양액과 GM-HL Premium Complex™ (Noggin, WNT, 10 MGFs etc.)가 두피 환경 개선과 모근 강화에 도움을 주는 병의원 전용 약산성 토닉입니다.

쿠피펩타이드, 비오틴, 니코틴아미이드 등이 두피에 깊은 영양을 공급하여 헤어 부스팅 효과를 주며 모발과 두피를 튼튼하게 가꾸어 줍니다.

GM-HL Nutrition Complex™와 천연 유래 성분인 이 모발과 두피에 영양을 공급하고 자연적으로 흡수 되어 산뜻한 마무리감을 선사합니다.

- 피부 위해 성분 10가지 무첨가
- 피부과 저자극 테스트 완료

[사용법] 헤어셀 샴푸 사용 후 타올 드라이 또는 차가운 바람으로 모발과 두피의 수분을 말린 뒤 헤어셀 메조 토닉을 두피 부분에 골고루 도포합니다. 도포 후 자연적으로 흡수되도록 행구지 않습니다. (1일 1~2회 사용 권장)



2014, 2015, 2016 소비자 만족자수 1위



피부과 저자극 테스트 완료

용량: 150ml 5.07 fl.oz.
제조판매업자: 주식회사지엠홀딩스
서울특별시 마포구 상암산로 34, 2층 204호 (상암동, DMCC지점빌딩)
제조업자: ㈜피파스텍
경기도 평택시 세교산단로 68-23
제조번호 및 제조년월일: 별도표기

사용기한: 제조년월일로부터 30개월



8 809386 60046 >

Drug Facts

Active Ingredient	Purpose
Salicylic Acid (0.1%)	antiseborrheic
Panthenol (0.1%)	hair tonic
Menthol (0.1%)	hair tonic

Uses Helps prevent hair loss and thicken hair. Keeps scalp clean, healthy and smooth.

Warnings

For external use only
Do not use on damaged or broken scalp

When using this product

- Avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water.
- Stop use and ask doctor if rash or irritation on scalp develops and lasts.

Keep out of reach of children

- Do not swallow. In case of accidental ingestion, get medical help or contact a Poison Control Center right away.
- Store at room temperature

Directions

After shampoo and dry hair with cold air or towel. Then, apply the applicator on scalp evenly. Wait until it is absorbed. (Use 1-2 times a day)

Inactive Ingredients Water, Human Adipocyte Conditioned Media Extract, Alcohol, Propylene Glycol, Pyrrolidiny Diaminopyrimidine Oxide, Allantoin, sh-oligopeptide-2, sh-poly-peptide-1, sh-poly-peptide-5, sh-poly-peptide-13, sh-poly-peptide-3, sh-poly-peptide-52, sh-poly-peptide-4, sh-poly-peptide-8, sh-poly-peptide-59, Caffeoyl Decapeptide-17, Copper Tripeptide-1, Caffeoyl Heptapeptide-11, Hexapeptide-56, Tripeptide-1, Nicotinamide Adenine Dinucleotide (NAD), Thiamine Diphosphate, Disodium Flavine Adenine Dinucleotide, Retinol, Pyridoxine, Thiamine Nitrate, Tocopherol, Riboflavin, Inositol, Niacinamide, Cyanocobalamin, menadiol, Calcium Pantothenate, Ascorbic Acid, Folic Acid, Aminobutyric Acid, Aspartic Acid, Glutamic Acid, Alanine, Arginine, Asparagine, Glycine, Cystine, Glutamine, Isoleucine, Hydroxyproline, Histidine, Methionine, Leucine, Lysine, Proline, Ornithine, Phenylalanine, Threonine, serine, valine, Taurine, Tryptophan, Tyrosine, Calcium Chloride, Magnesium Sulfate, Potassium Chloride, Sodium Phosphate, Adenosine, Cyclic Phosphate, Guanosine, Cytosine, Thymine, Glutathione, Laminaria Digitata Extract, Undaria Pinnatifida Extract, Butylene Glycol, Sophora Angustifolia Root Extract, Citrus Paradisi (Grapefruit) Fruit Extract, Ginkgo Biloba Nut Extract, Biotin, Panax Ginseng Root Extract, Houttuynia cordata Extract, Aloe Barbadensis Leaf Juice, Caffeine, Dipotassium Glycyrrhizate, Pyridoxine HCl, Citrus Paradisi (Grapefruit) Peel Oil, Pelargonium Graveolens Flower Oil, Cedrus Atlantica Bark Oil, Anthemis Nobilis Flower Oil, Citrus Aurantium Dulcis (Orange) Flower Oil, Rose Flower Oil, Citric acid, Sodium Citrate, PEG-40 Hydrogenated Castor Oil, Caprylyl Glycol, 1,2-Hexanediol, Illium Verum (Anise) Fruit Extract

Manufactured by

GM Holdings Co., Ltd
#1303, DMCC Business-University Collaboration Research Center 37, Maebongsan-ro, Mapo-gu, 121-094 Seoul, South Korea

Question or Comments
Call + 070-7813-8350



Cèllapy

Hair Cell Meso Tonic

For weak and thin hair

Enriched with GM-HL Premium Complex™
Hair Boosting & Strengthening
Nutrition to weakened scalp and hair

Hair Rich

150ml 5.07 fl.oz.



[사용 시의 주의사항]

1. 화장품을 사용하여 다음과 같은 이상이 있는 경우에는 사용을 중지 하여야 하며, 계속 사용하면 증상이 악화되며 피부과 전문의 등에게 상담할 것 1) 사용 중 붉은 반점, 부어 오름, 가려움증, 자국 등의 이상이 있는 경우 2) 자극을 부위가 적사광선에 의하여 위와 같은 이상이 있는 경우 2. 상처가 있는 부위, 습진 및 피부염 등의 이상이 있는 부위에는 사용을 하지말 것 3. 보관 및 취급시의 주의사항 1) 사용 후에는 반드시 마개를 닫아둘 것 2) 유아, 소아의 손이 닿지 않는 곳에 보관할 것 3) 고온 또는 저온의 장소 및 직사광선이 닿는 곳에는 보관 하지 말 것

사용 전에 반드시 사용법 및 사용 시의 주의사항을 숙지하신 후 사용 하십시오.

본 제품에 이상이 있을 경우 공정거래 위원회 고시 '소비자 분쟁해결기준'에 의해 보상해 드립니다.

고객센터 02-954-8575

www.cèllapy.co.kr
MADE IN KOREA

panthenol, salicylic acid, menthol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69278-106
Route of Administration	TRANSDERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.001 in 150 mL
PANTHENOL (UNII: WV9CM0O67Z) (PANTHENOL - UNII:WV9CM0O67Z)	PANTHENOL	0.001 in 150 mL
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.001 in 150 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PYRROLIDINYL DIAMINO PYRIMIDINE OXIDE (UNII: 23GGI87A7F)	
ALLANTOIN (UNII: 344S277G0Z)	
MECASERMIN (UNII: 7GR9I2683O)	
BASIC FIBROBLAST GROWTH FACTOR (HUMAN) (UNII: S3529G9M9V)	
HUMAN NOGGIN (UNII: 03Z015E4XN)	
FIBROBLAST GROWTH FACTOR 7 (UNII: 9YXF283GP1)	
BECAPLERMIN (UNII: 1B56C968OA)	
PREZATIDE COPPER (UNII: 6BJQ43T1I9)	
PREZATIDE (UNII: 39TG2H631E)	
NADIDE (UNII: 0U46U6E8UK)	
CO CARBOXYLASE (UNII: Q57971654Y)	
FLAVIN ADENINE DINUCLEOTIDE (UNII: ZC44YT18KK)	
RETINOL (UNII: G2SH0XKK9I)	
PYRIDOXINE (UNII: KV2JZ1BI6Z)	
THIAMINE MONONITRATE (UNII: 8K0I04919X)	
TOCOPHEROL (UNII: R0ZB2556P8)	
RIBOFLAVIN (UNII: TLM2976OFR)	
INOSITOL (UNII: 4L6452S749)	
NIACINAMIDE (UNII: 25X51I8RD4)	
CYANOCOBALAMIN (UNII: P6YC3EG204)	
MENADIONE (UNII: 723JX6CXY5)	
CALCIUM PANTOTHENATE (UNII: 568ET80C3D)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
FOLIC ACID (UNII: 935E97BOY8)	
.GAMMA.-AMINOBUTYRIC ACID (UNII: 2ACZ6IPC6I)	
ASPARTIC ACID (UNII: 30KYC7MIAI)	
GLUTAMIC ACID (UNII: 3KX376GY7L)	
ALANINE (UNII: OF5P57N2ZX)	
ARGININE (UNII: 94ZLA3W45F)	

ASPARAGINE (UNII: 5Z33R5TKO7)	
GLYCINE (UNII: TE7660XO1C)	
CYSTINE (UNII: 48TCX9A1VT)	
GLUTAMINE (UNII: 0RH81L854J)	
ISOLEUCINE (UNII: 04Y7590D77)	
HYDROXYPROLINE (UNII: RMB44WO89X)	
HISTIDINE (UNII: 4QD397987E)	
METHIONINE (UNII: AE28F7PNPL)	
LEUCINE (UNII: GMW67QNF9C)	
LYSINE (UNII: K3Z4F929H6)	
PROLINE (UNII: 9DLQ4CIU6V)	
ORNITHINE (UNII: E524N2IXA3)	
PHENYLALANINE (UNII: 47E5O17Y3R)	
THREONINE (UNII: 2ZD004190S)	
SERINE (UNII: 452VLY9402)	
VALINE (UNII: HG18B9YRS7)	
TAURINE (UNII: 1EQV5MLY3D)	
TRYPTOPHAN (UNII: 8DUH1N11BX)	
TYROSINE (UNII: 42HK56048U)	
CALCIUM CHLORIDE (UNII: M4I0D6VV5M)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
POTASSIUM CHLORIDE (UNII: 660YQ98I10)	
SODIUM PHOSPHATE (UNII: SE337SVY37)	
ADENOSINE CYCLIC PHOSPHATE (UNII: E0399OZS9N)	
GUANOSINE (UNII: 12133JR80S)	
CYTOSINE (UNII: 8J337D1HZY)	
THYMINE (UNII: QR26YLT7LT)	
GLUTATHIONE (UNII: GAN16C9B8O)	
LAMINARIA DIGITATA (UNII: 15E7C67EE8)	
UNDARIA PINNATIFIDA (UNII: ICV1OK7M1S)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SOPHORA FLAVESCENS ROOT (UNII: IYR6K8KQ5K)	
GRAPEFRUIT (UNII: O82C39RR8C)	
GINKGO BILOBA SEED (UNII: 8CQ734K3W7)	
BIOTIN (UNII: 6SO6U10H04)	
ASIAN GINSENG (UNII: CUQ3A77YXI)	
HOUTTUYNIA CORDATA FLOWERING TOP (UNII: RH041UUZ22)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CAFFEINE (UNII: 3G6A5W338E)	
GLYCYRRHIZINATE DIPO TASSIUM (UNII: CA2Y0FE3FX)	
PYRIDOXINE HYDROCHLORIDE (UNII: 68Y4CF58BV)	
GRAPEFRUIT OIL (UNII: YR377U58W9)	
PELARGONIUM GRAVEOLENS FLOWER OIL (UNII: 3K0J1S7QGC)	
CEDRUS ATLANTICA BARK OIL (UNII: ZX5QRE4U60)	
CHAMAEMELUM NOBILE FLOWER OIL (UNII: UB27587839)	
CITRUS SINENSIS FLOWER OIL (UNII: AJ56JP5TFP)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	

1,2-HEXANEDIOL (UNII: TR046Y3K1G)

STAR ANISE FRUIT (UNII: CK15HA8438)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69278-106-02	1 in 1 PACKAGE	01/21/2020	
1	NDC:69278-106-01	150 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/04/2016	

Labeler - Gm Holdings Co., Ltd (688439958)

Registrant - Gm Holdings Co., Ltd (688439958)

Establishment

Name	Address	ID/FEI	Business Operations
Gm Holdings Co., Ltd		688439958	manufacture(69278-106)

Revised: 1/2020

Gm Holdings Co., Ltd