

**CARMEX MULTI-SYMPTOM 3 IN 1 COLD SORE TREATMENT EXTERNAL ANALGESIC SKIN PROTECTANT- benzocaine, white petrolatum cream**  
Carma Laboratories, Inc.

-----  
**CARMEX Multi-Symptom 3 in 1 COLD Sore treatment External Analgesic Skin Protectant**

***Drug Facts***

***Active Ingredients***

Benzocaine 10%

White Petrolatum 44.69%

***Purpose***

External Analgesic

Skin Protectant

***Uses***

- For temporary relief of pain and itching associated with symptoms of fever blisters and cold sores
- Helps prevent and protect dry, chapped lips

***Warnings***

**For external use only**

**Allergy Alert: Do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other “caine” anesthetic**

**Stop use and ask a doctor or dentist if**

- cold sore symptoms do not improve in 7 days
- irritation, pain, or redness persists or worsens
- swelling, rash, or fever develops

**Do not use on**

- deep or puncture wounds
- animal bites
- serious burns

**When using this product**

keep out of eyes. Rinse with water to remove. Do not exceed recommended dosage.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

Using clean, dry hands apply 1 to 2 small dollops of Carmex Cold Sore product to the tip of the finger and gently apply and spread evenly to the surface of the cold sore to ensure even coverage over areas of redness. Wash hands thoroughly after application.

---

Adults and children 2 years of age and older	Apply to affected area (lips) not more than 3 to 4 times daily
Children 2-12 years of age	Should be supervised in use of this product
Children under 2 years of age	Ask a doctor

---

## **Other Information**

• Protect this product from excessive heat and direct sunlight • Store between 0° C to 28° C (32° F to 82.4° F)

## **Inactive Ingredients:**

Polyethylene Glycol, HDI/Trimethylol Hexyllactone Crosspolymer, Titanium Dioxide, Behenyl Olivatate, PPG-51 SMDI Copolymer, Mica, Synthetic Wax, Calcium Silicate, Flavor, Isopropyl Titanium Triisostearate, Silica, Tin Oxide, Iron Oxides (C.I 77491, C.I 77492, C.I. 77499)

## **Package Labeling:**



Carma Laboratories, Inc.  
Franklin, WI 53132  
mycarmex.com

**Money Back Guarantee**

For treatment of symptoms associated with cold sores. Product does not treat viral infections. Due to differences in skin tone, results may vary.

**Drug Facts**

Active Ingredients	Purpose
Benzocaine 10%.....	External Analgesic
White Petrolatum 44.69%.....	Skin Protectant

**Uses**

- For temporary relief of pain and itching associated with symptoms of fever blisters and cold sores
- Helps prevent and protect dry, chapped lips

**Warnings**

For external use only

**Allergy Alert: Do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetic**

**Stop use and ask a doctor or dentist if** • cold sore symptoms do not improve in 7 days

• Irritation, pain, or redness persists or worsens • swelling, rash, or fever develops

**Do not use on** • deep or puncture wounds • animal bites • serious burns

**When using this product** keep out of eyes. Rinse with water to remove. Do not exceed recommended dosage.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

Using clean, dry hands apply 1 to 2 small dollops of Carmex Cold Sore product to the tip of the finger and gently apply and spread evenly to the surface of the cold sore to ensure even coverage over areas of redness. Wash hands thoroughly after application.

Adults and children 2 years of age and older Apply to affected area (lips) not more than 3 to 4 times daily

Children 2-12 years of age Should be supervised in use of this product

Children under 2 years of age Ask a doctor

**Other Information**

• Protect this product from excessive heat and direct sunlight

• Store between 0° C to 28° C (32° F to 82.4° F)

**Inactive Ingredients:**

Polyethylene Glycol, HDI/Trimethylol Hexyllactone Crosspolymer, Titanium Dioxide, Behenyl Olivatate, PPG-51 SMDI Copolymer, Mica, Synthetic Wax, Calcium Silicate, Flavor, Isopropyl Titanium Trisostearate, Silica, Tin Oxide, Iron Oxides (C.I. 77491, C.I. 77492, C.I. 77499)

Z05-1690 A0120 © 2020 Carma Laboratories, Inc.



C/L  
BACK  
PANEL

**Active Ingredients**

Benzocaine 10%, White Petrolatum 44.69%

**Warning For external use only. Allergy alert.**

**Keep out of reach of children. Retain packaging for Drug Facts.**

Carma Laboratories, Inc., Franklin, WI 53132

mycarmex.com

NET WT .07 OZ (2g)

Z06-1115 A1119



**MULTI-SYMPTOM**



**COLD SORE TREATMENT**

**External Analgesic/Skin Protectant**

**CARMEX MULTI-SYMPTOM 3 IN 1 COLD SORE TREATMENT  
EXTERNAL ANALGESIC SKIN PROTECTANT**

benzocaine, white petrolatum cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10210-0048
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BENZOCAINE</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	100 mg in 1 g
<b>WHITE PETROLATUM</b> (UNII: B6E5W8RQJ4) (BENZOCAINE - UNII:U3RSY48JW5)	WHITE PETROLATUM	446.9 mg in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
------------------------	-----------------

<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>BEHENYL OLIVATE</b> (UNII: NGS1GGK4GW)	
<b>PPG-51/SMDI COPOLYMER</b> (UNII: KQ9JG3O3YA)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>CALCIUM SILICATE</b> (UNII: S4255P4G5M)	
<b>ISOPROPYL TITANIUM TRIISOSTEARATE</b> (UNII: 949E3KBJ1I)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10210-0048-1	1 in 1 BLISTER PACK	07/01/2020	
1		2 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	07/01/2020	

**Labeler** - Carma Laboratories, Inc. (006090153)

Revised: 10/2023

Carma Laboratories, Inc.