

TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment
Provision Medical

Triple Antibiotic Ointment

Active ingredients

(in each gram)

Bacitracin Zinc (400 units Bacitracin)

Neomycin sulfate (3.5 mg Neomycin)

Polymyxin B Sulfate (Polymyxin B 5000 units)

Purpose

First aid antibiotic

Uses

first aid to help prevent infection in minor cuts, scrapes and burns

Warnings

For external use only

Do not use

- internally
- in eyes
- over large areas of the body or on puncture wounds, animal bites or serious burns
- for more than 1 week unless directed by a doctor
- if you are allergic to any of the ingredients

Stop use and ask a doctor if

- a rash or allergic reaction develops
- condition worsens or persists

Keep out of reach of children

If ingested, contact a Poison Control Center right away.

Directions

- clean affected area
- apply a small amount 1 to 3 times daily
- may cover with a sterile bandage

Inactive ingredient

petrolatum

Principal Display Panel - 0.5g Pouch Label

Triple Antibiotic Ointment

The **Provision**

First Aid Line™

0.5 g
(1/57 oz.)

Triple Antibiotic Ointment

The Provision First Aid Line™

BY WILDMAN

0.5 g
(1/57 oz.)

Drug Facts

| Active ingredients | Purpose |
|----------------------------------|----------------------|
| Bacitracin Zinc (400 units) | First aid antibiotic |
| Neomycin sulfate (3.5 mg) | |
| Polymyxin B Sulfate (5000 units) | |

..... First aid antibiotic

Uses First aid to help prevent infection in minor cuts, scrapes and burns.

Warnings
For external use only.
Do not use ■ longer than 1 week unless directed by a doctor. ▶

Manufactured for: Provision by Wildman, Warsaw, IN 46580
Provisionfirstaid.com 866-369-1552

Drug Facts (continued)

- in the eyes or apply over large areas of the body. In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor. ■ if you are allergic to any of the ingredients.

Stop use and ask a doctor if

- condition worsens or persists.
- a rash or allergic reaction develops.

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center directly.

Directions ■ Clean the affected area. ■ Apply a small amount 1 to 3 times daily. ■ May be covered with a sterile bandage.

Inactive ingredient
petrolatum

TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:69103-5603 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|------------------|
| BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I) | BACITRACIN ZINC | 400 [iU] in 1 g |
| NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297) | NEOMYCIN SULFATE | 3.5 mg in 1 g |
| POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K) | POLYMYXIN B | 5000 [iU] in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--------------------------------------|----------|
| PETROLATUM (UNII: 4T6H12BN9U) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:69103-5603-1 | 0.5 g in 1 POUCH; Type 0: Not a Combination Product | 07/25/2022 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M004 | 07/25/2022 | |

Labeler - Provision Medical (036936831)

Establishment

| Name | Address | ID/FEI | Business Operations |
|--------------------------|---------|-----------|-------------------------|
| Safetec of America, Inc. | | 874965262 | manufacture(69103-5603) |

Revised: 3/2024

Provision Medical