

DAYTIME COLD AND FLU- dextromethorphan hydrobromide, acetaminophen, phenylephrine hydrochloride capsule, liquid filled
Kroger Company

693T KROGER 41226 693 Acetaminophen Dextromethorphan Hydrobromide Phenylephrine Hydrochloride CT 24

Acetaminophen 325 mg
Dextromethorphan Hydrobromide 10 mg
Phenylephrine Hydrochloride 5 mg

Pain reliever/fever reducer
Cough suppressant
Nasal decongestant

Uses

- temporarily relieves common cold/flu symptoms:
- nasal congestion
- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever

Warnings

Liver warning:

This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 8 softgels in 24 hrs, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks daily while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. symptoms may include:

- Skin reddening
- Blisters
- Rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning:

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin .

When using this product, do not use more than directed.

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- pain, nasal congestion or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only as directed
- do not exceed 4 doses per 24 hr

adults & children 12 years & over: 2 softgels with water every 4 hrs

children 4 to under 12 yrs: ask a doctor.

children under 4 yrs: do not use

OTHER INFORMATION**Other information**

- store at room temperature

Inactive ingredients FD&C red #40,FD&C yellow #6,gelatin,glycerin, polyethylene glycol, povidone,propylene glycol,purified water,shellac,sorbitol sorbitan solution,titanium dioxide.

Questions?**1-800-632-6900**

PARENTS:
Learn about teen medicine abuse
www.StopMedicineAbuse.org

Our Brands. Our Guarantee.
Love It or Your Money Back.
www.kroger.com

Questions? 1-800-632-6900

DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202

FOR MORE PRODUCT INFORMATION, SCAN UPC USING YOUR KROGER APP OR CALL 800-632-6900
*Vicks™, DayQuil™ and LiquiCaps™ are trademarks of The Procter & Gamble Company, Cincinnati, OH 45202. The Kroger Co. and this product. Company is not affiliated with The Kroger Co. or this product.

100% SIZE
12-digit UPC-A
(non-suppressed)
For Position Only
0 41260 01240 2
RECYCLE PLEASE

Drug Facts

Active ingredients (in each softgel)
Acetaminophen 325 mg..... Pain reliever/fever reducer
Dextromethorphan HBr 10 mg..... Cough suppressant
Phenylephrine HCl 5 mg..... Nasal decongestant

Uses
temporarily relieves common cold/flu symptoms:
nasal congestion cough due to minor throat & bronchial irritation
sore throat headache minor aches & pains fever

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:
more than 8 softgels in 24 hrs, which is the maximum daily amount for this product
with other drugs containing acetaminophen
3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
skin redness blisters Rash If a skin reaction occurs, stop use and seek medical help right away
Score throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use
with any other drug containing acetaminophen (prescription or nonprescription); if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have liver disease heart disease high blood pressure
thyroid disease diabetes trouble urinating due to enlarged prostate gland
cough that occurs with too much phlegm (mucus)
persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.
When using this product, do not use more than directed.
Stop use and ask a doctor if
you get nervous, dizzy or sleepless pain, nasal congestion or cough get worse or last more than 7 days
fever gets worse or lasts more than 3 days
redness or swelling is present new symptoms occur
cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

693T 0321

SAFETY SEALED: DO NOT USE IF THE INDIVIDUAL BLISTER UNIT IS OPEN OR TORN
READ AND KEEP CARTON FOR COMPLETE WARNINGS AND INFORMATION

Lot #:
Exp. Date:

Drug Facts (continued)

Other information store at room temperature

Inactive ingredients FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, shellac, sorbitol sorbitan solution, titanium dioxide.

Drug Facts (continued)

Directions

take only as directed do not exceed 4 doses per 24 hrs
adults & children 12 yrs & over 2 softgels with water every 4 hrs
children 4 to under 12 yrs ask a doctor
children under 4 yrs do not use

COMPARE TO the active ingredients of VICKS™ DAYQUIL™
COLD & FLU RELIEF LIQUICAPS™
**See side panel
NDC 41226-693-24

**POWERFUL
NON-DROWSY
RELIEF**



Cold & Flu

DayTime

Multi-Symptom Relief

Acetaminophen
Dextromethorphan HBr
Phenylephrine HCl



actual size

Pain Reliever
Fever Reducer
Cough Suppressant
Nasal Decongestant
24 SOFTGELS

DAYTIME COLD AND FLU

dextromethorphan hydrobromide, acetaminophen, phenylephrine hydrochloride capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41226-693
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

Inactive Ingredients

Ingredient Name	Strength
SORBITOL SOLUTION (UNII: 8KW3E207O2)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
WATER (UNII: 059QF0KO0R)	
SHELLAC (UNII: 46N107B71O)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
GLYCERIN (UNII: PDC6A3C0OX)	
POVIDONE (UNII: FZ989GH94E)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SORBITAN (UNII: 6O92ICV9RU)	

Product Characteristics

Color	orange	Score	no score
Shape	OVAL (Oblong shaped)	Size	21mm
Flavor		Imprint Code	70
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41226-693-24	2 in 1 CARTON	05/11/2021	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/11/2021	

Labeler - Kroger Company (006999528)

Registrant - TIME CAP LABORATORIES, INC. (037052099)

Establishment

Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		925822975	manufacture(41226-693)

Revised: 2/2025

Kroger Company