

**CREAM- titanium dioxide, zinc oxide lotion**  
**OXYGEN DEVELOPMENT, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**BB TINTED TREATMENT PRIMER BROAD SPECTRUM SPF 30 SUNSCREEN - DEEP**

***Active Ingredients***

Titanium Dioxide 4.55%

Zinc Oxide 3.5%

***Purpose***

Sunscreen

***Uses***

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

***Warnings***

**For external use only**

**Stop use and ask doctor** if rash occurs.

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water-resistant sunscreen of swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases our risk of skin cancer and early skin aging. To decrease this risk regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including:

Limit time in the sun, especially from 10 a.m.- 2p.m.

Wear long-sleeved shirts, pants, hats and sunglasses.


### **Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

### **Inactive Ingredients**

Cyclopentasiloxane, Isododecane, Mica, Polysilicone-11, Polymethylsilsesquioxane, Hexyl Laurate, PEG-10 Dimethicone, Polyglyceryl-4 Isostearate, Stearic Acid, Cetyl PEG/PPG-10/1 Dimethicone, Alumina, Triethoxycaprylylsilane, Dipalmitoyl Hydroxyproline, Diamond Powder, Iron Oxides.

### **Primary Package (Inner)**



320471 (2) | 丝网印 (Silkscreen) : white 269c

- white
- 269c
- die line, does not print  
(边框, 不印刷)
- unvarnished area

产品编号 P/N	320471 (2)	制作人 Processed by	Mary	确认签字 Approval	
打样/订单号 Sample/PO #		制作日期 Date	2020/07/27	日期 Date	
附加说明 Remarks					

30ml, 61354-051-06

### Secondary Package (Outer)

30ml, 61354-051-06

- K
- M
- P8780C
- P8080C
- dieline

**Drug Facts  
(continued)**

**Inactive  
Ingredients**

Cyclopentasiloxane, isododecane, polysilicone-11, polymethylsilsesquioxane, mica, hexyl laurate, PEG-10 dimethicone, polyglyceryl-4 isostearate, stearic acid, cetyl PEG/PPG-10/1 dimethicone,

deep

12-hour primer

---

tarte

high-performance naturals™

- triple-B complex: blend of natural diamond powder, plants & lipoamino acid
- pore minimizing, smoothing & brightening
- 12-hour primer & dermatologist tested
- wear alone for a

**Drug Facts**

Active Ingredients	Purpose
Titanium Dioxide 4.55%.....	Sunscreen
Zinc Oxide 3.5%.....	Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.  
Stop use and ask doctor if rash occurs.  
Do not use on damaged or broken skin.

C11014061

alumina,  
triethoxycaprylylsi-  
lane, dipalmitoyl  
hydroxyproline,  
diamond powder, iron  
oxides.

sheer tint of under  
foundation for  
enhanced coverage

Do not use on damaged or broken skin.  
**When using this product keep out  
of eyes. Rinse with water to remove.**  
**Keep out of the reach of children. If  
swallowed, get medical help or  
contact a Poison Control Center  
right away.**

**Directions**

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

**Other Information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

net 30 mL / 1 FL. Oz. Made  
in USA. Dist. by tarte, Inc.  
New York, NY 10018. All  
rights reserved. BIORIUS:  
7170 Manage, Belgium /  
London WC2H 9JQ, UK.

#claypowered  
@tartecosmetics  
www.tarte.com

BB tinted treatment primer  
**Broad Spectrum  
SPF 30 Sunscreen**



SP12284

P025991  
SIZE: 40\*27\*134(mm)



## CREAM

titanium dioxide, zinc oxide lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61354-051
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	3.5 mg in 100 mg
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	4.55 mg in 100 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61354-051-06	1 in 1 CARTON	02/23/2021	
1		30 mg in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	02/23/2021	

**Labeler** - OXYGEN DEVELOPMENT, LLC (137098492)

### Establishment

Name	Address	ID/FEI	Business Operations
OXYGEN DEVELOPMENT, LLC		137098492	manufacture(61354-051)

Revised: 2/2023

OXYGEN DEVELOPMENT, LLC