

ALLERGY- cetirizine hydrochloride tablet, film coated
Kroger Company

Kroger Cetirizine Hydrochloride Tablets USP, 10 mg

DRUG FACTS

Cetirizine HCl 10 mg

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

(1-800-222-1222).

Directions

adults and children 6 years and over: one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.

adults 65 years and over: ask a doctor

children under 6 years of age: ask a doctor
consumers with liver or kidney disease: ask a doctor

OTHER INFORMATION

Other information

- store between 20° to 25°C (68° to 77°F)

Inactive ingredients corn starch, hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, povidone, titanium dioxide

Questions or comments? 1-800-632-6900

Kroger ORIGINAL PRESCRIPTION STRENGTH NDC 41226-692-65
Allergy
Cetirizine Hydrochloride
Tablets, 10 mg
Antihistamine
INDOOR & OUTDOOR ALLERGIES
24 HOUR RELIEF OF:
Sneezing;
Runny Nose;
Itchy, Watery Eyes;
Itchy Throat or Nose
24 HOUR
365 TABLETS

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION

Drug Facts
Active ingredient (in each tablet) Purpose
Cetirizine HCl 10 mg Antihistamine
Uses Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ runny nose ■ sneezing ■ itchy, watery eyes
■ itching of the nose or throat
Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.
When using this product
■ drowsiness may occur ■ avoid alcoholic drinks
■ alcohol, sedatives, and tranquilizers may increase drowsiness
■ be careful when driving a motor vehicle or operating machinery
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding:
■ if breast-feeding: not recommended
■ if pregnant, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).
Directions ■ adults and children 6 years and over: take one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms. ■ adults 65 years and over: ask a doctor. ■ children under 6 years of age: ask a doctor. ■ consumers with liver or kidney disease: ask a doctor
Questions or comments? 1-800-632-6900
DISTRIBUTED BY THE KROGER CO.
CINCINNATI, OHIO 45202
Our Brands. Our Guarantee. Love It or Your Money Back. www.kroger.com
692R 0121
LOT #:
EXP. DATE:



Kroger ORIGINAL PRESCRIPTION STRENGTH
Allergy
 Cetrizine Hydrochloride Tablets, 10 mg/Antihistamine
 INDOOR & OUTDOOR ALLERGIES

24 HOUR RELIEF OF:
 Sneezing; Runny Nose; Itchy, Watery Eyes; Itchy Throat or Nose

24 HOUR
70 TABLETS

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

Warnings
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
 Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
 ■ if pregnant or breast-feeding:
 ■ if pregnant, ask a health professional before use.
 ■ if breast-feeding: not recommended

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions ■ adults and children 6 years and over: take one 10 mg tablet once daily, do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms. ■ adults 65 years and over: ask a doctor ■ children under 6 years of age: ask a doctor ■ consumers with liver or kidney disease: ask a doctor

Other information ■ store between 20° to 25°C (68° to 77°F)

INACTIVE INGREDIENTS corn starch, hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, povidone, titanium dioxide

QUESTIONS OR COMMENTS? 1-800-632-6900

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

*Zyrtec® is a registered trademark of Johnson & Johnson, New Brunswick, NJ 08933. Johnson & Johnson is not affiliated with The Kroger Co. or the product.
 DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202
 FOR MORE PRODUCT INFORMATION, SCAN UPC USING YOUR KROGER APP OR CALL 800-632-6900

Our Brands. Our Guarantee. Love It or Your Money Back. www.kroger.com

LOT #: EXP. DATE:

ORIGINAL PRESCRIPTION STRENGTH
Allergy
Cetirizine Hydrochloride Tablets, 10 mg
Antihistamine
INDOOR & OUTDOOR ALLERGIES

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION

Drug Facts Active ingredient (in each tablet) Purpose Cetirizine HCl 10 mg, Antihistamine	Drug Facts (continued) Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).
Uses Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat	Directions adults and children 6 years and over: one 10 mg tablet once daily, do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms. adults 65 years and over: ask a doctor children under 6 years of age: ask a doctor consumers with liver or kidney disease: ask a doctor
Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.	Other information ■ store between 20° to 25°C (68° to 77°F)
When using this product ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery	Inactive ingredients corn starch, hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, croscollon, titanium dioxide
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. if pregnant or breast-feeding: ■ if breast-feeding: not recommended ■ if pregnant, ask a health professional before use.	Questions or comments? 1-800-632-6900 TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

80% SIZE
12-digit UPC-A
(non-suppressed)
For Position Only
0 41260 01238 9

DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202
FOR MORE PRODUCT INFORMATION, SCAN UPC USING YOUR KROGER APP OR CALL 800-832-6900
Our Brands. Our Guarantee. Love It or Your Money Back. www.kroger.com

PLEASE RECYCLE 692R 0321

Lot No.:
Exp. Date:

COMPARE TO the active ingredient of ZYRTEC® TABLETS *See side panel

NDC 41226-692-14

ORIGINAL PRESCRIPTION STRENGTH
Allergy
Cetirizine Hydrochloride Tablets, 10 mg
Antihistamine
INDOOR & OUTDOOR ALLERGIES

ORIGINAL PRESCRIPTION STRENGTH
Allergy
Cetirizine Hydrochloride Tablets, 10 mg
Antihistamine
INDOOR & OUTDOOR ALLERGIES

24 HOUR RELIEF OF:
Sneezing;
Runny Nose;
Itchy, Watery Eyes;
Itchy Throat or Nose

24 HOUR
70 TABLETS (140)

2 BOTTLES
70 TABLETS (140)

*Zyrtec® is a registered trademark of Johnson & Johnson, New Brunswick, NJ 08933. Johnson & Johnson is not affiliated with The Kroger Co. or this product.



Kroger health NDC 41226-692-70

ORIGINAL PRESCRIPTION STRENGTH
Allergy Relief
Cetirizine Hydrochloride Tablets USP, 10 mg
Antihistamine
Indoor & Outdoor Allergies

UP TO 24 HR RELIEF
70 TABLETS

SNEEZING
ITCHY, WATERY EYES
RUNNY NOSE
ITCHY THROAT OR NOSE

RETAIN CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.
Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat
Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients, or to an antihistamine containing hydroxyzine.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.
When using this product ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding ■ if breast-feeding: not recommended ■ if pregnant: ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).
Directions ■ adults and children 6 years and over: one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms. ■ adults 65 years and over: ask a doctor ■ children under 6 years of age: ask a doctor ■ consumers with liver or kidney disease: ask a doctor
Other information ■ **TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING**
■ store between 20° to 25°C (68° to 77°F)
Questions or comments? Call 1-800-632-6900
DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202
MADE IN INDIA 692R 0424
LOT:
EXP.:

Varnish Omit Area



ALLERGY

cetirizine hydrochloride tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41226-692
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	10 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	

LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
POVIDONE (UNII: FZ989GH94E)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white ((white to off white))	Score	no score
Shape	RECTANGLE (Rounded-off rectangular shaped)	Size	10mm
Flavor		Imprint Code	J;220
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41226-692-65	1 in 1 CARTON	05/11/2021	
1		365 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:41226-692-14	2 in 1 CARTON	05/11/2021	
2		70 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:41226-692-70	1 in 1 CARTON	06/03/2024	
3		70 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA078933	05/11/2021	

Labeler - Kroger Company (006999528)

Registrant - TIME CAP LABORATORIES, INC. (037052099)

Establishment

Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		925822975	manufacture(41226-692)