

**ACETAMINOPHEN EXTRA STRENGTH- acetaminophen tablet, coated
FOODHOLD U.S.A., LLC**

CareOne 44-519

Active ingredient (in each gelcap)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - toothache
 - muscular aches
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- if you are allergic to acetaminophen or any of the inactive ingredients in this product
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over
 - take 2 gelcaps every 6 hours while symptoms last
 - do not take more than 6 gelcaps in 24 hours, unless directed by a doctor
 - do not take for more than 10 days unless directed by a doctor
- children under 12 years: ask a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- avoid high humidity
- use by expiration date on package

Inactive ingredients

croscarmellose sodium, D&C red #33, FD&C blue #1, FD&C red #40, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, stearic acid, titanium dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

CAREONE®

NDC 41520-919-12

*Compare to the
active ingredient in
Extra Strength Tylenol®**

Extra Strength

ACETAMINOPHEN

500 mg

Pain Reliever

Fever Reducer

Contains no aspirin

OUR PHARMACIST

Rx

RECOMMEND

100

GELCAPS

*Actual
Size*

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Extra Strength Tylenol®.

50844

REV0322A51912

DISTRIBUTED BY: ADUSA DISTRIBUTION, LLC
SALISBURY, NC 28147

For product questions or concerns,
contact us at 1-833-992-3872

Quality guaranteed or your money back.

CAREone® NDC 41520-919-12
Compare to the active ingredient in Extra Strength Tylenol®

Extra Strength
ACETAMINOPHEN

500 mg
Pain Reliever
Fever Reducer

Contains no aspirin

OUR PHARMACISTS RECOMMEND

100
GELCAPS

Actual Size



No Print / No Varnish Lot no. & Exp. date

Drug Facts

Active ingredient (in each gelcap)
Acetaminophen 500 mg. Pain reliever/fever reducer

Purpose

Uses
temporarily relieves minor aches and pains due to:
the common cold ■ muscular aches
minor pain of arthritis ■ headache ■ backache
premenstrual and menstrual cramps
temporarily reduces fever


Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take
more than 4,000 mg of acetaminophen in 24 hours
with other drugs containing acetaminophen
3 or more alcoholic drinks every day while using this product
Allergy alert: Acetaminophen may cause severe skin reactions.
Symptoms may include: ■ blisters ■ rash
skin redness
If a skin reaction occurs, stop use and seek medical help right away.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Extra Strength Tylenol®.

DISTRIBUTED BY: ADUSA DISTRIBUTION, LLC
SALISBURY, NC 28147
For product questions or concerns,
contact us at 1-833-992-3872
Quality guaranteed or your money back.

50844
REV0322A51912



3 41520 31932 7

PEEL HERE FOR MORE DRUG FACTS

Adhesive Area

STOP PEELING

Drug Facts (continued)

Do not use
if you are allergic to acetaminophen or any of the inactive ingredients in this product
with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have liver disease, ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if
pain gets worse or lasts more than 10 days
fever gets worse or lasts more than 3 days
new symptoms occur
redness or swelling is present
These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions
do not take more than directed
adults and children 12 years and over
take 2 gelcaps every 6 hours while symptoms last
do not take more than 6 gelcaps in 24 hours, unless directed by a doctor
do not take for more than 10 days unless directed by a doctor
children under 12 years: ask a doctor

Other information
store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ avoid high humidity
use by expiration date on package

Inactive ingredients
croscarmellose sodium, D&C red #33, FD&C blue #1, FD&C red #40, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, stearic acid, titanium dioxide

Questions or comments? 1-800-426-9391

CareOne 44-519

ACETAMINOPHEN EXTRA STRENGTH			
acetaminophen tablet, coated			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41520-919
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	500 mg
Inactive Ingredients			
Ingredient Name			Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)			
D&C RED NO. 33 (UNII: 9DBA05BB0L)			

FD&C BLUE NO. 1 (UNII: H3R47K3TBD)
FD&C RED NO. 40 (UNII: WZB9127XOA)
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)
STARCH, CORN (UNII: O8232NY35J)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
SHELLAC (UNII: 46N107B710)
STEARIC ACID (UNII: 4ELV7Z65AP)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Product Characteristics

Color	red, blue	Score	no score
Shape	OVAL	Size	19mm
Flavor		Imprint Code	L;5
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41520-919-12	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/10/2004	
2	NDC:41520-919-20	225 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/10/2004	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	05/10/2004	

Labeler - FOODHOLD U.S.A., LLC (809183973)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	manufacture(41520-919) , pack(41520-919)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(41520-919)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(41520-919)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(41520-919)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(41520-919)

Revised: 8/2024

FOODHOLD U.S.A., LLC